		BASE VINILICA TR							
	COLOR								
ersio	on: 1 Date of	f issue: 19/04/2024				Date of printing: 19/04/20			
CTIO	N 1: IDENTIFICATION OF 1	THE SUBSTANCE/MIXTURE AND	OF THE (COMPANY/UNDERTAKI	NG				
.1	PRODUCT IDENTIFIER								
	BASE VINILICA TR	_							
.2	RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST:								
	Intended uses (main technical functions): [] Industrial [X] Professional [X] Consumers								
	Liquid paint. Sectors of use:								
	Consumer uses (SU21).								
	Uses advised against:								
	This product is not recom	mended for any use or sector of us	e (industri	al, professional or consu	mer) other than thos	e previously listed as			
	"Intended or identified use	es". cture, placing on market and use	a accordi	ng to Annov XV/II of Pc	gulation (EC) No.	1007/2006.			
	Not restricted.	store, placing on market and use				<u>1907/2000.</u>			
.3		PLIER OF THE SAFETY DATA	SHEET:						
	PINTURAS IRIS COLOR,								
		olígono Industrial El Salvador - 026							
		114272 - Fax: (+34) 967 440678 - person responsible for the Safet	•						
	pinturasiriscolor@pinturas		<u>y Data SI</u>						
.4	EMERGENCY TELEPH								
	(+34) 967 114272 9:00-14								
CTIO	N 2 : HAZARDS IDENTIFIC	ATION							
.1	CLASSIFICATION OF	THE SUBSTANCE OR MIXTUR	<u>E:</u>						
	Classification of mixtures is carried out in accordance with the following principles: a) when data (tests) for the classification of mixtures are available, generally is carried out based on these data, b) in the absence of data (tests) for mixtures are generally used interpolation or								
	information which would a	extrapolation methods of assessing the risk, using the available data for mixtures similarly classified, and c) in the absence of tests and information which would allow to apply interpolation or extrapolation techniques, methods are used to classify risk assessment based on the							
	data of the individual com	•	070/0000						
		ance with Regulation (EU) No. 1	272/2008	<u>~2022/692 (CLP):</u>					
	Aquatic Chronic 3:H412 Danger class	Classification of the mixture	Cat.	Routes of exposure	Target organs	Effects			
	Physicochemical:		Oat.		raiget organs	LICCIS			
	Not classified								
	Human health:								
	Not classified								
	Environment:	Aquatic Chronic 3:H412 c)	Cat.3	-	-	-			
	Full text of hazard statements mentioned is indicated in section 16.								
	Full text of hazard statem	ents mentioned is indicated in secti	011 10.						
				d environmental hazards	describe the effects	of the highest			
	Note: When in section 3 a concentration of each con	ents mentioned is indicated in secti range of percentages is used, the nponent, but below the maximum v	health and	d environmental hazards	describe the effects	of the highest			
2	Note: When in section 3 a	range of percentages is used, the	health and	d environmental hazards	describe the effects	of the highest			
2	Note: When in section 3 a concentration of each con	range of percentages is used, the nponent, but below the maximum v	health and alue.	d environmental hazards					
2	Note: When in section 3 a concentration of each con	range of percentages is used, the nponent, but below the maximum v	health and alue.						
2	Note: When in section 3 a concentration of each con	range of percentages is used, the nponent, but below the maximum v	health and alue.						
2	Note: When in section 3 a concentration of each con LABEL ELEMENTS: - Hazard statements: H412	range of percentages is used, the nponent, but below the maximum v This product is lab Harmful to aquatic life with long last	health and alue. elled in ac	cordance with Regulation					
2	Note: When in section 3 a concentration of each con LABEL ELEMENTS: - Hazard statements: H412 - Precautionary statement	a range of percentages is used, the nponent, but below the maximum v This product is lab Harmful to aquatic life with long last ents:	health and ralue. relled in ac	cordance with Regulation					
2	Note: When in section 3 a concentration of each con LABEL ELEMENTS: - Hazard statements: H412 - Precautionary statements P101	a range of percentages is used, the nponent, but below the maximum v This product is lab Harmful to aquatic life with long last <u>ents:</u> medical advice is needed, have pr	health and ralue. relled in ac	cordance with Regulation					
2	Note: When in section 3 a concentration of each con LABEL ELEMENTS: - Hazard statements: H412 - Precautionary statements P101 If P102	a range of percentages is used, the nponent, but below the maximum v This product is lab Harmful to aquatic life with long last ents:	health and ralue. relled in ac	cordance with Regulation					
2	Note: When in section 3 a concentration of each conLABEL ELEMENTS:- Hazard statements:H412- Precautionary statementP101IfP102KP103P273-P501	This product is lab Harmful to aquatic life with long last ents: medical advice is needed, have pr feep out of reach of children. tead label before use. void release to the environment. Di	health and ralue. relled in ac ting effects	cordance with Regulation	n (EU) No. 1272/200	8~2022/692 (CLP).			
2	Note: When in section 3 a concentration of each con LABEL ELEMENTS: - Hazard statements: H412 - Precautionary statements P101 If P102 K P103 P273-P501 A - Supplementary statements	This product is lab Harmful to aquatic life with long last ents: medical advice is needed, have pr feep out of reach of children. lead label before use. woid release to the environment. Di nents:	health and ralue. Telled in ac ting effects roduct cont ispose of c	cordance with Regulation tainer or label at hand. contents/container in acc	n (EU) No. 1272/200 ordance with local re	8~2022/692 (CLP).			
2	Note: When in section 3 a concentration of each con LABEL ELEMENTS: - Hazard statements: H412 - Precautionary statements P101 P102 K P103 P273-P501 A Supplementary statements EUH208	This product is lab Harmful to aquatic life with long last ents: medical advice is needed, have pr feep out of reach of children. tead label before use. woid release to the environment. Di nents: contains 1,2-benzisothiazol-3(2H)-o	health and ralue. Telled in ac ting effects roduct cont ispose of cone, Reacti	cordance with Regulation tainer or label at hand. contents/container in acc	n (EU) No. 1272/200 ordance with local re ethyl-2H-isothiazolin	8~2022/692 (CLP).			
2	Note: When in section 3 a concentration of each con LABEL ELEMENTS: - Hazard statements: H412 - Precautionary statements P101 P102 K P103 P273-P501 - Supplementary statements EUH208 C	This product is lab Harmful to aquatic life with long last ents: medical advice is needed, have pr feep out of reach of children. lead label before use. woid release to the environment. Di nents:	health and ralue. Telled in ac ting effects roduct cont ispose of cone, Reacti C 220-235	cordance with Regulation tainer or label at hand. contents/container in acc ion mass of 5-chloro-2-m 9-6] (3:1). May produce a	n (EU) No. 1272/200 ordance with local re ethyl-2H-isothiazolin n allergic reaction.	8~2022/692 (CLP).			
2	Note: When in section 3 a concentration of each con LABEL ELEMENTS: - Hazard statements: H412 - Precautionary statements P101 P102 K P103 P273-P501 - Supplementary statements EUH208 C	This product is lab Harmful to aquatic life with long last ents: medical advice is needed, have pr feep out of reach of children. tead label before use. void release to the environment. Di- nents: contains 1,2-benzisothiazol-3(2H)-o nd 2-methyl-2H-isothiazol-3-one [E- contains Isoproturon, 3-iodo-2-prop	health and ralue. Telled in ac ting effects roduct cont ispose of cone, Reacti C 220-235	cordance with Regulation tainer or label at hand. contents/container in acc ion mass of 5-chloro-2-m 9-6] (3:1). May produce a	n (EU) No. 1272/200 ordance with local re ethyl-2H-isothiazolin n allergic reaction.	8~2022/692 (CLP).			
2	Note: When in section 3 a concentration of each con LABEL ELEMENTS: - Hazard statements: H412 H412 - Precautionary statements: P101 If P102 K P273-P501 - Supplementary statements: EUH208 - Constructional content None in a percentage equal	This product is lab Harmful to aquatic life with long last ents: medical advice is needed, have pr feep out of reach of children. tead label before use. void release to the environment. Di- nents: contains 1,2-benzisothiazol-3(2H)-o nd 2-methyl-2H-isothiazol-3-one [E- contains Isoproturon, 3-iodo-2-prop	health and ralue. The elled in action ting effects roduct cont ispose of content ispose of content isp	cordance with Regulation tainer or label at hand. contents/container in acc ion mass of 5-chloro-2-m 9-6] (3:1). May produce a	n (EU) No. 1272/200 ordance with local re ethyl-2H-isothiazolin n allergic reaction.	8~2022/692 (CLP).			
	Note: When in section 3 a concentration of each concentra	Arrange of percentages is used, the apponent, but below the maximum vi- This product is lab Harmful to aquatic life with long last ents: medical advice is needed, have pri- icep out of reach of children. tead label before use. void release to the environment. Di- nents: contains 1,2-benzisothiazol-3(2H)-o nd 2-methyl-2H-isothiazol-3-one [E contains Isoproturon, 3-iodo-2-prop- ibute to classification: lal to or higher than the limit for the	health and value. elled in ac ting effects roduct cont ispose of c one, Reacti C 220-235 ynyl butylc name.	cordance with Regulation s. tainer or label at hand. contents/container in acc ion mass of 5-chloro-2-m 2-6] (3:1). May produce a carbamate, Terbutryne to	n (EU) No. 1272/200 ordance with local re ethyl-2H-isothiazolin n allergic reaction. protect the film.	8~2022/692 (CLP).			
2	Note: When in section 3 a concentration of each concentra	This product is lab Harmful to aquatic life with long last medical advice is needed, have prise reep out of reach of children. Read label before use. void release to the environment. Diments: contains 1,2-benzisothiazol-3(2H)-on nd 2-methyl-2H-isothiazol-3-one [E contains lsoproturon, 3-iodo-2-propyibute to classification: lal to or higher than the limit for the ult in classification but which may c	health and value. elled in ac ting effects roduct cont ispose of c one, Reacti C 220-235 ynyl butylc name.	cordance with Regulation s. tainer or label at hand. contents/container in acc ion mass of 5-chloro-2-m 2-6] (3:1). May produce a carbamate, Terbutryne to	n (EU) No. 1272/200 ordance with local re ethyl-2H-isothiazolin n allergic reaction. protect the film.	8~2022/692 (CLP).			
	Note: When in section 3 a concentration of each concentrationary statements: - Hazard statements: H412 H - Precautionary statements: P101 If P102 K P103 F P273-P501 A - Supplementary statement C EUH208 C - Substances that contre C None in a percentage equ OTHER HAZARDS: Hazards which do not ress - Other physicochemicate	Arrange of percentages is used, the apponent, but below the maximum vi- This product is lab Harmful to aquatic life with long last ents: medical advice is needed, have pri- ieep out of reach of children. tead label before use. void release to the environment. Di- nents: contains 1,2-benzisothiazol-3(2H)-o- nd 2-methyl-2H-isothiazol-3-one [E contains lsoproturon, 3-iodo-2-prop- bute to classification: tal to or higher than the limit for the ult in classification but which may co- l hazards:	health and value. elled in ac ting effects roduct cont ispose of c one, Reacti C 220-235 ynyl butylc name.	cordance with Regulation s. tainer or label at hand. contents/container in acc ion mass of 5-chloro-2-m 2-6] (3:1). May produce a carbamate, Terbutryne to	n (EU) No. 1272/200 ordance with local re ethyl-2H-isothiazolin n allergic reaction. protect the film.	8~2022/692 (CLP).			
	Note: When in section 3 a concentration of each concentra	Arrange of percentages is used, the apponent, but below the maximum vi- This product is lab Harmful to aquatic life with long last ents: medical advice is needed, have pri- eep out of reach of children. tead label before use. woid release to the environment. Di- nents: contains 1,2-benzisothiazol-3(2H)-o- nd 2-methyl-2H-isothiazol-3(2H)-o- nd 2-methyl-2H-isothiazol-3(2H)-o- isotains Isoproturon, 3-iodo-2-prop- bute to classification: tal to or higher than the limit for the ult in classification but which may call hazards: a effects are known.	health and value. elled in ac ting effects roduct cont ispose of c one, Reacti C 220-235 ynyl butylc name.	cordance with Regulation s. tainer or label at hand. contents/container in acc ion mass of 5-chloro-2-m 2-6] (3:1). May produce a carbamate, Terbutryne to	n (EU) No. 1272/200 ordance with local re ethyl-2H-isothiazolin n allergic reaction. protect the film.	8~2022/692 (CLP).			

SAFETY DATA SHEET (REACH)

		No. 1907/2006 and Regulation (EU) No. 2020/878		(Language:E
	IRIS COLOR	BASE VINILICA TR		
rsio	n: 1 Date	e of issue: 19/04/2024	Date	of printing: 19/04/20
	- Other negative envir			
		ances that fulfil the PBT/vPvB criteria.		
	Endocrine disrupting		-1	
OTIO	· ·	ontain substances with endocrine disrupting properties identified or under eva	aluation.	
CHO		ORMATION ON INGREDIENTS		
1	SUBSTANCES:			
	Not applicable (mixture)).		
2	MIXTURES:			
	This product is a mixtur			
	Chemical description:	•		
		tenders, resins and additives in aqueous media.		
	HAZARDOUS INGRE			
	01	in a percentage higher than the exemption limit:		
		soproturon	ATP13	
		CAS: 34123-59-6, EC: 251-835-4, REACH: Exempt (biocide)		
		CLP: Warning: Carc. 2:H351 STOT RE 2:H373 Aquatic Acute 1:H400 M=10) Aquatic Chronic 1:H410 (M=10)		
		B-iodo-2-propynyl butylcarbamate	REACH / ATP06	
		CAS: 55406-53-6, EC: 259-627-5, REACH: 01-2120762115-60 CLP: Danger: Acute Tox. (inh.) 3:H331 (ATE=670 mg/m3) Acute Tox. (oral)		
		4:H302 (ATE=1056 mg/kg) Eye Dam. 1:H318 Skin Sens. 1:H317 STOT		
		RE 1:H372 Aquatic Acute 1:H400 (M=10) Aquatic Chronic 1:H410 (M=1)		
	C < 0,01 %	1,2-benzisothiazol-3(2H)-one	CLP00	Skin Sens. 1, H3
		CAS: 2634-33-5, EC: 220-120-9		C ≥0,05
		CLP: Danger: Acute Tox. (oral) 4:H302 (ATE=567 mg/kg) Skin Irrit. 2:H315		
		Eye Dam. 1:H318 Skin Sens. 1:H317 Aquatic Acute 1:H400		
		Terbutryne	Autoclassified	
		CAS: 886-50-0, EC: 212-950-5, REACH: Exempt (biocide)		
		CLP: Warning: Acute Tox. (oral) 4:H302 (ATE=1470 mg/kg) Aquatic Acute 1:H400 (M=100) Aquatic Chronic 1:H410 (M=100)		
				Skin Corr. 1C, H3
		Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1)	ATP13	C ≥0,6
		CAS: 55965-84-9, EC: 611-341-5, REACH: Exempt (biocide)		Skin Irrit. 2, H3
		CLP: Danger: Acute Tox. (inh.) 2:H330 (ATE=50 mg/m3) Acute Tox. (skin)		0,06 % ≤ C < 0,6 Eye Dam. 1, H3
		2:H310 (ATE=140 mg/kg) Acute Tox. (oral) 3:H301 (ATE=74 mg/kg) Skin		C ≥0,6
		Corr. 1C:H314 Eye Dam. 1:H318 Aquatic Acute 1:H400 (M=100) Aquatic		Eye Irrit. 2, H3 0,06 % ≤ C < 0,6
		Chronic 1:H410 (M=100) EUH071 Skin Sens. 1A:H317 (Note B)		Skin Sens. 1A, H3
				C ≥0,0015
	Impurities:			
		components or impurities which will influence the classification of the product	•	
	Stabilizers:			
	None.			
	Reference to other se			
		hazardous ingredients, see sections 8, 11, 12 and 16.		
	List updated by ECHA	ERY HIGH CONCERN (SVHC):		
		bject to authorisation, included in Annex XIV of Regulation (EC) no. 19	07/2006	
	None.	bject to authorisation, included in Annex Arv of Regulation (EC) no. 19	0112000.	
		indidate to be included in Appen XIV of Regulation (EC) pp. 1007/2006		
	None.	Indidate to be included in Annex XIV of Regulation (EC) no. 1907/2006	<u>-</u>	
	SUBSTANCES:	CCUMULABLE AND TOXIC PBT, OR VERY PERSISTENT AND VERY	DIOACCUIVIULAB	LE VYVB
		ances that fulfil the PBT/vPvB criteria.		
		uded in the (EU) REGULATION 2019/1021~2020/784 on persistent or	anic pollutopto:	
	None.	aded in the (EO) NEGOLATION 2019/1021~2020/764 off persistent org	anic poliulants.	
	I NULE.			

	ince with Regulation (EC)	No. 1907/2006 and Regulation (EU) No. 2020/878		(Language:EN)
	RELIANS IRIS COLOR COLOR	BASE VINILICA TR		
Version	: 1 Date	of issue: 19/04/2024		Date of printing: 19/04/2024
SECTION	4: FIRST AID MEASURI	ES		
4.1	DESCRIPTION OF FI	RST AID MEASURES:		
		occur after exposure, so that in case of direct exposure to ention.Never give anything by mouth to an unconscious p		hen in doubt, or when symptoms persist,
	Route of exposure	Symptoms and effects, acute and delayed	Description of	first-aid measures
	Inhalation:	It is not expected that symptoms will occur under normal conditions of use.	affected to the	
	Skin:	It is not expected that symptoms will occur under normal conditions of use.	affected area	aminated clothing.Wash thoroughly the with plenty of cold or lukewarm water and or use a suitable skin cleanser.
	Eyes:	It is not expected that symptoms will occur under normal conditions of use.	irrigation with	act lenses.Rinse eyes copiously by plenty of clean, fresh water, holding the lf irritation persists, consult a physician.
	Ingestion:	If swallowed in high doses, may cause gastrointestinal disturbances.		e vomiting, due to the risk of ep the patient at rest.
4.2	MOST IMPORTANT S	SYMPTOMS AND EFFECTS, BOTH ACUTE AND D		· ·
	The main symptoms and	d effects are indicated in sections 4.1 and 11.1		
4.3	INDICATION OF ANY	IMMEDIATE MEDICAL ATTENTION AND SPECIAL	L TREATMEN	T NEEDED:
	Notes to physician:			
		ected at the control of symptoms and the clinical condition	n of the patient.	
	Antidotes and contrain			
	Specific antidote not kno			
	5: FIREFIGHTING MEA			
5.1	EXTINGUISHING ME			
	Extinguishing powder or			
5.2		ARISING FROM THE SUBSTANCE OR MIXTURE:		
		bustion or thermal decomposition, hazardous products m xides, halogenated compounds.Exposure to combustion		
5.3	ADVICE FOR FIREFIC			in products may be a nazard to nealth.
0.0	Special protective equ			
		e of fire, heat-proof protective clothing may be required, a	oppropriate inde	nondent breathing apparatus, gloves
	protective glasses or fac sheltered position or from	e masks and boots.If the fire-proof protective equipment m a safe distance.The standard EN469 provides a basic l	is not available	or is not being used, combat fire from a
	Other recommendation			
		s, cisterns or containers close to sources of heat or fire.B	ear in mind the	direction of the wind.Do not allow fire-
	fighting residue to enter	drains, sewers or water courses.		

SAFETY DATA SHEET (REACH)

1 PERSOI Avoid dir .2 ENVIRC Avoid cor lakes, riv. .3 METHO Contain a closed cc. .4 REFERI For conta Avoid any - Recom Avoid any indicated .2 CONDIT Forbid th with sunli information - Class conta According	Date of issue: 19/04/ DENTAL RELEASE MEASURES NAL PRECAUTIONS, PROTECT ect contact with this product.Avoid DMENTAL PRECAUTIONS: Intamination of drains, surface or s rers or sewages, inform the approp DS AND MATERIAL FOR COM and mop up spills with absorbent rontainer. ENCE TO OTHER SECTIONS: act information in case of emerger mation on safe handling, see sect issure controls and personal protect e disposal, follow the recommend. LING AND STORAGE UTIONS FOR SAFE HANDLIN with the existing legislation on heat al recommendations: y type of leakage or escape.Keep mendations for the prevention icable. Immendations for the prevention at, drink or smoke while handling. s, see section 8. Immendations for the prevention y spillage in the environment.Pay I in section 6. TIONS FOR SAFE STORAGE, e entry to unauthorized persons.	2024 CTIVE EQUIPMENT / d breathing vapours.Kee subterranean water and priate authorities in acco- NTAINMENT AND CL materials (sawdust, ear incy, see section 1. ion 7. tion measures, see sect ations in section 13. G: Ith and safety at work. the container tightly clo of fire and explosion of toxicological risks: After handling, wash ha of environmental con	eep people without product of a soil. In the case of la cordance with local re LEANING UP: Inth, sand, vermiculite, action 8.	rotection in opposition to the wind direction. arge scale spills or when the product contamin	nates
CTION 6: ACCIE 1 PERSOI Avoid diru 2 ENVIRC Avoid cor lakes, riv 3 METHO Contain a closed cc 4 REFERE For conta For inforr For expor For waste CTION 7: HAND 1 PRECAU Comply w <u>- Genera</u> Avoid any <u>- Recom</u> Not appli <u>- Recom</u> Avoid any indicated 2 CONDIT Forbid th with sunli informatic <u>- Class c</u> According	DENTAL RELEASE MEASURES NAL PRECAUTIONS, PROTEC ect contact with this product.Avoid DIMENTAL PRECAUTIONS: Intamination of drains, surface or s ers or sewages, inform the approp DS AND MATERIAL FOR COM and mop up spills with absorbent r ontainer. ENCE TO OTHER SECTIONS: act information in case of emerger mation on safe handling, see section usure controls and personal protect e disposal, follow the recommend. LING AND STORAGE UTIONS FOR SAFE HANDLIN with the existing legislation on heat al recommendations: y type of leakage or escape.Keep mendations for the prevention icable. Internet and the prevention at, drink or smoke while handling. s, see section 8. Internet ations for the prevention at, drink or smoke while handling. s, see section 8. Internet ations for the prevention is section 6. IONS FOR SAFE STORAGE, e entry to unauthorized persons. I ight. In order to avoid leakages, th	CTIVE EQUIPMENT / d breathing vapours.Kee subterranean water and priate authorities in account A DAME NT AND CL materials (sawdust, ear incy, see section 1. ion 7. ition measures, see sect ations in section 13. G: ations in section 13. G: ation safety at work. the container tightly clo of fire and explosion of toxicological risks: After handling, wash ha of environmental con	eep people without product of a soil. In the case of la cordance with local re LEANING UP: Inth, sand, vermiculite, action 8.	Y PROCEDURES: rotection in opposition to the wind direction. arge scale spills or when the product contaminegulations.	nates
1 PERSOI Avoid dir .2 ENVIRC Avoid cor lakes, riv. .3 METHO Contain a closed cc. .4 REFERI For conta Avoid any - Recom Avoid any indicated .2 CONDIT Forbid th with sunli information - Class conta According	NAL PRECAUTIONS, PROTECT ect contact with this product.Avoid DIMENTAL PRECAUTIONS: Intamination of drains, surface or services or sewages, inform the approperation DS AND MATERIAL FOR COM and mop up spills with absorbent re- DIS AND MATERIAL FOR COM and mop up spills with absorbent re- ontainer. ENCE TO OTHER SECTIONS: act information in case of emerger mation on safe handling, see secting sure controls and personal protect e disposal, follow the recommend. LING AND STORAGE UTIONS FOR SAFE HANDLING with the existing legislation on hear al recommendations: y type of leakage or escape.Keep mendations for the prevention at, drink or smoke while handling. s, see section 8. mendations for the prevention y spillage in the environment.Pay I in section 6. FIONS FOR SAFE STORAGE, e entry to unauthorized persons. I ight. In order to avoid leakages, th	d breathing vapours.Kee subterranean water and priate authorities in accont NTAINMENT AND CL materials (sawdust, ear ancy, see section 1. ion 7. ition measures, see section 13. G: lith and safety at work. the container tightly clo of fire and explosion of toxicological risks: After handling, wash ha of environmental con	eep people without product of a soil. In the case of la cordance with local re LEANING UP: Inth, sand, vermiculite, action 8.	rotection in opposition to the wind direction. arge scale spills or when the product contamir egulations.	
Avoid dir. 2 ENVIRC Avoid cor lakes, riv. 3 METHO Contain a closed cc. 4 REFERE For conta For export For conta For conta For export For conta For conta For export Comply w - Generat Avoid any - Recom Not applition - Recom Avoid any indicated 2 CONDIT Forbid th with sunli information - Class conta According	ect contact with this product.Avoid <u>DNMENTAL PRECAUTIONS:</u> Intamination of drains, surface or s ers or sewages, inform the approp <u>DS AND MATERIAL FOR CON</u> and mop up spills with absorbent in ontainer. <u>ENCE TO OTHER SECTIONS</u> : act information in case of emerger mation on safe handling, see secting sure controls and personal protect e disposal, follow the recommend. <u>ING AND STORAGE</u> <u>UTIONS FOR SAFE HANDLIN</u> with the existing legislation on hear <u>al recommendations</u> : y type of leakage or escape.Keep <u>mendations for the prevention</u> at, drink or smoke while handling. s, see section 8. <u>mendations for the prevention</u> y spillage in the environment.Pay I in section 6. <u>FIONS FOR SAFE STORAGE</u> , e entry to unauthorized persons. I ight. In order to avoid leakages, th	d breathing vapours.Kee subterranean water and priate authorities in accont NTAINMENT AND CL materials (sawdust, ear ancy, see section 1. ion 7. ition measures, see section 13. G: lith and safety at work. the container tightly clo of fire and explosion of toxicological risks: After handling, wash ha of environmental con	eep people without product of a soil. In the case of la cordance with local re LEANING UP: Inth, sand, vermiculite, action 8.	rotection in opposition to the wind direction. arge scale spills or when the product contamir egulations.	
2 ENVIRC Avoid cor lakes, riv 3 METHO Contain a closed co 4 REFERE For conta For inforr For expo For waste CTION 7: HAND 1 PRECAL Comply w <u>- Genera</u> Avoid any <u>- Recom</u> Not applii <u>- Recom</u> Avoid any indicated 2 <u>CONDIT</u> Forbid th with sunli informatio <u>- Class c</u> According	INMENTAL PRECAUTIONS: Intamination of drains, surface or severages, inform the appropriate INTERNATION INFORMATION INFORMATION INFORMATION INFORMATION INTERNATION INFORMATION INFORMATION INFORMATION INTERNATION INFORMATION INTERNATIONAL INFORMATION INFORMATION INTERNATIONAL INFORMATION INFORMATION INTERNATIONAL INFORMATION INFORMATION INTERNATIONAL INFORMATION INFORMATION INFORMATION INFORMATION INFORMATION INTERNATIONAL INFORMATION	subterranean water and priate authorities in accont MAINMENT AND CL materials (sawdust, ear ancy, see section 1. ion 7. ition measures, see section 13. G: lith and safety at work. the container tightly clo of fire and explosion of toxicological risks: After handling, wash ha	d soil.In the case of la cordance with local re LEANING UP: irth, sand, vermiculite ection 8.	arge scale spills or when the product contamine gulations.	
Avoid cor lakes, riv 3 <u>METHO</u> Contain a closed co 4 <u>REFERE</u> For conta For inforr For expo For waste CTION 7: HAND 1 <u>PRECAI</u> Comply v <u>- Genera</u> Avoid any <u>- Recom</u> Do not ea measures <u>- Recom</u> Avoid any indicated 2 <u>CONDIT</u> Forbid th with sunli informatic <u>- Class c</u> According	ntamination of drains, surface or severages, inform the appropriate or severages, information and mop up spills with absorbent in the absorbent is and mop up spills with absorbent is and the appropriate or severage of the appropriate or severage of the appropriate or severage of the appropriate or severage or severage or severage or severage. The appropriate of the appropriate or severage or severage or severage. The appropriate or severage or severage. The sevention of the appropriate or severage or severage. The appropriate or severage or severage or severage. The appropriate or severage or severage or severage or severage. The appropriate or severage or severage. The appropriate or severage or severage. The severage or severage or severage or severage or severage or severage or severage. The severage or severage. The severage or severag	oriate authorities in accontract authorities in accontract and acc	cordance with local re LEANING UP: irth, sand, vermiculite. ection 8. losed. <u>risks:</u>	egulations.	
Iakes, riv. 3 METHO Contain a closed cc 4 REFERE For conta For conta For conta For export For wasta Comply w - Genera Avoid any - Recom Not appli - Recom Do not ea measures - Recom Avoid any indicated 2 CONDIT Forbid th with sunli information - Class of According - Class of	ers or sewages, inform the approp DS AND MATERIAL FOR COM and mop up spills with absorbent in ontainer. ENCE TO OTHER SECTIONS: act information in case of emerger mation on safe handling, see section sure controls and personal protect e disposal, follow the recommend. LING AND STORAGE UTIONS FOR SAFE HANDLIN with the existing legislation on heat al recommendations: y type of leakage or escape.Keep mendations for the prevention icable. Internet and the prevention at, drink or smoke while handling. s, see section 8. Internet ations for the prevention y spillage in the environment.Pay I in section 6. TIONS FOR SAFE STORAGE, e entry to unauthorized persons. I ight. In order to avoid leakages, th	oriate authorities in accontract authorities in accontract and acc	cordance with local re LEANING UP: irth, sand, vermiculite. ection 8. losed. <u>risks:</u>	egulations.	
3 METHO Contain a closed cc 4 REFERE For conta For inforr For expo- For waste CTION 7: HAND 1 PRECAL Comply w - Genera Avoid any - Recom Do not ea measures - Recom Avoid any indicated 2 CONDIT Forbid th with sunli informatic - Class c	DS AND MATERIAL FOR COM and mop up spills with absorbent in ontainer. ENCE TO OTHER SECTIONS: act information in case of emerger mation on safe handling, see section sure controls and personal protect e disposal, follow the recommend. LING AND STORAGE UTIONS FOR SAFE HANDLIN with the existing legislation on heat al recommendations: y type of leakage or escape.Keep mendations for the prevention icable. Internet all on the prevention at, drink or smoke while handling. s, see section 8. Internet all on the environment.Pay I in section 6. TIONS FOR SAFE STORAGE, e entry to unauthorized persons. I ight. In order to avoid leakages, th	ATAINMENT AND CL materials (sawdust, ear moy, see section 1. ion 7. ition measures, see sec ations in section 13.	LEANING UP: Irth, sand, vermiculite Inction 8. Iosed. Irisks: I	-	ns in a
Contain a closed cc A REFERE For conta For inforr For expo- For wasta CTION 7: HAND 1 PRECAL Comply v - Genera Avoid any - Recom Do not ea measures - Recom Avoid any indicated 2 CONDIT Forbid th with sunli informatic - Class c	and mop up spills with absorbent in Distainer. ENCE TO OTHER SECTIONS: act information in case of emerger mation on safe handling, see secting sure controls and personal protect e disposal, follow the recommend. LING AND STORAGE UTIONS FOR SAFE HANDLIN with the existing legislation on hear al recommendations: y type of leakage or escape.Keep mendations for the prevention icable. mendations for the prevention at, drink or smoke while handling. s, see section 8. mendations for the prevention y spillage in the environment.Pay I in section 6. TIONS FOR SAFE STORAGE, e entry to unauthorized persons. I ight. In order to avoid leakages, th	materials (sawdust, ear incy, see section 1. ion 7. ition measures, see sec ations in section 13. G: ith and safety at work. the container tightly clo of fire and explosion of toxicological risks: After handling, wash ha of environmental con	rth, sand, vermiculite.	e, diatomaceous earth, etc). Keep the remain	is in a
closed cc 4 REFERE For conta For conta For conta For conta For conta For export For waste CTION 7: HAND 1 PRECAN Comply w - General Avoid any - Recom Do not ea measures - Recom Avoid any indicated 2 CONDIT Forbid th with suni information - Class con	ontainer. ENCE TO OTHER SECTIONS: act information in case of emerger mation on safe handling, see secti sure controls and personal protect e disposal, follow the recommend LING AND STORAGE UTIONS FOR SAFE HANDLIN with the existing legislation on heat al recommendations: y type of leakage or escape.Keep mendations for the prevention icable. mendations for the prevention at, drink or smoke while handling. s, see section 8. mendations for the prevention y spillage in the environment.Pay I in section 6. FIONS FOR SAFE STORAGE, e entry to unauthorized persons. I ight. In order to avoid leakages, th	ncy, see section 1. ion 7. ition measures, see sec ations in section 13. G: lith and safety at work. the container tightly clo of fire and explosion of toxicological risks: After handling, wash ha of environmental con	losed. <u>I risks:</u>		
For conta For inforr For expo- For waste CTION 7: HAND PRECAU Comply v - Genera Avoid any - Recom Do not ea measures - Recom Avoid any indicated 2 2 2 2 3 3 4 5 7 5 7 5 7 1 1 1 1 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	act information in case of emerger mation on safe handling, see secti sure controls and personal protect e disposal, follow the recommend. LING AND STORAGE UTIONS FOR SAFE HANDLIN with the existing legislation on hea al recommendations: y type of leakage or escape.Keep mendations for the prevention icable. mendations for the prevention at, drink or smoke while handling. s, see section 8. mendations for the prevention y spillage in the environment.Pay I in section 6. FIONS FOR SAFE STORAGE, e entry to unauthorized persons. I ight. In order to avoid leakages, th	ncy, see section 1. ion 7. ition measures, see sec ations in section 13. <u>G:</u> lith and safety at work. the container tightly clo of fire and explosion <u>of toxicological risks:</u> After handling, wash ha <u>of environmental con</u>	losed. <u>Lrisks:</u>		
2 CONDIT Avoid any Avoid any Avoid any Avoid any CONDIT Avoid any Avoid any Avoi	mation on safe handling, see sections and personal protect e disposal, follow the recommendations of the existing legislation on heat al recommendations: y type of leakage or escape.Keep intendations for the prevention for the prevention for the prevention at, drink or smoke while handling. Is, see section 8. Intendations for the prevention y spillage in the environment.Pay I in section 6. FIONS FOR SAFE STORAGE, e entry to unauthorized persons. I fight. In order to avoid leakages, the section of the prevention of the prevention of the store of the section of the prevention of the	ion 7. tion measures, see sec ations in section 13. <u>G:</u> lith and safety at work. the container tightly clo of fire and explosion <u>of toxicological risks:</u> After handling, wash ha <u>of environmental con</u>	losed. <u>Lrisks:</u>		
2 CTION 7: HAND For expon For waste CTION 7: HAND Comply v -Genera Avoid any -Recom Not appli -Recom Do not ea measures -Recom Avoid any indicated CONDIT Forbid th with sunli informatic -Class c According	sure controls and personal protect e disposal, follow the recommend LING AND STORAGE UTIONS FOR SAFE HANDLIN with the existing legislation on hear al recommendations: y type of leakage or escape.Keep mendations for the prevention icable. mendations for the prevention at, drink or smoke while handling. s, see section 8. mendations for the prevention y spillage in the environment.Pay I in section 6. FIONS FOR SAFE STORAGE, e entry to unauthorized persons. I ight. In order to avoid leakages, th	tion measures, see sec ations in section 13. G: Ith and safety at work. the container tightly clo of fire and explosion of toxicological risks: After handling, wash ha of environmental con	losed. <u>Lrisks:</u>		
For waste CTION 7: HAND PRECAU Comply v - Genera Avoid any - Recom Not appli - Recom Do not ea measures - Recom Avoid any indicated 2 CONDIT Forbid th with sunli informatic - Class of According	e disposal, follow the recommend LING AND STORAGE UTIONS FOR SAFE HANDLIN with the existing legislation on hea al recommendations: y type of leakage or escape.Keep mendations for the prevention icable. mendations for the prevention at, drink or smoke while handling. s, see section 8. mendations for the prevention y spillage in the environment.Pay I in section 6. FIONS FOR SAFE STORAGE, e entry to unauthorized persons. I ight. In order to avoid leakages, th	ations in section 13. <u>G:</u> Ith and safety at work. the container tightly clo of fire and explosion of toxicological risks: After handling, wash ha of environmental con	losed. <u>Lrisks:</u>		
1 PRECAL Comply v - Genera Avoid any - Recom Not appli - Recom Do not ea measures - Recom Avoid any indicated 2 CONDIT Forbid th with sunli informatio - Class of According	UTIONS FOR SAFE HANDLIN with the existing legislation on hea al recommendations: y type of leakage or escape.Keep mendations for the prevention icable. mendations for the prevention at, drink or smoke while handling. s, see section 8. mendations for the prevention y spillage in the environment.Pay I in section 6. FIONS FOR SAFE STORAGE, e entry to unauthorized persons. I ight. In order to avoid leakages, th	Ith and safety at work. the container tightly clo of fire and explosion of toxicological risks: After handling, wash ha of environmental con	losed. <u>i risks:</u> : <u>:</u>		
Comply v - Genera Avoid any - Recom Not appli - Recom Do not ea measures - Recom Avoid any indicated 2 CONDIT Forbid th with sunli informatio - Class of According	with the existing legislation on hea al recommendations: y type of leakage or escape.Keep mendations for the prevention icable. <u>mendations for the prevention</u> at, drink or smoke while handling. s, see section 8. <u>mendations for the prevention</u> y spillage in the environment.Pay I in section 6. <u>FIONS FOR SAFE STORAGE</u> , e entry to unauthorized persons. I ight. In order to avoid leakages, th	Ith and safety at work. the container tightly clo of fire and explosion of toxicological risks: After handling, wash ha of environmental con	losed. <u>i risks:</u> : <u>:</u>		
- General Avoid any - Recom Not applii - Recom Do not ea measures - Recom Avoid any indicated 2 CONDIT Forbid th with sunli informatio - Class of According	al recommendations: y type of leakage or escape.Keep mendations for the prevention icable. <u>mendations for the prevention</u> at, drink or smoke while handling. s, see section 8. <u>mendations for the prevention</u> y spillage in the environment.Pay I in section 6. <u>TIONS FOR SAFE STORAGE</u> , e entry to unauthorized persons. I ight. In order to avoid leakages, th	the container tightly clo of fire and explosion of toxicological risks: After handling, wash ha of environmental con	losed. <u>i risks:</u> : <u>:</u>		
Avoid any - Recom Not appli - Recom Do not ea measures - Recom Avoid any indicated 2 CONDIT Forbid the with sunli informatio - Class of According	y type of leakage or escape.Keep mendations for the prevention icable. <u>mendations for the prevention</u> at, drink or smoke while handling. s, see section 8. <u>mendations for the prevention</u> y spillage in the environment.Pay I in section 6. <u>TIONS FOR SAFE STORAGE</u> , e entry to unauthorized persons. I ight. In order to avoid leakages, th	of fire and explosion of toxicological risks: After handling, wash ha of environmental con	<u>ı risks:</u> : <u>:</u>		
- Recom Not appli - Recom Do not ea measures - Recom Avoid any indicated 2 CONDIT Forbid th with sunli informatic - Class of According	imendations for the prevention icable. imendations for the prevention at, drink or smoke while handling. s, see section 8. imendations for the prevention y spillage in the environment.Pay i in section 6. <u>FIONS FOR SAFE STORAGE</u> , e entry to unauthorized persons. I ight. In order to avoid leakages, th	of fire and explosion of toxicological risks: After handling, wash ha of environmental con	<u>ı risks:</u> : <u>:</u>		
2 CONDIT Forbid th with sunli informatic According	icable. <u>mendations for the prevention</u> at, drink or smoke while handling. s, see section 8. <u>mendations for the prevention</u> y spillage in the environment.Pay I in section 6. <u>FIONS FOR SAFE STORAGE</u> , e entry to unauthorized persons. I ight. In order to avoid leakages, th	of toxicological risks: After handling, wash ha of environmental con	<u></u>		
- Recom Do not ea measures - Recom Avoid any indicated 2 CONDIT Forbid th with sunli informatic - Class c According	mendations for the prevention at, drink or smoke while handling. s, see section 8. mendations for the prevention y spillage in the environment.Pay I in section 6. FIONS FOR SAFE STORAGE, e entry to unauthorized persons. I ight. In order to avoid leakages, th	After handling, wash ha of environmental con			
2 CONDIT Forbid th with sunli informatic According	at, drink or smoke while handling. s, see section 8. <u>mendations for the prevention</u> y spillage in the environment.Pay I in section 6. <u>FIONS FOR SAFE STORAGE,</u> e entry to unauthorized persons. I ight. In order to avoid leakages, th	After handling, wash ha of environmental con			
2 CONDIT Forbid th with sunli informatic According	s, see section 8. mendations for the prevention y spillage in the environment.Pay I in section 6. FIONS FOR SAFE STORAGE, ie entry to unauthorized persons. I ight. In order to avoid leakages, th	of environmental con	•	water. For exposure controls and personal pro	otection
2 CONDIT Forbid the with sunli informatic According	y spillage in the environment.Pay I in section 6. FIONS FOR SAFE STORAGE, e entry to unauthorized persons. I ight. In order to avoid leakages, th				
2 CONDIT Forbid the with sunli information According	in section 6. <u>FIONS FOR SAFE STORAGE,</u> e entry to unauthorized persons. I ight. In order to avoid leakages, th	special attention to the			
2 CONDIT Forbid the with sunli information According	FIONS FOR SAFE STORAGE, e entry to unauthorized persons. I ight. In order to avoid leakages, th	1	e cleaning water. In th	he case of accidental spillage, follow the instru	uctions
Forbid th with sunli information - Class of According	e entry to unauthorized persons. I ight. In order to avoid leakages, th			S.	
	,			arefully and placed in a vertical position. For r	
	um storage period:				
6 Months					
	erature interval:				
	, max:40 °C (recommended).				
	<u>patible materials:</u>	Ikolio			
	ay from oxidizing agents, acids, a <u>if packaging:</u>	ikalis.			
	g to current legislation.				
	uantity (Seveso III): Directive 2	<u>012/18/EU:</u>			
	cable (product for non industrial u	se).			
	IC END USE(S):				
For the u	se of this product particular recon	nmendations apart from	n that already indicate	ted are not available.	

ion: 1 Date of issue: 19/04/2024					Date of pri	nting: 19/04/20
ION 8: EXPOSURE CONTROLS/PERSONAL PROTEC	CTION					
CONTROL PARAMETERS:						
If a product contains ingredients with exposure lim						
effectiveness of the ventilation or other control mea						
made to EN689, EN14042 and EN482 standard co						
exposure to chemical and biological agents. Reference determination of dangerous substances.	ence snould be als	to made to ha	alional guidance		or methods for	line
- OCCUPATIONAL EXPOSURE LIMIT VALUE	ES (WEL)					
	ear WEL-TWA		WEL-STEL		Remarks	
EH40/2005 WELs (United Ye Kingdom) 2018		mg/m3			Remarks	
1,2-benzisothiazol-3(2H)-one	ppm	0,1	ppm	mg/m3		Recommend
Terbutryne	-	0,1	-	-	· · ·	Cecommenue
Reaction mass of 5-chloro-2-methyl-2H		0,08	-	0,23	F	Recommend
-isothiazolin-3-one [EC 247-500-7] and	-	0,00	-	0,25	' '	(econnienu)
2-methyl-2H-isothiazol-3-one [EC 220-						
239-6] (3:1)						
	1		1		1	
WEL - Workplace Exposure Limit, TWA - Time We	ighted Average (8	hours), STEI	Short Term E	Exposure Limi	t (15 min).	
- BIOLOGICAL LIMIT VALUES:						
Not established						
- DERIVED NO-EFFECT LEVEL (DNEL):						
Derived no-effect level (DNEL) is a level of exposu	re that is considere	ed safe, deriv	ed from toxicity	/ data accordir	na to specific a	uidances
included in REACH. DNEL values may differ from	a occupational exp	osure limit (C	DEL) for the san	ne chemical. (DEL values ma	ay come
recommended by a particular company, a governm	nent regulatory age	ency or an or				
health, the OEL values are derived by a process d	ifferent of REACH.					
- DERIVED NO-EFFECT LEVEL, WORKERS:-	DNEL Inhalation		DNEL Cutaneous	<u>6</u>	DNEL Oral	
Systemic effects, acute and chronic:	mg/m3		mg/kg bw/d		mg/kg bw/d	
	0.07 (a)	0.023 (c)		2 (c)	- (a)	- (c)
3-iodo-2-propynyl butylcarbamate	0,07 (a)	0,023 (c)	s/r (a)	2 (c)	- (a)	- (c) - (c)
3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3-	0,07 (a) - (a)	0,023 (c) - (c)		2 (c) - (c)	- (a) - (a)	- (c) - (c)
3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one			s/r (a)			
3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1)	- (a)	- (c)	s/r (a) - (a)	- (c)	- (a)	- (c)
3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon	- (a) - (a)	- (c) - (c)	s/r (a) - (a) - (a)	- (c) - (c)	- (a) - (a)	- (c)
3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne	- (a) - (a) - (a)	- (c) - (c)	s/r (a) - (a) - (a) - (a)	- (c) - (c) - (c)	- (a) - (a) - (a)	- (c) - (c)
3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one	- (a) - (a) - (a) - (a)	- (c) - (c)	s/r (a) - (a) - (a) - (a) - (a)	- (c) - (c) - (c)	- (a) - (a) - (a) - (a)	- (c)
3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, WORKERS:- Local	- (a) - (a) - (a) - (a) <u>DNEL Inhalation</u>	- (c) - (c)	s/r (a) - (a) - (a) - (a) <u>- (a)</u> <u>DNEL Cutaneous</u>	- (c) - (c) - (c) - (c)	- (a) - (a) - (a) - (a) <u>DNEL Eyes</u>	- (c) - (c)
3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one	- (a) - (a) - (a) - (a)	- (c) - (c)	s/r (a) - (a) - (a) - (a) - (a)	- (c) - (c) - (c) - (c)	- (a) - (a) - (a) - (a)	- (c) - (c)
3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic:	- (a) - (a) - (a) - (a) <u>DNEL Inhalation</u>	- (c) - (c)	s/r (a) - (a) - (a) - (a) <u>- (a)</u> <u>DNEL Cutaneous</u>	- (c) - (c) - (c) - (c)	- (a) - (a) - (a) - (a) <u>DNEL Eyes</u>	- (c) - (c)
 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate 	- (a) - (a) - (a) - (a) <u>DNEL Inhalation</u> mg/m3 1,16 (a)	- (c) - (c) - (c) - (c) 1,16 (c)	s/r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/cm ² a/r (a)	- (C) - (C) - (C) - (C) 2 2 a/r (C)	- (a) - (a) - (a) - (a) <u>DNEL Eyes</u> mg/cm2 m/r (a)	- (c) - (c) - (c) - (c) - (c)
 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- 	- (a) - (a) - (a) - (a) <u>DNEL Inhalation</u> mg/m3	- (c) - (c) - (c)	s/r (a) - (a) - (a) - (a) <u>- (a)</u> <u>DNEL Cutaneous</u> mg/cm2	- (C) - (C) - (C) - (C) <u>5</u>	- (a) - (a) - (a) - (a) <u>DNEL Eyes</u> mg/cm2	- (c) - (c) - (c)
 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one 	- (a) - (a) - (a) - (a) <u>DNEL Inhalation</u> mg/m3 1,16 (a)	- (c) - (c) - (c) - (c) 1,16 (c)	s/r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/cm ² a/r (a)	- (C) - (C) - (C) - (C) 2 2 a/r (C)	- (a) - (a) - (a) - (a) <u>DNEL Eyes</u> mg/cm2 m/r (a)	- (c) - (c) - (c) - (c)
3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1)	- (a) - (a) - (a) - (a) <u>DNEL Inhalation</u> mg/m3 1,16 (a) - (a)	- (c) - (c) - (c) - (c) 1,16 (c) - (c)	s/r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/cm2 a/r (a) - (a)	- (c) - (c) - (c) - (c) <u>s</u> <u>a/r</u> (c) - (c)	- (a) - (a) - (a) - (a) <u>DNEL Eyes</u> mg/cm2 m/r (a) - (a)	- (c) - (c) - (c) - (c) - (c)
3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon	- (a) - (a) - (a) - (a) <u>DNEL Inhalation</u> mg/m3 1,16 (a) - (a) - (a)	- (c) - (c) - (c) - (c) 1,16 (c) - (c) - (c)	s/r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/cm2 a/r (a) - (a) - (a)	- (c) - (c) - (c) - (c) <u>s</u> <u>a/r</u> (c) - (c) - (c)	- (a) - (a) - (a) - (a) <u>DNEL Eyes</u> mg/cm2 m/r (a) - (a) - (a)	- (c) - (c) - (c) - (c) - (c) - (c) - (c)
 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 	- (a) - (a) - (a) - (a) <u>DNEL Inhalation</u> mg/m3 1,16 (a) - (a) - (a) - (a)	- (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c)	s/r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/cm2 a/r (a) - (a) - (a) - (a)	- (c) - (c) - (c) - (c) <u>a</u> /r (c) - (c) - (c) - (c)	- (a) - (a) - (a) - (a) <u>DNEL Eyes</u> mg/cm2 m/r (a) - (a) - (a) - (a)	- (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c)
 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazoli-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one 	- (a) - (a) - (a) - (a) <u>DNEL Inhalation</u> mg/m3 1,16 (a) - (a) - (a) - (a) - (a) - (a)	- (c) - (c) - (c) - (c) 1,16 (c) - (c) - (c)	s/r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/cm2 a/r (a) - (a) - (a) - (a) - (a)	- (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c)	- (a) - (a) - (a) - (a) <u>DNEL Eyes</u> mg/cm2 m/r (a) - (a) - (a) - (a) - (a)	- (c) - (c) - (c) - (c) - (c) - (c) - (c)
 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazoli-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one DERIVED NO-EFFECT LEVEL, GENERAL 	- (a) - (a) - (a) - (a) <u>DNEL Inhalation</u> mg/m3 1,16 (a) - (a) - (a) - (a) - (a) - (a) DNEL Inhalation	- (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c)	s/r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/cm2 a/r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u>	- (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c)	- (a) - (a) - (a) - (a) <u>DNEL Eyes</u> m/r (a) - (a) - (a) - (a) - (a) DNEL Eyes	- (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c)
 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazoli-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one 	- (a) - (a) - (a) - (a) <u>DNEL Inhalation</u> mg/m3 1,16 (a) - (a) - (a) - (a) - (a) - (a)	- (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c)	s/r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/cm2 a/r (a) - (a) - (a) - (a) - (a)	- (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c)	- (a) - (a) - (a) - (a) <u>DNEL Eyes</u> mg/cm2 m/r (a) - (a) - (a) - (a) - (a)	- (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c)
 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one DERIVED NO-EFFECT LEVEL, GENERAL POPULATION:- Systemic effects, acute and chronic: 	- (a) - (a) - (a) - (a) <u>DNEL Inhalation</u> mg/m3 1,16 (a) - (a) - (a) - (a) - (a) - (a) DNEL Inhalation	- (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c)	s/r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/cm2 a/r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u>	- (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c)	- (a) - (a) - (a) - (a) <u>DNEL Eyes</u> m/r (a) - (a) - (a) - (a) - (a) DNEL Eyes	- (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c)
 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazoli-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one DERIVED NO-EFFECT LEVEL, GENERAL POPULATION:- Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate 	- (a) - (a) - (a) - (a) <u>DNEL Inhalation</u> mg/m3 1,16 (a) - (a) - (a) - (a) - (a) <u>DNEL Inhalation</u> mg/m3	- (c) - (c) - (c) - (c) 1,16 (c) - (c) - (c) - (c) - (c) - (c)	<pre>s/r (a) - (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/cm2 a/r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/kg bw/d</pre>	- (C) - (C)	- (a) - (a) - (a) - (a) <u>DNEL Eyes</u> m/r (a) - (a) - (a) - (a) <u>DNEL Eyes</u> m/kg bw/d	- (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c)
 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazoli-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one DERIVED NO-EFFECT LEVEL, GENERAL POPULATION:- Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one 	- (a) - (a) - (a) - (a) - (a) <u>DNEL Inhalation</u> mg/m3 1,16 (a) -	- (c) - (c) - (c) - (c) 1,16 (c) - (c) - (c) - (c) - (c) - (c) - (c)	<pre>s/r (a) - (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/cm2 a/r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/kg bw/d s/r (a)</pre>	- (C) - (C)	- (a) - (a) - (a) - (a) <u>DNEL Eyes</u> m/r (a) - (a) - (a) - (a) <u>DNEL Eyes</u> mg/kg bw/d s/r (a)	- (c) - (c)
 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one DERIVED NO-EFFECT LEVEL, GENERAL POPULATION:- Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one 	- (a) - (a) - (a) - (a) - (a) <u>DNEL Inhalation</u> mg/m3 1,16 (a) -	- (c) - (c) - (c) - (c) 1,16 (c) - (c) - (c) - (c) - (c) - (c) - (c)	<pre>s/r (a) - (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/cm2 a/r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/kg bw/d s/r (a)</pre>	- (C) - (C)	- (a) - (a) - (a) - (a) <u>DNEL Eyes</u> m/r (a) - (a) - (a) - (a) <u>DNEL Eyes</u> mg/kg bw/d s/r (a)	- (c) - (c)
 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one DERIVED NO-EFFECT LEVEL, GENERAL POPULATION:- Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- 	- (a) - (a) - (a) - (a) - (a) DNEL Inhalation mg/m3 1,16 (a) - (a) - (a) - (a) - (a) DNEL Inhalation mg/m3 S/r (a) - (a)	- (c) - (c)	<pre>s/r (a) - (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/cm2 a/r (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/kg bw/d s/r (a) - (a)</pre>	$\begin{array}{c} - & (C) \\ - & (C) \\ - & (C) \\ - & (C) \\ \hline \\ - & (C) \\ \hline \\ - & (C) \\ - & (C) \\ \hline \\ - & (C) \\ \hline \end{array}$	- (a) - (a) - (a) - (a) <u>DNEL Eyes</u> m/r (a) - (a) - (a) - (a) <u>DNEL Eyes</u> m/kg bw/d s/r (a) - (a)	- (c) - (c)
 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one DERIVED NO-EFFECT LEVEL, GENERAL POPULATION:- Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- 	- (a) - (a) - (a) - (a) - (a) DNEL Inhalation mg/m3 1,16 (a) - (a) - (a) - (a) DNEL Inhalation mg/m3 S/r (a) - (a) - (a) - (a) - (a)	- (c) - (c)	<pre>s/r (a) - (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/cm2 a/r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/kg bw/d s/r (a) - (a) - (a)</pre>	$\begin{array}{c} - & (C) \\ - & (C) \\ - & (C) \\ - & (C) \\ \hline \\ - & (C) \\ \hline \\ - & (C) \\ - & (C) \\ \hline \\ - & (C) \end{array}$	- (a) - (a) - (a) - (a) <u>DNEL Eyes</u> mg/cm2 m/r (a) - (a) - (a) - (a) <u>DNEL Eyes</u> mg/kg bw/d s/r (a) - (a) - (a)	- (c) - (c)
 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one DERIVED NO-EFFECT LEVEL, GENERAL POPULATION:- Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one DERIVED NO-EFFECT LEVEL, GENERAL POPULATION:- Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazoli-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 	- (a) - (a) - (a) - (a) - (a) DNEL Inhalation mg/m3 1,16 (a) - (a) - (a) - (a) DNEL Inhalation mg/m3 S/r (a) - (a) - (a) - (a) - (a) - (a) - (a) - (a)	- (c) - (c)	<pre>s/r (a) - (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/cm2 a/r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/kg bw/d s/r (a) - (a) - (a) - (a)</pre>	$\begin{array}{c} - & (c) \\ - & (c) \\ - & (c) \\ - & (c) \\ \hline \\ - & (c) \\ \hline \\ - & (c) \end{array}$	- (a) - (a) - (a) - (a) <u>DNEL Eyes</u> mg/cm2 m/r (a) - (a) - (a) - (a) <u>DNEL Eyes</u> mg/kg bw/d s/r (a) - (a) - (a) - (a)	- (c) - (c)
 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one DERIVED NO-EFFECT LEVEL, GENERAL POPULATION:- Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazoli-3-one 	- (a) - (a) - (a) - (a) - (a) DNEL Inhalation mg/m3 1,16 (a) - (a) - (a) - (a) - (a) DNEL Inhalation mg/m3 s/r (a) - (a)	- (c) - (c)	<pre>s/r (a) - (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/cm2 a/r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/kg bw/d s/r (a) - (a) - (a) - (a) - (a)</pre>	$\begin{array}{c} - & (C) \\ - & (C) \\ - & (C) \\ - & (C) \\ \hline \\ & - & (C) \\ \hline \\ & - & (C) \\ - & (C) \\ - & (C) \\ - & (C) \\ \hline \\ & - & (C) \\ -$	- (a) - (a) - (a) - (a) <u>DNEL Eyes</u> mg/cm2 m/r (a) - (a) - (a) - (a) <u>DNEL Eyes</u> mg/kg bw/d s/r (a) - (a) - (a) - (a) - (a)	- (c) - (c)
 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one DERIVED NO-EFFECT LEVEL, GENERAL POPULATION:- Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one LOCAL EFFECTS, ACUTE AND CHRONIC:- Local 	- (a) - (a) - (a) - (a) - (a) DNEL Inhalation mg/m3 1,16 (a) - (- (c) - (c)	<pre>s/r (a) - (a) - (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/cm2 a/r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/kg bw/d s/r (a) - (a) - (a) - (a) - (a) - (a) - (a)</pre>	$\begin{array}{c} - & (C) \\ - & (C) \\ - & (C) \\ - & (C) \\ \hline \\ & - & (C) \\ \hline \\ & - & (C) \\ - & (C) \\ - & (C) \\ - & (C) \\ \hline \\ & - & (C) \\ -$	- (a) - (a) - (a) - (a) - (a) <u>DNEL Eyes</u> m/r (a) - (a) - (a) - (a) <u>DNEL Eyes</u> mg/kg bw/d s/r (a) - (a) - (a) - (a) - (a) - (a) - (a) <u>DNEL Eyes</u> mg/kg bw/d	- (c) - (c)
 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one DERIVED NO-EFFECT LEVEL, GENERAL POPULATION:- Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazoli-3-one 	- (a) - (a) - (a) - (a) - (a) DNEL Inhalation mg/m3 1,16 (a) - (a) - (a) - (a) - (a) DNEL Inhalation mg/m3 S/r (a) - (a)	- (c) - (c)	<pre>s/r (a) - (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/cm2 a/r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/kg bw/d s/r (a) - (a) - (a) - (a) - (a)</pre>	$\begin{array}{c} - & (C) \\ - & (C) \\ - & (C) \\ - & (C) \\ \hline \\ & - & (C) \\ \hline \\ & - & (C) \\ - & (C) \\ - & (C) \\ - & (C) \\ \hline \\ & - & (C) \\ -$	- (a) - (a) - (a) - (a) <u>DNEL Eyes</u> mg/cm2 m/r (a) - (a) - (a) - (a) <u>DNEL Eyes</u> mg/kg bw/d s/r (a) - (a) - (a) - (a) - (a)	- (c) - (c)
 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one DERIVED NO-EFFECT LEVEL, GENERAL POPULATION:- Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one LOCAL EFFECTS, ACUTE AND CHRONIC:- Local 	- (a) - (a) - (a) - (a) - (a) DNEL Inhalation mg/m3 1,16 (a) - (- (c) - (c)	<pre>s/r (a) - (a) - (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/cm2 a/r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/kg bw/d s/r (a) - (a) - (a) - (a) - (a) - (a) - (a)</pre>	$\begin{array}{c} - & (C) \\ - & (C) \\ - & (C) \\ - & (C) \\ \hline \\ & - & (C) \\ \hline \\ & - & (C) \\ - & (C) \\ - & (C) \\ - & (C) \\ \hline \\ & - & (C) \\ -$	- (a) - (a) - (a) - (a) - (a) <u>DNEL Eyes</u> m/r (a) - (a) - (a) - (a) <u>DNEL Eyes</u> mg/kg bw/d s/r (a) - (a) - (a) - (a) - (a) - (a) - (a) <u>DNEL Eyes</u> mg/kg bw/d	- (c) - (c)
 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazoli-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one DERIVED NO-EFFECT LEVEL, GENERAL POPULATION:- Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazoli-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one LOCAL EFFECTS, ACUTE AND CHRONIC:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate 	- (a) - (a) - (a) - (a) <u>DNEL Inhalation</u> mg/m3 1,16 (a) - (a) - (a) - (a) - (a) <u>DNEL Inhalation</u> mg/m3 S/r (a) - (a)	- (c) - (c)	<pre>S/r (a) - (a)</pre>	$\begin{array}{c} - (c) \\ \end{array}$	- (a) - (a) - (a) - (a) <u>DNEL Eyes</u> mg/cm2 m/r (a) - (a) - (a) - (a) <u>DNEL Eyes</u> mg/kg bw/d s/r (a) - (a) - (a) <u>DNEL Eyes</u> mg/cm2	- (c) - (c)
 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one DERIVED NO-EFFECT LEVEL, GENERAL POPULATION:- Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one IEC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one LOCAL EFFECTS, ACUTE AND CHRONIC:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one 	- (a) - (a) - (a) - (a) <u>DNEL Inhalation</u> mg/m3 1,16 (a) - (a) - (a) - (a) - (a) <u>DNEL Inhalation</u> mg/m3 S/r (a) -	- (c) - (c)	<pre>S/r (a) - (a)</pre>	$\begin{array}{c} - & (C) \\ \end{array}$ $\begin{array}{c} a/r & (C) \\ - & (C) \\ - & (C) \\ - & (C) \\ - & (C) \\ \end{array}$ $\begin{array}{c} s/r & (C) \\ - & (C) \\ \end{array}$	- (a) - (a) - (a) - (a) <u>DNEL Eyes</u> mg/cm2 m/r (a) - (a) - (a) - (a) <u>DNEL Eyes</u> mg/kg bw/d S/r (a) - (a) - (a) <u>- (a)</u> - (a) <u>- (a)</u> S/r (a) <u>DNEL Eyes</u> mg/cm2	- (c) - (c)
 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one DERIVED NO-EFFECT LEVEL, GENERAL POPULATION:- Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one LOCAL EFFECTS, ACUTE AND CHRONIC:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one LOCAL EFFECTS, ACUTE AND CHRONIC:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- 	- (a) - (a) - (a) - (a) <u>DNEL Inhalation</u> mg/m3 1,16 (a) - (a) - (a) - (a) - (a) <u>DNEL Inhalation</u> mg/m3 S/r (a) -	- (c) - (c)	<pre>S/r (a) - (a)</pre>	$\begin{array}{c} - & (C) \\ \end{array}$ $\begin{array}{c} a/r & (C) \\ - & (C) \\ - & (C) \\ - & (C) \\ - & (C) \\ \end{array}$ $\begin{array}{c} s/r & (C) \\ - & (C) \\ \end{array}$	- (a) - (a) - (a) - (a) <u>DNEL Eyes</u> mg/cm2 m/r (a) - (a) - (a) - (a) <u>DNEL Eyes</u> mg/kg bw/d S/r (a) - (a) - (a) <u>- (a)</u> - (a) <u>- (a)</u> S/r (a) <u>DNEL Eyes</u> mg/cm2	- (c) - (c)
 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one DERIVED NO-EFFECT LEVEL, GENERAL POPULATION:- Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazoli-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one LOCAL EFFECTS, ACUTE AND CHRONIC:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazoli-3-one 	- (a) - (a) - (a) - (a) - (a) DNEL Inhalation mg/m3 1,16 (a) - (a)	- (c) - (c)	<pre>s/r (a) - (a)</pre>	$\begin{array}{c} - (c) \\ \end{array}$ $\begin{array}{c} a/r (c) \\ - (c) \\ - (c) \\ - (c) \\ - (c) \\ \end{array}$ $\begin{array}{c} s/r (c) \\ - (c) \\ - (c) \\ - (c) \\ - (c) \\ \end{array}$ $\begin{array}{c} s/r (c) \\ - (c) \\ - (c) \\ - (c) \\ \end{array}$	- (a) - (a) - (a) - (a) - (a) <u>DNEL Eyes</u> mg/cm2 m/r (a) - (a) - (a) - (a) <u>DNEL Eyes</u> mg/kg bw/d s/r (a) - (a)	$\begin{array}{c} - (c) \\ - (c) \end{array}$
 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one DERIVED NO-EFFECT LEVEL, GENERAL POPULATION:- Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - LOCAL EFFECTS, ACUTE AND CHRONIC:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazoli-3-one 	- (a) - (a)	- (c) - (c)	<pre>S/r (a) - (a)</pre>	$\begin{array}{c} - & (C) \\ \end{array}$	- (a) - (a) - (a) - (a) - (a) <u>DNEL Eyes</u> m/r (a) - (a) - (a) - (a) <u>DNEL Eyes</u> mg/kg bw/d s/r (a) - (a)	- (c) - (c)
 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one DERIVED NO-EFFECT LEVEL, GENERAL POPULATION:- Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazoli-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one LOCAL EFFECTS, ACUTE AND CHRONIC:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazoli-3-one 	- (a) - (a) - (a) - (a) - (a) DNEL Inhalation mg/m3 1,16 (a) - (a)	- (c) - (c)	<pre>s/r (a) - (a)</pre>	$\begin{array}{c} - (c) \\ \end{array}$ $\begin{array}{c} a/r (c) \\ - (c) \\ - (c) \\ - (c) \\ - (c) \\ \end{array}$ $\begin{array}{c} s/r (c) \\ - (c) \\ - (c) \\ - (c) \\ - (c) \\ \end{array}$ $\begin{array}{c} s/r (c) \\ - (c) \\ - (c) \\ - (c) \\ \end{array}$	- (a) - (a) - (a) - (a) - (a) <u>DNEL Eyes</u> mg/cm2 m/r (a) - (a) - (a) - (a) <u>DNEL Eyes</u> mg/kg bw/d s/r (a) - (a)	$\begin{array}{c} - (c) \\ - (c) \end{array}$

in accorda		5. 1907/2000 and Regulation ((20) 10: 2020/010		(Language.EN)			
		BASE VINILICA TR						
Version	:1 Date o	of issue: 19/04/2024			Date of printing: 19/04/2024			
	(-) - DNEL not available s/r - DNEL not derived (m/r - DNEL not derived a/r - DNEL not derived ((medium hazard).	on REACH).	sure.				
t	- PREDICTED NO-EFFE	CT CONCENTRATION,	PNEC Fresh water	PNEC Marine	PNEC Intermittent			
	AQUATIC ORGANISMS:-		mg/l	mg/l	mg/l			
	water and intermittent rele							
	3-iodo-2-propynyl butyle Reaction mass of 5-chle isothiazolin-3-one [EC 2 methyl-2H-isothiazol-3-e	carbamate oro-2-methyl-2H- 247-500-7] and 2-	0.0005 -	4.6E-05 -	0.00053			
	(3:1)							
	Isoproturon		-	-				
	Terbutryne		-	-				
	1,2-benzisothiazol-3(2H	1)-one	-	-				
ł	- WASTEWATER TREAT	,	PNEC STP	PNEC Sediments	PNEC Sediments			
	AND SEDIMENTS IN FRI WATER:		mg/l	mg/kg dw/d	mg/kg dw/d			
	3-iodo-2-propynyl butyle	carbamate	0.44	0.017	0.0016			
	Reaction mass of 5-chlo isothiazolin-3-one [EC 2 methyl-2H-isothiazol-3-((3:1)	oro-2-methyl-2H- 247-500-7] and 2-	-	-	-			
	Isoproturon		-	-	-			
	Terbutryne		_	_	_			
		1)	-	-	-			
ļ	1,2-benzisothiazol-3(2H		-	-	-			
	- PREDICTED NO-EFFEC TERRESTRIAL ORGANIS effects for predators and h	SMS:- Air, soil and	PNEC Air mg/m3	PNEC Soil mg/kg dw/d	PNEC Oral mg/kg dw/d			
	3-iodo-2-propynyl butyle		s/r	0.005	n/b			
	Reaction mass of 5-chlo isothiazolin-3-one [EC 2 methyl-2H-isothiazol-3-((3:1)	oro-2-methyl-2H- 247-500-7] and 2-	-	-	-			
	Isoproturon		-	-				
	Terbutryne				· · · · ·			
		1)						
ļ	1,2-benzisothiazol-3(2H			-	-			
8.2		. ,						
0	ENGINEERING MEASURES:							
	Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction. If these measures are not sufficient to maintain concentrations of particulates and vapours below the Occupational Exposure Limits, suitable respiratory protection must be worn.							
	- Protection of respirato	<u>ory system:</u>						
	Avoid the inhalation of var	pours.						
	- Protection of eyes and	•						
		all water taps or sources wit	h clean water close to the w	orking area				
	- Protection of hands ar							
			h clean water close to the w	orking area.Barrier creams m	av help to protect the			
	exposed areas of the skin	Barrier creams should not l	be applied once exposure ha	as occurred.				
		OSURE CONTROLS: RE	· · ·					
	with the corresponding ma	arking. For more information , protection class, marking,	n on personal protective equ	d the use of a basic personal upment (storage, use, cleanin you should consult the inform	g, maintenance, type and			
	Mask:	No.						
	Sofoty coordios:	Sofoty goggles designs	ad to protect accient liquid	colochoc with quitable lat	oral protoction			
	Safety goggles:			l splashes, with suitable lat rvals in accordance with the				

on: 1	Date of issue: 19/04/2024	Date of printing: 19/04/20
Face shield:	No.	
Gloves:	Gloves resistant against chemicals (EN374).When expected, gloves of protection level 5 or higher sho min.When short contact with the product is expected should be used, with a breakthrough time >30 min. material should be in accordance with the pretended example, temperature), they do in practice the perior chemicals is clearly lower than the established stand circumstances and possibilities, the instructions/spectral taken into account.The gloves should be immediated	build be used, with a breakthrough time of >240 ed, use gloves with a protection level 2 or higher The breakthrough time of the selected glove ed period of use. There are several factors (for od of use of a protective gloves resistant against indard EN374.Due to the wide variety of ecifications provided by the glove supplier should
Boots:	No.	
Apron:	No.	
Clothing:	No.	
 Spills on the s Prevent contamin Spills in water Do not allow to e -Water Mana This product com 2000/60/EC~201 Terbutryne. Emissions to t Because of volat VOC (product reduction) It is applicable th AND VARNISHE 	nation of soil. escape into drains, sewers or water courses. agement Act: tains the following substances included in the list of priority substand 3/39/EU: <u>he atmosphere:</u> lity, emissions to the atmosphere while handling and use may resul	IIt. Avoid any release into the atmosphere. Impounds due to the use of organic solvents: PAINTS ategory a) Matt coating for interior walls and ceilings,

IN Al Pt		e of issue: 19/04/2024				
IN Al Pt	PHYSICAL AND CH			Date of printing: 19/04/		
A Pr		EMICAL PROPERTIES				
Pł		BASIC PHYSICAL AND CHEM	ICAL PROPERTIES:			
	ppearance					
	hysical state:		Liquid			
	olour:		See the colour in the package			
-	dour:		Characteristic			
-	dour threshold:		Not available (mixture).			
	hange of state					
	reezing point:		Not available (mixture).			
	oiling interval:		100* - 255* °C at 760 mmHg			
	Flammability:					
	ashpoint:		Not flammable			
		ity or explosive limits:	Not available			
	utoignition temperatu	e:	Not applicable.			
	tability					
	ecomposition temper	ature:	825,00* °C			
	<u>H-value</u>					
p⊦			8,5 ± 1 at 20ºC			
	Viscosity:					
	ynamic viscosity:		13000 ± 1000 cps at 20°C			
	inematic viscosity:		3228,61* mm2/s at 40°C			
	Solubility(ies):					
	olubility in water		Miscible			
	posolubility:		Not applicable (inorganic product).			
	artition coefficient: n-o	octanol/water:	Not applicable (mixture).			
	<u>Volatility:</u>					
	apour pressure:		17,4859* mmHg at 20ºC			
	apour pressure:		12,0791* kPa at 50°C			
	vaporation rate:		Not available (lack of data).			
	ensity					
	elative density:		1,380 ± 0,05 at 20/4°C	Relative wate		
	elative vapour density		Not available.			
Pa Pa	article characteristic	<u>×s</u>				
	article size:		Not applicable.			
-	Explosive propertie	<u>S:</u>				
	ot available.					
	Oxidizing propertie					
No	ot classified as oxidiz	ing product.				
		ed on the substances composing t	the mixture.			
	THER INFORMATI					
In	formation regarding	<u>physical hazard classes</u>				
No	o additional information	on available.				
<u>O</u>	ther security feature	<u>es:</u>				
	OC (supply):		0,2 g/l			
No	onvolatile:		56,40 * % Weight	1h. 60°C		
	The values indicated do not always coincide with product specifications. The data for the product specifications can be found in the corresponding technical data sheet. For additional information concerning physical and chemical properties related to safety and					

SAFETY DATA SHEET (REACH)

	dance with Regulation (ÈC) No. 1907/2006 and Regulat	011 (EO) NO. 2020/878		(Language:E				
	* Dinturasi (1657							
ersio	n: 1 Date of issue: 19/04/2024			Date of printing: 19/04/20				
CTIO	N 10: STABILITY AND REACTIVITY							
	REACTIVITY:							
0.1								
	- Corrosivity to metals:							
	It is not corrosive to metals.							
	- Pyrophorical properties:							
	It is not pyrophoric.							
).2	CHEMICAL STABILITY:							
	Stable under recommended storage and handling							
).3	POSSIBILITY OF HAZARDOUS REACTIONS							
	Possible dangerous reaction with oxidizing agents	, acids, alkalis.						
).4	CONDITIONS TO AVOID:							
	- Heat:							
	Keep away from sources of heat.							
	- Light:							
	If possible, avoid direct contact with sunlight.							
	<u>- Air:</u>							
	The product is not affected by exposure to air, but	should not be left the containers of	pen.					
	- Pressure:	·						
	Not relevant.							
	- Shock:							
	The product is not sensitive to shocks, but as a re	commendation of a general nature	should be avoided bumps an	d rough handling to avo				
	dents and breakage of packaging, especially whe							
).5	INCOMPATIBLE MATERIALS:							
	Keep away from oxidizing agents, acids, alkalis.							
).6	HAZARDOUS DECOMPOSITION PRODUCT	S:						
	As consequence of thermal decomposition, hazar		itrogen oxides sulfur oxides	hydrochloric acid				
	halogenated compounds.			nyurooniono uolu,				
	IN 11: TOXICOLOGICAL INFORMATION							
				· · · · ·				
	No experimental toxicological data on the pre	paration is available. The toxicol	ogical classification for the	se mixture has been				
	carried out by using the conventional calculati			12 (CLP).				
1.1		INFORMATION ON HAZARD CLASSES AS DEFINED IN REGULATION (EC) NO 1272/2008 :						
		`	/					
	ACUTE TOXICITY:		·					
	Dose and lethal concentrations	DL50 (OECD401)	DL50 (OECD402)					
	Dose and lethal concentrations for individual ingredients:	mg/kg bw Oral	DL50 (OECD402) mg/kg bw Cutaneous	mg/m3·4h Inhalat				
	Dose and lethal concentrations for individual ingredients: 3-iodo-2-propynyl butylcarbamate		DL50 (OECD402)	CL50 (OECD4) mg/m3·4h Inhalat > 670 F				
	Dose and lethal concentrations for individual ingredients:	mg/kg bw Oral	DL50 (OECD402) mg/kg bw Cutaneous	mg/m3·4h Inhalat > 670 I				
	Dose and lethal concentrations for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2-	mg/kg bw Oral 1056 Rat	DL50 (OECD402) mg/kg bw Cutaneous > 2000 Rabbit	mg/m3·4h Inhalat > 670				
	Dose and lethal concentrations for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-	mg/kg bw Oral 1056 Rat	DL50 (OECD402) mg/kg bw Cutaneous > 2000 Rabbit	mg/m3·4h Inhalat > 670 F				
	Dose and lethal concentrations for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2-	mg/kg bw Oral 1056 Rat	DL50 (OECD402) mg/kg bw Cutaneous > 2000 Rabbit	mg/m3·4h Inhalat > 670 F				
	Dose and lethal concentrations for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6]	mg/kg bw Oral 1056 Rat	DL50 (OECD402) mg/kg bw Cutaneous > 2000 Rabbit	mg/m3·4h Inhalat > 670 I > 1230 I				
	Dose and lethal concentrations for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon	mg/kg bw Oral 1056 Rat 74,9 Rat	DL50 (OECD402) mg/kg bw Cutaneous > 2000 Rabbit 140 Rat	mg/m3·4h Inhalat > 670 > 1230 > 1950				
	Dose and lethal concentrations for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne	mg/kg bw Oral 1056 Rat 74,9 Rat > 2000 Rat 1470 Rat	DL50 (OECD402) mg/kg bw Cutaneous > 2000 Rabbit 140 Rat > 2000 Rat > 2000 Rat	mg/m3·4h Inhalat > 670 > 1230 > 1950 > 2200				
	Dose and lethal concentrations for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one	mg/kg bw Oral 1056 Rat 74,9 Rat > 2000 Rat 1470 Rat 1020 Rat	DL50 (OECD402) mg/kg bw Cutaneous > 2000 Rabbit 140 Rat > 2000 Rat > 2000 Rat > 2000 Rat	mg/m3·4h Inhalat > 670 > 1230 > 1950 > 2200 > 2050				
	Dose and lethal concentrations for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one Estimates of acute toxicity (ATE)	mg/kg bw Oral 1056 Rat 74,9 Rat > 2000 Rat 1470 Rat 1020 Rat ATE	DL50 (OECD402) mg/kg bw Cutaneous > 2000 Rabbit 140 Rat > 2000 Rat > 2000 Rat > 2000 Rat > 2000 Rat	mg/m3·4h Inhalat > 670 > 1230 > 1950 > 2200 > 2050				
	Dose and lethal concentrations for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one Estimates of acute toxicity (ATE) for individual ingredients:	mg/kg bw Oral 1056 Rat 74,9 Rat > 2000 Rat 1470 Rat 1020 Rat ATE mg/kg bw Oral	DL50 (OECD402) mg/kg bw Cutaneous > 2000 Rabbit 140 Rat > 2000 Rat > 2000 Rat > 2000 Rat	mg/m3·4h Inhalat > 670 > 1230 > 1950 > 2200 > 2050 A mg/m3·4h Inhalat				
	Dose and lethal concentrations for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one Estimates of acute toxicity (ATE) for individual ingredients: 3-iodo-2-propynyl butylcarbamate	mg/kg bw Oral 1056 Rat 74,9 Rat > 2000 Rat 1470 Rat 1020 Rat ATE mg/kg bw Oral 1056	DL50 (OECD402) mg/kg bw Cutaneous > 2000 Rabbit 140 Rat > 2000 Rat > 2000 Rat > 2000 Rat ATE mg/kg bw Cutaneous	mg/m3·4h Inhalat > 670 > 1230 > 1950 > 2200 > 2050 A mg/m3·4h Inhalat				
	Dose and lethal concentrations for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one Estimates of acute toxicity (ATE) for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-	mg/kg bw Oral 1056 Rat 74,9 Rat > 2000 Rat 1470 Rat 1020 Rat ATE mg/kg bw Oral	DL50 (OECD402) mg/kg bw Cutaneous > 2000 Rabbit 140 Rat > 2000 Rat > 2000 Rat > 2000 Rat > 2000 Rat	mg/m3·4h Inhalat > 670 > 1230 > 1950 > 2200 > 2050 A mg/m3·4h Inhalat				
	Dose and lethal concentrations for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one Estimates of acute toxicity (ATE) for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2-	mg/kg bw Oral 1056 Rat 74,9 Rat > 2000 Rat 1470 Rat 1020 Rat ATE mg/kg bw Oral 1056	DL50 (OECD402) mg/kg bw Cutaneous > 2000 Rabbit 140 Rat > 2000 Rat > 2000 Rat > 2000 Rat ATE mg/kg bw Cutaneous	mg/m3·4h Inhalat > 670 > 1230 > 1950 > 2200 > 2050 A mg/m3·4h Inhalat				
	Dose and lethal concentrations for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one Estimates of acute toxicity (ATE) for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6]	mg/kg bw Oral 1056 Rat 74,9 Rat > 2000 Rat 1470 Rat 1020 Rat ATE mg/kg bw Oral 1056	DL50 (OECD402) mg/kg bw Cutaneous > 2000 Rabbit 140 Rat > 2000 Rat > 2000 Rat > 2000 Rat ATE mg/kg bw Cutaneous	mg/m3·4h Inhalat > 670 > 1230 > 1950 > 2200 > 2050 A mg/m3·4h Inhalat				
	Dose and lethal concentrations for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one Estimates of acute toxicity (ATE) for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1)	mg/kg bw Oral 1056 Rat 74,9 Rat > 2000 Rat 1470 Rat 1020 Rat ATE mg/kg bw Oral 1056	DL50 (OECD402) mg/kg bw Cutaneous > 2000 Rabbit 140 Rat > 2000 Rat > 2000 Rat > 2000 Rat ATE mg/kg bw Cutaneous	mg/m3·4h Inhalat > 670 > 1230 > 1950 > 2200 > 2050 A mg/m3·4h Inhalat				
	Dose and lethal concentrations for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one Estimates of acute toxicity (ATE) for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon	mg/kg bw Oral 1056 Rat 74,9 Rat > 2000 Rat 1470 Rat 1020 Rat 1020 Rat MTE mg/kg bw Oral 1056 74,9	DL50 (OECD402) mg/kg bw Cutaneous > 2000 Rabbit 140 Rat > 2000 Rat > 2000 Rat > 2000 Rat ATE mg/kg bw Cutaneous	mg/m3·4h Inhalat > 670 > 1230 > 1950 > 2200 > 2050 A mg/m3·4h Inhalat				
	Dose and lethal concentrations for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one Estimates of acute toxicity (ATE) for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1)	mg/kg bw Oral 1056 Rat 74,9 Rat > 2000 Rat 1470 Rat 1020 Rat 1020 Rat 1056 74,9	DL50 (OECD402) mg/kg bw Cutaneous > 2000 Rabbit 140 Rat > 2000 Rat > 2000 Rat > 2000 Rat ATE mg/kg bw Cutaneous	mg/m3·4h Inhalat > 670 > 1230 > 1950 > 2200 > 2050 A mg/m3·4h Inhalat				
	Dose and lethal concentrations for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one Estimates of acute toxicity (ATE) for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon	mg/kg bw Oral 1056 Rat 74,9 Rat > 2000 Rat 1470 Rat 1020 Rat 1020 Rat MTE mg/kg bw Oral 1056 74,9	DL50 (OECD402) mg/kg bw Cutaneous > 2000 Rabbit 140 Rat > 2000 Rat > 2000 Rat > 2000 Rat ATE mg/kg bw Cutaneous	mg/m3·4h Inhalat > 670 > 1230 > 1950 > 2200 > 2050 A mg/m3·4h Inhalat				
	Dose and lethal concentrations for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one Estimates of acute toxicity (ATE) for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne	mg/kg bw Oral 1056 Rat 74,9 Rat > 2000 Rat 1470 Rat 1020 Rat ATE mg/kg bw Oral 1056 74,9 Rat 1470 Rat 1020 Rat ATE mg/kg bw Oral 1056 74,9 1057 g to the classification category (seetion of a mixture based on its comp	DL50 (OECD402) mg/kg bw Cutaneous > 2000 Rabbit 140 Rat > 2000 Rat > 2000 Rat > 2000 Rat > 2000 Rat Complete State 140 	mg/m3·4h Inhalat > 670 F > 1230 F > 1950 F > 2200 F > 2050 F A mg/m3·4h Inhalat 6 > se values are designed test results.				
	Dose and lethal concentrations for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one Estimates of acute toxicity (ATE) for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one (*) - Point estimates of acute toxicity correspondin be used in the calculation of the ATE for classifica (-) - The components that are assumed to have no	mg/kg bw Oral 1056 Rat 74,9 Rat > 2000 Rat 1470 Rat 1020 Rat ATE mg/kg bw Oral 1056 74,9 Rat 1470 Rat 1020 Rat ATE mg/kg bw Oral 1056 74,9 1057 g to the classification category (seetion of a mixture based on its comp	DL50 (OECD402) mg/kg bw Cutaneous > 2000 Rabbit 140 Rat > 2000 Rat > 2000 Rat > 2000 Rat > 2000 Rat Complete State 140 	mg/m3·4h Inhalat > 670 > 1230 > 1950 > 2200 > 2050 Mg/m3·4h Inhalat (se values are designed test results. sponding exposure rout NOAEC Inhalat				
	Dose and lethal concentrations for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one Estimates of acute toxicity (ATE) for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one (*) - Point estimates of acute toxicity correspondin be used in the calculation of the ATE for classifica (-) - The components that are assumed to have no are ignored.	mg/kg bw Oral 1056 Rat 74,9 Rat > 2000 Rat 1470 Rat 1020 Rat 1020 Rat 1020 Rat 1020 Rat 1056 74,9 1056 74,9 1056 74,9 g to the classification category (see tion of a mixture based on its comp o acute toxicity at the upper thresho	DL50 (OECD402) mg/kg bw Cutaneous > 2000 Rabbit 140 Rat > 2000 Rat > 2000 Rat > 2000 Rat > 2000 Rat ATE mg/kg bw Cutaneous - 140 - - - - - - - - - - - - - - - - - - -	mg/m3·4h Inhalat > 670 F > 1230 F > 1230 F > 2200 F > 2050 F A mg/m3·4h Inhalat G se values are designed test results. sponding exposure rout NOAEC Inhalat mg/				
	Dose and lethal concentrations for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one Estimates of acute toxicity (ATE) for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one (*) - Point estimates of acute toxicity corresponding be used in the calculation of the ATE for classifica (-) - The components that are assumed to have no are ignored. - No observed adverse effect level 3-iodo-2-propynyl butylcarbamate	mg/kg bw Oral 1056 Rat 74,9 Rat > 2000 Rat 1470 Rat 1020 Rat 1020 Rat 1020 Rat ATE mg/kg bw Oral 1056 74,9 1470 *567 g to the classification category (see tion of a mixture based on its comp o acute toxicity at the upper thresho NOAEL Oral mg/kg bw/d 20 Rat	DL50 (OECD402) mg/kg bw Cutaneous > 2000 Rabbit 140 Rat > 2000 Rat > 2000 Rat > 2000 Rat > 2000 Rat ATE mg/kg bw Cutaneous 140 	mg/m3·4h Inhalat > 670 I > 1230 I > 1950 I > 2200 I > 2050 I Mg/m3·4h Inhalat Generations se values are designed test results. sponding exposure rout NOAEC Inhalat mg/ 1,16 I				
	Dose and lethal concentrations for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one Estimates of acute toxicity (ATE) for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one (*) - Point estimates of acute toxicity correspondin be used in the calculation of the ATE for classifica (-) - The components that are assumed to have no are ignored.	mg/kg bw Oral 1056 Rat 74,9 Rat > 2000 Rat 1470 Rat 1020 Rat 1020 Rat ATE mg/kg bw Oral 1056 74,9 1470 *567 g to the classification category (see tion of a mixture based on its comp o acute toxicity at the upper thresho NOAEL Oral mg/kg bw/d 20 Rat LOAEL Oral	DL50 (OECD402) mg/kg bw Cutaneous > 2000 Rabbit 140 Rat > 2000 Rat > 2000 Rat > 2000 Rat > 2000 Rat ATE mg/kg bw Cutaneous 140 - - - - - - - - - - - - - - - - - - -	mg/m3·4h Inhalat > 670 > 1230 > 1950 > 2200 > 2050 Mg/m3·4h Inhalat (se values are designed test results. sponding exposure rout NOAEC Inhalat mg/ 1,16 LOAEC Inhalat				
	Dose and lethal concentrations for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one Estimates of acute toxicity (ATE) for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one (*) - Point estimates of acute toxicity corresponding be used in the calculation of the ATE for classifica (-) - The components that are assumed to have no are ignored. - No observed adverse effect level 3-iodo-2-propynyl butylcarbamate	mg/kg bw Oral 1056 Rat 74,9 Rat > 2000 Rat 1470 Rat 1020 Rat 1020 Rat 1020 Rat ATE mg/kg bw Oral 1056 74,9 1470 *567 g to the classification category (see tion of a mixture based on its comp o acute toxicity at the upper thresho NOAEL Oral mg/kg bw/d 20 Rat	DL50 (OECD402) mg/kg bw Cutaneous > 2000 Rabbit 140 Rat > 2000 Rat > 2000 Rat > 2000 Rat > 2000 Rat ATE mg/kg bw Cutaneous 140 	mg/m3·4h Inhalat > 670 F > 1230 F > 1950 F > 2200 F > 2050 F A mg/m3·4h Inhalat 6 > se values are designed test results.				

GHS/CLF

3.4.3.3.

3.4.3.3.

IRIS RECOLOR	SE VINILICA TR		
Version: 1 Date of	issue: 19/04/2024		Date of printing: 19/04/2024
Routes of exposure	Acute toxicity	Cat.	Main effects, acute and/or delayed Criteria
Inhalation: Not classified	ATE > 20000 mg/m3	-	Not classified as a product with acute toxicity GHS/CLP if inhaled (based on available data, the classification criteria are not met).
Skin: Not classified	ATE > 5000 mg/kg bw	-	Not classified as a product with acute toxicity GHS/CLP in contact with skin (based on available data, 3.1.3.6. the classification criteria are not met).
Eyes: Not classified	Not available.	-	Not classified as a product with acute toxicity GHS/CLP by eye contact (lack of data). 1.2.5.
Ingestion: Not classified	ATE > 5000 mg/kg bw	-	Not classified as a product with acute toxicity GHS/CLP if swallowed (based on available data, the classification criteria are not met).
GHS/CLP 3.1.3.6: Classifica CORROSION / IRRITATI Danger class	ation of mixtures based on ingredients <u>ON / SENSITISATION :</u> Target organs	of the mixture	(additivity formula). Main effects, acute and/or delayed Criteria
 Respiratory corrosion/irrit Not classified 		-	Not classified as a product corrosive or GHS/CLP irritant by inhalation (based on available data,1.2.6. the classification criteria are not met). 3.8.3.4.
- Skin corrosion/irritation: Not classified	-	-	Not classified as a product corrosive or GHS/CLP irritant in contact with skin (based on 3.2.3.3. available data, the classification criteria are not met).
 Serious eye damage/irrita Not classified 	ation: -	-	Not classified as a product corrosive or GHS/CLP irritant in contact with eyes (based on 3.3.3.3. available data, the classification criteria are

ASPIRATION HAZARD:

Respiratory sensitisation:

Not classified

Not classified

Skin sensitisation:

Danger class	Target organs	Cat.	Main effects, acute and/or delayed	Criteria
 Aspiration hazard: Not classified 	-		······································	GHS/CLP 3.10.3.3.
			classification criteria are not met).	

not met).

Not classified as a product sensitising by

Not classified as a product sensitising by skin GHS/CLP

inhalation (based on available data. the

contact (based on available data, the classification criteria are not met).

classificatiòn criteria are not met).

GHS/CLP 3.10.3.3: Classification of the mixture when data are available for all components or only for some components.

GHS/CLP 3.2.3.3: Classification of the mixture when data are available for all components or only for some components. GHS/CLP 3.3.3.3: Classification of the mixture when data are available for all components or only for some components. GHS/CLP 3.4.3.3: Classification of the mixture when data are available for all components or only for some components. GHS/CLP 3.8.3.4: Classification of the mixture when data are available for all components or only for some components. GHS/CLP 3.8.3.4: Classification of the mixture when data are available for all components or only for some components.

SPECIFIC TARGET ORGANS TOXICITY (STOT): Single exposure (SE) and/or Repeated exposure (RE):

Not classified as a dangerous product for target organs.

GHS/CLP 3.8.3.4: Classification of the mixture when data are available for all components or only for some components.

CMR EFFECTS:

- Carcinogenic effects:

It is not considered as a carcinogenic product.

- Genotoxicity:

It is not considered as a mutagenic product.

- Toxicity for reproduction:

Does not harm fertility.Does not harm the unborn child.

- Effects via lactation:

Not classified as a hazardous product for children breast-fed.

DELAYED AND IMMEDIATE EFFECTS AS WELL AS CHRONIC EFFECTS FROM SHORT AND LONG-TERM EXPOSURE: Routes of exposure Not available.

	PINTURAS	BASE VINIL					
	State Dinturastinution						
ersion	: 1 Date	of issue: 1	9/04/2024	L		Date of printing: 19/04/20	
	- Short-term exposure	<u>e:</u>					
	Not available. <u>- Long-term or repeated exposure:</u>						
	- Long-term or repeate Not available.	ea exposure	<u>}:</u>				
	INTERACTIVE EFFE	<u>CTS:</u>					
	Not available.						
	INFORMATION ABOI		CINETICS	S, METABOLISM AND DISTRIBUT	ION		
	- Dermal absorption:	0110/100					
	Not available.						
	- Basic toxicokinetics	<u>:</u>					
	Not available.						
	ADDITIONAL INFORM	MATION:					
	Not available.						
1.2	INFORMATION ON C		<u>ARDS:</u>				
	Endocrine disrupting p				ad an under avaluation		
	Other information:	ontain sudsta	ances with	endocrine disrupting properties identif	led of under evaluation.		
	No additional informatio	n available.					
CTION	12: ECOLOGICAL INFO	ORMATION					
T				e preparation as such is available.			
		ied out by u	sing the c	onventional calculation method of t	he Regulation (EU) No. 127	72/2008~2022/692	
2.1	(CLP). TOXICITY:						
	- Acute toxicity in aqua	atic environr	nent	CL50 (OECD 203)	CE50 (OECD 202)	CE50 (OECD 2	
	for individual ingredients			mg/l·96hours	mg/l·48hours	mg/l·72ho	
	3-iodo-2-propynyl buty			0.067 - Fishes	0.16 - Daphniae	0.053 - Alg	
	Reaction mass of 5-ch			0.19 - Fishes	0.16 - Daphniae	0.037 - Alg	
	isothiazolin-3-one [EC methyl-2H-isothiazol-3						
	(3:1)	, , , , , , , , , , , , , , , , , , , ,	-0 -00 0]				
	Isoproturon			30 - Fishes	5.3 - Daphniae	0.03 - Alg	
	Terbutryne			1.1 - Fishes	2.7 - Daphniae	0.013 - Alg	
	1,2-benzisothiazol-3(2	:H)-one		1.2 - Fishes	0.85 - Daphniae	0.37 - Alg	
	- No observed effect c	oncentratio	<u>า</u>	NOEC (OECD 210)	NOEC (OECD 211)	NOEC (OECD 2	
				mg/l · 28 days	mg/l · 21 days	mg/l · 72 ho	
	3-iodo-2-propynyl buty			0.0084 - Fishes	0.05 - Daphniae	0.0046 - Alg	
	Reaction mass of 5-ch isothiazolin-3-one [EC			0.02 - Fishes	0.011 - Daphniae	0.004 - Alg	
	methyl-2H-isothiazol-3						
	(3:1)	•					
	Terbutryne				1.3 - Daphniae		
	- Lowest observed effect concentration						
	Not available						
	ASSESSMENT OF A	QUATIC TO	XICITY:				
	Aquatic toxicity		Cat.	Main hazards to the aquatic environm	ent	Criteria	
	 Acute aquatic toxicity 		I	Not classified as a hazardous product		life GHS/CLP	
	Not classified	•	-	(based on available data, the classific		4.1.3.5.5.3.	
	 Chronic aquatic toxici 	ity:	Cat.3	HARMFUL: Harmful to aquatic life wit	h long lasting effects.	GHS/CLP	
		ity.				4.1.3.5.5.4.	
				acute hazards, based on summation o			
				chronic (long term) hazards, based on	summation of classified comp	onents.	
2.2	PERSISTENCE AND	DEGRADA	<u>BILITY:</u>				
	- Biodegradability:						
	Not available.					D : 1 1 1 1	
	Aerobic biodegradatio	n			0/21 1Q/ 1/1 1/ 1/ 1/	Rindodrodobiliz	
	Aerobic biodegradatio			COD mgO2/g	%DBO/DQO 5 days 14 days 28 days	Biodegradabilio	

	RIS ROLL	VINILICA TR					
Versior	n: 1 Date of iss	ue: 19/04/2024				Date of printing: 19/04/2024	
	Reaction mass of 5-chloro-2 isothiazolin-3-one [EC 247-5 methyl-2H-isothiazol-3-one [(3:1)	00-7] and 2-			55	Not easy	
	Isoproturon		3490		30	Not easy	
					50	Not easy	
	1,2-benzisothiazol-3(2H)-one Note: Biodegradability data cor		to from various hibliogr	anhia aguraga		Not easy	
12.3	- <u>Hydrolysis:</u> Not available. - <u>Photodegradability:</u> Not available. BIOACCUMULATIVE POTE		la irom various bibliogr	aphic sources.			
12.0	Not available.	· · · · · · · · · · · · · · · · · · ·					
	Bioaccumulation for individual ingredients		logPow		BCF L/kg	Potential	
	3-iodo-2-propynyl butylcarba		2.81	26	(Unlikely, low	
	Reaction mass of 5-chloro-2 isothiazolin-3-one [EC 247-5 methyl-2H-isothiazol-3-one [(3:1)	00-7] and 2-	0.75	3.2	(calculated)	Unlikely, low	
	Isoproturon		2.87	36.4	(calculated)	Low	
	Terbutryne		3.74		(calculated)	Low	
	1,2-benzisothiazol-3(2H)-one	9	0.64	3.2	(calculated)	Unlikely, low	
12.4	MOBILITY IN SOIL: Not available						
	Mobility		log Poc		tant of Henry	Potential	
	for individual ingredients		_	P	a·m3/mol 20ºC		
	3-iodo-2-propynyl butylcarba Reaction mass of 5-chloro-2 isothiazolin-3-one [EC 247-5 methyl-2H-isothiazol-3-one [(3:1)	-methyl-2H- 00-7] and 2-	2,5 0,45			Unlikely, low Unlikely, low	
	Isoproturon		1,8			Low	
	Terbutryne		2,8			Low	
	1,2-benzisothiazol-3(2H)-one		1,05			Unlikely, low	
12.5	RESULTS OF PBT AND VP	```	· · ·	C) no. 1907/20	<u>06:)</u>		
10.0	Does not contain substances to ENDOCRINE DISRUPTING		а.				
12.6	This product does not contain s		isrupting properties ider	ntified or under o	evaluation.		
12.7	OTHER ADVERSE EFFECT	<u>S:</u>					
	- Ozone depletion potential: Not available.						
	<u>- Photochemical ozone crea</u> Not available.	tion potential:					
	- Earth global warming poter	ntial:					
	Not available.						
	N 13: DISPOSAL CONSIDERAT		C. Pogulation (EU) n	1257/2014:			
13.1	Take all necessary measures to	p prevent the production of v	vaste whenever possible	e. Analyse poss	ible methods fo		
	Do not discharge into drains or the environment, dispose at an authorised waste collection point. Waste should be handled and disposed in accordance with current local and national regulations. For exposure controls and personal protection measures, see section 8.						
	LER code Description				Тур	be of waste	
	Hazardous						
	Type of waste according to Regulation (EU) No. 1357/2014:						
	HP 14 Ecotoxic	s:Directive 94/62/EC~201	5/720/FLL Decision 20	00/532/₽℃~2	014/955/EU·		
	Disposal of empty containers:Directive 94/62/EC~2015/720/EU, Decision 2000/532/EC~2014/955/EU: Emptied containers and packaging should be disposed in accordance with currently local and national regulations. The classification of packaging as hazardous waste will depend on the degree of empting of the same, being the holder of the residue responsible for their classification, in accordance with Chapter 15 01 of Decision 2000/532/EC, and forwarding to the appropriate final destination. With contaminated containers and packaging, adopt the same measures as for the product in itself.						
	Procedures for neutralising or destroying the product: Controlled incineration in special facilities for chemical waste, in accordance with local regulations.						

In accorda	ance with Regulation (ÈC) No. 1907/2006 and Regulation (EU) No. 2020/878	(Language:EN
/ersio	n: 1 Date of issue: 19/04/2024	Date of printing: 19/04/2024
	N 14: TRANSPORT INFORMATION	
14.1	UN NUMBER OR ID NUMBER:	
14.1	Not applicable	
14.2	UN PROPER SHIPPING NAME:	
	Not applicable	
14.3	TRANSPORT HAZARD CLASS(ES):	
	Transport by road (ADR 2023) and	
	<u>Transport by rail (RID 2023):</u>	
	No reglamented	
	Transport by sea (IMDG 40-20): No reglamented	
	Transport by air (ICAO/IATA 2021):	
	No reglamented	
	Transport by inland waterways (ADN):	
	No reglamented	
14.4	PACKING GROUP:	
14.5	ENVIRONMENTAL HAZARDS:	
14.6	Not applicable. SPECIAL PRECAUTIONS FOR USER:	
14.0	Ensure that persons transporting the product know what to do in case of accident or spill. Always	transport in closed containers that are
	upright and secure.	
14.7	MARITIME TRANSPORT IN BULK ACCORDING TO IMO INSTRUMENTS:	
	Not applicable.	
ECTIO	N 15: REGULATORY INFORMATION	
15.1	SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC	FOR THE SUBSTANCE OR MIXTURE
	The regulations applicable to this product generally are listed throughout this Safety Data Sheet.	
	Restrictions on manufacture, placing on market and use: See section 1.2	
	Tactile warning of danger:	
	Not applicable (the classification criteria are not met).	
	Child safety protection:	
	Not applicable (the classification criteria are not met).	
	VOC information on the label:	
	Contains VOC max. 0,2 g/l* for the product ready for use - The limit value 2004/42/EC-IIA cat. a)	Matt coating for interior walls and ceilings,
	water-borne. is VOC max. 30 g/l (2010) <u>OTHER REGULATIONS:</u>	
	Not available.	
	Control of the risks inherent in major accidents (Seveso III):	
	See section 7.2	
	Other local legislations:	
45.0	The receiver should verify the possible existence of local regulations applicable to the chemical.	
15.2	CHEMICAL SAFETY ASSESSMENT:	
	A chemical safety assessment has not been carried out for this mixture.	

In accorda	ance with Regulation (EC) I	No. 1907/2006 and Regulation (EU) No. 2020/878	(Language:EN)					
	IRIS E	BASE VINILICA TR						
Version	n: 1 Date	of issue: 19/04/2024	Date of printing: 19/04/2024					
SECTION	16 : OTHER INFORMA	TION						
16.1	TEXT OF THE PHRA	SES AND NOTES REFERENCED IN SECTIONS 2 AND/OR 3:						
		cording the Regulation (EU) No. 1272/2008~2022/692 (CLP), Anne	ex III:					
	es severe skin burns and eye damage. damage. H330 Fatal if inhaled. H331 Toxic H412 Harmful to aquatic life with long 72 Causes damage to organs through rolonged or repeated exposure if							
	Notes related to the ic	lentification, classification and labelling of the substances or mixture	<u>es:</u>					
	Note B : Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with No have a general designation of the following type: 'nitric acid %'. In this case the supplier must state the percentage concentration o solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis. <u>EVALUATION OF THE INFORMATION ON THE DANGER OF MIXTURES:</u>							
	See sections 9.1, 11.1 a							
	ADVICES ON ANY TRAINING APPROPRIATE FOR WORKERS: It is recommended for all staff that will handle this product to carry out a basic training in occupational risk and prevention, in order to provide understanding and interpretation of Safety Data Sheets and labelling of products as well. MAIN LITERATURE REFERENCES AND SOURCES FOR DATA:							
	European Chemicals Agency: ECHA, http://echa.europa.eu/ Access to European Union Law, http://eur-lex.europa.eu/							
	 Threshold Limit Values, (AGCIH, 2021). European agreement on the international carriage of dangerous goods by road, (ADR 2023). International Maritime Dangerous Goods Code IMDG including Amendment 40-20 (IMO, 2020). ABBREVIATIONS AND ACRONYMS: 							
		d acronyms that can be used (but not necessarily used) in this Safety Dat	a Sheet:					
	 GHS: Globaly Harmor CLP: European regula EINECS: European Int ELINCS: European Lis CAS: Chemical Abstra UVCB: Substances of SVHC: Substances of PBT: Persistent, bioact vPvB: Very persistent is VOC: Volatile Organic DNEL: Derived No-Effi PNEC: Predicted No-Effi PNEC: Predicted No-Effi EL50: Lethal concentrations Or ADR: European agree RID: Regulations concomposition of the concentration of the concentration	cumulable and toxic substances. and very bioaccumulable substances. Compounds. ect Level (REACH). Effect Concentration (REACH). ation, 50 percent. percent. ganisation. ment concerning the international carriage of dangeous goods by road. erning the international transport of dangeous goods by rail. aritime code for Dangerous Goods. Transport Association. vil Aviation Organization.	ations. al mixtures.					
	SAFETY DATA SHEET REGULATIONS:							
	Safety Data Sheet in ac HISTORIC: Version: 1	cordance with Article 31 of Regulation (EC) No. 1907/2006 (REACH) and <u>REVISION:</u> 19/04/2024	Annex of Regulation (EU) No. 2020/878.					
conditions handling i legislatior	mation of this Safety Data sare beyond our knowled instruction. It is always th	a Sheet, is based on the present state of knowledge and on current UE an ge and control. The product is not to be used for other purposes than thos e responsibility of the user to take all necessary steps in order to fulfil the Safety Data Sheet is meant as a description of the safety requirements of	se specified, without first obtaining written demand laid down in the local rules and					