	IRIS COLOR COLOR	BASE REVESTIMIENTO ELASTIC	O TR					
ersio	n: 2 Rev	vision: 19/04/2024		Previous revision:	22/05/2018	Date of printing: 19/04/20		
CTIO	N 1: IDENTIFICATION O	F THE SUBSTANCE/MIXTURE AN	D OF THE	COMPANY/UNDERTAKI	NG			
.1	PRODUCT IDENTIF							
	BASE REVESTIMIENT	TO ELASTICO TR						
.2	RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST: Intended uses (main technical functions): [] Industrial [X] Professional [X] Consumers							
	Liquid paint.							
	Sectors of use:							
	Consumer uses (SU21).						
	Uses advised agains	t:						
	"Intended or identified							
	Restrictions on manu Not restricted.	<u>ifacture, placing on market and u</u>	se, accord	ing to Annex XVII of Re	gulation (EC) N	<u>lo. 1907/2006:</u>		
.3	DETAILS OF THE S	UPPLIER OF THE SAFETY DAT	A SHEET:					
	PINTURAS IRIS COLO	·						
		- Polígono Industrial El Salvador - 02						
		967 114272 - Fax: (+34) 967 44067						
		ne person responsible for the Saf	ety Data S	<u>neet:</u>				
	pinturasiriscolor@pintu							
.4	EMERGENCY TELE							
	(+34) 967 114272 9:00							
CTIO	N 2 : HAZARDS IDENTIF							
.1		F THE SUBSTANCE OR MIXTU es is carried out in accordance with						
	information which would allow to apply interpolation or extrapolation techniques, methods are used to classify risk assessment based on the data of the individual components in the mixture. <u>Classification in accordance with Regulation (EU) No. 1272/2008~2022/692 (CLP):</u> Aquatic Chronic 3:H412							
	Danger class	Classification of the mixture	Cat.	Routes of exposure	Target organs	Effects		
	Danger class Physicochemical: Not classified		e Cat.	Routes of exposure	Target organs	Effects		
	Physicochemical: Not classified		Cat.	Routes of exposure	Target organs	Effects		
	Physicochemical:		Cat.	Routes of exposure	Target organs	Effects		
	Physicochemical: Not classified Human health:		Cat.	Routes of exposure	Target organs	Effects -		
	Physicochemical: Not classified Human health: Not classified Environment:	Classification of the mixture	Cat.3	Routes of exposure	Target organs	Effects -		
	Physicochemical: Not classified Human health: Not classified Environment: Full text of hazard state Note: When in section concentration of each of	Classification of the mixture Aquatic Chronic 3:H412 c)	Cat.3 ction 16. ne health an		-	-		
.2	Physicochemical: Not classified Human health: Not classified Environment: Full text of hazard state Note: When in section	Classification of the mixture Aquatic Chronic 3:H412 c) ements mentioned is indicated in se 3 a range of percentages is used, th component, but below the maximum	Cat.3 ction 16. ne health an value.	d environmental hazards	describe the effe	- ects of the highest		
.2	Physicochemical: Not classified Human health: Not classified Environment: Full text of hazard state Note: When in section concentration of each of	Classification of the mixture Aquatic Chronic 3:H412 c) ements mentioned is indicated in se 3 a range of percentages is used, th component, but below the maximum	Cat.3 ction 16. ne health an value.		describe the effe	- ects of the highest		
.2	Physicochemical: Not classified Human health: Not classified Environment: Full text of hazard state Note: When in section concentration of each of	Classification of the mixture Aquatic Chronic 3:H412 c) ements mentioned is indicated in se 3 a range of percentages is used, th component, but below the maximum This product is la	Cat.3 ction 16. ne health an value.	d environmental hazards	describe the effe	- ects of the highest		
2	Physicochemical: Not classified Human health: Not classified Environment: Full text of hazard state Note: When in section concentration of each of LABEL ELEMENTS: - Hazard statements: H412	Classification of the mixture Aquatic Chronic 3:H412 c) ements mentioned is indicated in se 3 a range of percentages is used, th component, but below the maximum This product is la Harmful to aquatic life with long la	Cat.3 ction 16. he health an value. abelled in ad	d environmental hazards	describe the effe	- ects of the highest		
2	Physicochemical: Not classified Human health: Not classified Environment: Full text of hazard state Note: When in section concentration of each of LABEL ELEMENTS: - Hazard statements: H412 - Precautionary state	Classification of the mixture Aquatic Chronic 3:H412 c) ements mentioned is indicated in se 3 a range of percentages is used, th component, but below the maximum This product is la Harmful to aquatic life with long la ments:	Cat.3 ction 16. ne health an value. abelled in ad	d environmental hazards	describe the effe	- ects of the highest		
2	Physicochemical: Not classified Human health: Not classified Environment: Full text of hazard state Note: When in section concentration of each of LABEL ELEMENTS: - Hazard statements: H412 - Precautionary state P101	Classification of the mixture Aquatic Chronic 3:H412 c) ements mentioned is indicated in se 3 a range of percentages is used, th component, but below the maximum This product is la Harmful to aquatic life with long la ments: If medical advice is needed, have	Cat.3 ction 16. ne health an value. abelled in ad	d environmental hazards	describe the effe	- ects of the highest		
2	Physicochemical: Not classified Human health: Not classified Environment: Full text of hazard state Note: When in section concentration of each of LABEL ELEMENTS: - Hazard statements: H412 - Precautionary state P101 P102	Classification of the mixture Aquatic Chronic 3:H412 c) ements mentioned is indicated in se 3 a range of percentages is used, th component, but below the maximum This product is la Harmful to aquatic life with long la ments: If medical advice is needed, have Keep out of reach of children.	Cat.3 ction 16. ne health an value. abelled in ad	d environmental hazards	describe the effe	- ects of the highest		
2	Physicochemical: Not classified Human health: Not classified Environment: Full text of hazard state Note: When in section concentration of each of LABEL ELEMENTS: - Hazard statements: H412 - Precautionary state P101 P102 P103	Classification of the mixture Aquatic Chronic 3:H412 c) ements mentioned is indicated in se 3 a range of percentages is used, th component, but below the maximum This product is la Harmful to aquatic life with long la ments: If medical advice is needed, have Keep out of reach of children. Read label before use.	Cat.3 ction 16. the health and value. abelled in ad	d environmental hazards ccordance with Regulation s.	describe the effe	- ects of the highest 2008~2022/692 (CLP).		
2	Physicochemical: Not classified Human health: Not classified Environment: Full text of hazard state Note: When in section concentration of each of LABEL ELEMENTS: - Hazard statements: H412 - Precautionary state P101 P102 P103 P273-P501	Classification of the mixture Aquatic Chronic 3:H412 c) ements mentioned is indicated in se 3 a range of percentages is used, th component, but below the maximum This product is la Harmful to aquatic life with long la ments: If medical advice is needed, have Keep out of reach of children. Read label before use. Avoid release to the environment.	Cat.3 ction 16. the health and value. abelled in ad	d environmental hazards ccordance with Regulation s.	describe the effe	ects of the highest		
.2	Physicochemical: Not classified Human health: Not classified Environment: Full text of hazard state Note: When in section concentration of each of LABEL ELEMENTS: - Hazard statements: H412 - Precautionary state P101 P102 P103	Classification of the mixture Aquatic Chronic 3:H412 c) ements mentioned is indicated in se 3 a range of percentages is used, th component, but below the maximum This product is la Harmful to aquatic life with long la ments: If medical advice is needed, have Keep out of reach of children. Read label before use. Avoid release to the environment. cements: Contains 1,2-benzisothiazol-3(2H)	Cat.3 ction 16. the health and value. abelled in ad asting effect product cor Dispose of -one, Reac	d environmental hazards ccordance with Regulation s. ntainer or label at hand. contents/container in acc	describe the effe	al regulations.		
.2	Physicochemical: Not classified Human health: Not classified Environment: Full text of hazard state Note: When in section concentration of each of LABEL ELEMENTS: - Hazard statements: H412 - Precautionary state P101 P102 P103 P273-P501 - Supplementary state	Classification of the mixture Aquatic Chronic 3:H412 c) ements mentioned is indicated in se 3 a range of percentages is used, th component, but below the maximum This product is la Harmful to aquatic life with long la <u>ments:</u> If medical advice is needed, have Keep out of reach of children. Read label before use. Avoid release to the environment. <u>tements:</u>	Cat.3 ction 16. the health and value. abelled in ad asting effect product cor Dispose of -one, Reac [EC 220-23	d environmental hazards ccordance with Regulation s. ntainer or label at hand. contents/container in acc tion mass of 5-chloro-2-m 9-6] (3:1). May produce a	describe the effe	al regulations.		
2	Physicochemical: Not classified Human health: Not classified Environment: Full text of hazard state Note: When in section concentration of each of LABEL ELEMENTS: - Hazard statements: H412 - Precautionary state P101 P102 P103 P273-P501 - Supplementary state EUH208 -	Classification of the mixture Aquatic Chronic 3:H412 c) ements mentioned is indicated in se 3 a range of percentages is used, th component, but below the maximum This product is la Harmful to aquatic life with long la ments: If medical advice is needed, have Keep out of reach of children. Read label before use. Avoid release to the environment. tements: Contains 1,2-benzisothiazol-3(2H) and 2-methyl-2H-isothiazol-3-one	Cat.3 ction 16. the health and value. abelled in ad asting effect product cor Dispose of -one, Reac [EC 220-23	d environmental hazards ccordance with Regulation s. ntainer or label at hand. contents/container in acc tion mass of 5-chloro-2-m 9-6] (3:1). May produce a	describe the effe	al regulations.		
2	Physicochemical: Not classified Human health: Not classified Environment: Full text of hazard state Note: When in section concentration of each of LABEL ELEMENTS: - Hazard statements: H412 - Precautionary state P101 P102 P103 P273-P501 - Supplementary state EUH208 - - Substances that co	Classification of the mixture Aquatic Chronic 3:H412 c) ements mentioned is indicated in se 3 a range of percentages is used, th component, but below the maximum This product is la Harmful to aquatic life with long la ments: If medical advice is needed, have Keep out of reach of children. Read label before use. Avoid release to the environment. tements: Contains 1,2-benzisothiazol-3(2H) and 2-methyl-2H-isothiazol-3-one Contains Isoproturon, 3-iodo-2-pro-	Cat.3 ction 16. the health and value. abelled in and asting effect product cor Dispose of -one, Reac [EC 220-23 opynyl butyl	d environmental hazards ccordance with Regulation s. ntainer or label at hand. contents/container in acc tion mass of 5-chloro-2-m 9-6] (3:1). May produce a	describe the effe	al regulations.		
	Physicochemical: Not classified Human health: Not classified Environment: Full text of hazard state Note: When in section concentration of each of LABEL ELEMENTS: - Hazard statements: H412 - Precautionary state P101 P102 P103 P273-P501 - Supplementary state EUH208 - - Substances that co	Classification of the mixture Aquatic Chronic 3:H412 c) ements mentioned is indicated in se 3 a range of percentages is used, th component, but below the maximum This product is la ments: If medical advice is needed, have Keep out of reach of children. Read label before use. Avoid release to the environment. tements: Contains 1,2-benzisothiazol-3(2H) and 2-methyl-2H-isothiazol-3-one Contains Isoproturon, 3-iodo-2-pro	Cat.3 ction 16. the health and value. abelled in and asting effect product cor Dispose of -one, Reac [EC 220-23 opynyl butyl	d environmental hazards ccordance with Regulation s. ntainer or label at hand. contents/container in acc tion mass of 5-chloro-2-m 9-6] (3:1). May produce a	describe the effe	al regulations.		
	Physicochemical: Not classified Human health: Not classified Environment: Full text of hazard state Note: When in section concentration of each of LABEL ELEMENTS: - Hazard statements: H412 - Precautionary state P101 P102 P103 P273-P501 - Supplementary state EUH208 - - Substances that co None in a percentage of OTHER HAZARDS:	Classification of the mixture Aquatic Chronic 3:H412 c) ements mentioned is indicated in se 3 a range of percentages is used, th component, but below the maximum This product is la ments: If medical advice is needed, have Keep out of reach of children. Read label before use. Avoid release to the environment. tements: Contains 1,2-benzisothiazol-3(2H) and 2-methyl-2H-isothiazol-3-one Contains Isoproturon, 3-iodo-2-pro	Cat.3 ction 16. ne health an value. abelled in ad asting effect product cor Dispose of -one, Reac [EC 220-23 opynyl butyl ne name.	d environmental hazards ccordance with Regulation s. ntainer or label at hand. contents/container in acc tion mass of 5-chloro-2-m 9-6] (3:1). May produce a carbamate, Terbutryne to	describe the effe n (EU) No. 1272/ ordance with loca ethyl-2H-isothiaz n allergic reactio protect the film.	al regulations.		
	Physicochemical: Not classified Human health: Not classified Environment: Full text of hazard state Note: When in section concentration of each of LABEL ELEMENTS: - Hazard statements: H412 - Precautionary state P101 P102 P103 P273-P501 - Supplementary state EUH208 - - Substances that co None in a percentage of OTHER HAZARDS:	Classification of the mixture Aquatic Chronic 3:H412 c) ements mentioned is indicated in se 3 a range of percentages is used, th component, but below the maximum This product is la Harmful to aquatic life with long la ments: If medical advice is needed, have Keep out of reach of children. Read label before use. Avoid release to the environment. ements: Contains 1,2-benzisothiazol-3(2H) and 2-methyl-2H-isothiazol-3(2H) and 2-methyl-2H-isothiazol-3-one Contains Isoproturon, 3-iodo-2-pro ntribute to classification: equal to or higher than the limit for the	Cat.3 ction 16. ne health an value. abelled in ad asting effect product cor Dispose of -one, Reac [EC 220-23 opynyl butyl ne name.	d environmental hazards ccordance with Regulation s. ntainer or label at hand. contents/container in acc tion mass of 5-chloro-2-m 9-6] (3:1). May produce a carbamate, Terbutryne to	describe the effe n (EU) No. 1272/ ordance with loca ethyl-2H-isothiaz n allergic reactio protect the film.	al regulations.		
	Physicochemical: Not classified Human health: Not classified Environment: Full text of hazard state Note: When in section concentration of each of LABEL ELEMENTS: - Hazard statements: H412 - Precautionary state P101 P102 P103 P273-P501 - Supplementary state EUH208 - - Substances that co None in a percentage of OTHER HAZARDS: Hazards which do not	Classification of the mixture Aquatic Chronic 3:H412 c) ements mentioned is indicated in se 3 a range of percentages is used, th component, but below the maximum This product is la Harmful to aquatic life with long la ments: If medical advice is needed, have Keep out of reach of children. Read label before use. Avoid release to the environment. ements: Contains 1,2-benzisothiazol-3(2H) and 2-methyl-2H-isothiazol-3(2H) and 2-methyl-2H-isothiazol-3(H) and 2-methyl-2H-isothiazol-3(H) and 2-methyl-2H-isothiazol-3(H) and 2-methyl-2H-isothiazol-3(H) and 2-methyl-2H-isothiazol-3(H) and 2-methyl-2H-isothiazol-3(H) and 3-methyl-2H-isothiazol-3(H) and 3-methyl-2H-isothiazol-3(H) and 3-methyl-2H-isothiazol-3(H) and 3-methyl-2H-isothiazol-3(H) and 3-methyl-3-methy	Cat.3 ction 16. ne health an value. abelled in ad asting effect product cor Dispose of -one, Reac [EC 220-23 opynyl butyl ne name.	d environmental hazards ccordance with Regulation s. ntainer or label at hand. contents/container in acc tion mass of 5-chloro-2-m 9-6] (3:1). May produce a carbamate, Terbutryne to	describe the effe n (EU) No. 1272/ ordance with loca ethyl-2H-isothiaz n allergic reactio protect the film.	al regulations.		
.2	Physicochemical: Not classified Human health: Not classified Environment: Full text of hazard state Note: When in section concentration of each of LABEL ELEMENTS: - Hazard statements: H412 - Precautionary state P101 P102 P103 P273-P501 - Supplementary state EUH208 - - Substances that co None in a percentage of OTHER HAZARDS: Hazards which do not - Other physicochem	Classification of the mixture Aquatic Chronic 3:H412 c) ements mentioned is indicated in se 3 a range of percentages is used, the component, but below the maximum This product is la Harmful to aquatic life with long la ments: If medical advice is needed, have Keep out of reach of children. Read label before use. Avoid release to the environment. tements: Contains 1,2-benzisothiazol-3(2H) and 2-methyl-2H-isothiazol-3(2H) and 2-methyl-2H-isothiazol-3(2H) and 2-methyl-2H-isothiazol-3(pro- ntribute to classification: equal to or higher than the limit for the result in classification but which may ical hazards: proceeding the set of th	Cat.3 ction 16. ne health an value. abelled in ad asting effect product cor Dispose of -one, Reac [EC 220-23 opynyl butyl ne name.	d environmental hazards ccordance with Regulation s. ntainer or label at hand. contents/container in acc tion mass of 5-chloro-2-m 9-6] (3:1). May produce a carbamate, Terbutryne to	describe the effe n (EU) No. 1272/ ordance with loca ethyl-2H-isothiaz n allergic reactio protect the film.	al regulations.		

accorda	ance with Regulation (ÉC) No. 1907/2006 and Regulation (EU) No. 20	20/878		(Language:E			
	PARTURAS RISE COLOR	BASE REVESTIMIENTO ELASTICO TR						
/ersior	n: 2 Rev	vision: 19/04/2024	Previous revision: 22	2/05/2018 Date	of printing: 19/04/202			
	Endocrine disrupting	stances that fulfil the PBT/vPvB criteria.						
ECTION	N 3: COMPOSITION/INF	FORMATION ON INGREDIENTS						
3.1	SUBSTANCES:							
	Not applicable (mixtur	e).						
3.2	HAZARDOUS INGR	n: extenders, resins and additives in aqueous <u>EDIENTS:</u>						
		rt in a percentage higher than the exemptic	on limit:					
	C < 0,05 %	Isoproturon CAS: 34123-59-6, EC: 251-835-4, REACH CLP: Warning: Carc. 2:H351 STOT RE 2 (M=10) Aquatic Chronic 1:H410 (M=10)		ATP13				
	C < 0,025 %	3-iodo-2-propynyl butylcarbamate CAS: 55406-53-6, EC: 259-627-5, REACH CLP: Danger: Acute Tox. (inh.) 3:H331 (A 4:H302 (ATE=1056 mg/kg) Eye Dam. 1:H RE 1:H372 Aquatic Acute 1:H400 (M=10	TE=670 mg/m3) Acute Tox. (ora H318 Skin Sens. 1:H317 STO ⁻	Ē				
	C < 0,01 %	1,2-benzisothiazol-3(2H)-one CAS: 2634-33-5, EC: 220-120-9 CLP: Danger: Acute Tox. (oral) 4:H302 (A Eye Dam. 1:H318 Skin Sens. 1:H317 A		CLP00 5	Skin Sens. 1, H31 C ≥0,05 ^r			
	C < 0,0050 %	Terbutryne CAS: 886-50-0, EC: 212-950-5, REACH: CLP: Warning: Acute Tox. (oral) 4:H302 (<i>A</i> 1:H400 (M=100) Aquatic Chronic 1:H410	ATE=1470 mg/kg) Aquatic Acute	Autoclassified				
	C < 0,0015 %	Reaction mass of 5-chloro-2-methyl-2H-is and 2-methyl-2H-isothiazol-3-one [EC 220 CAS: 55965-84-9, EC: 611-341-5, REACH CLP: Danger: Acute Tox. (inh.) 2:H330 (AT 2:H310 (ATE=140 mg/kg) Acute Tox. (ora Corr. 1C:H314 Eye Dam. 1:H318 Aquat Chronic 1:H410 (M=100) EUH071 Skin	D-239-6] (3:1) H: Exempt (biocide) TE=50 mg/m3) Acute Tox. (skin al) 3:H301 (ATE=74 mg/kg) Skin tic Acute 1:H400 (M=100) Aquat)	Skin Corr. 1C, H314 $C \ge 0,6 \%$ Skin Irrit. 2, H315 $0,06 \% \le C < 0,6 \%$ Eye Dam. 1, H318 $C \ge 0,6 \%$ Eye Irrit. 2, H315 $0,06 \% \le C < 0,6 \%$ Skin Sens. 1A, H317 $C \ge 0,0015 \%$			
	Impurities: Does not contain othe Stabilizers: None.	r components or impurities which will influe	ence the classification of the prod	uct.				
		on hazardous ingredients, see sections 8, 7	11, 12 and 16.					
	Substances SVHC s None. Substances SVHC c	Substances SVHC subject to authorisation, included in Annex XIV of Regulation (EC) no. 1907/2006: None. Substances SVHC candidate to be included in Annex XIV of Regulation (EC) no. 1907/2006:						
	PERSISTENT, BIOA SUBSTANCES:	None. PERSISTENT, BIOACCUMULABLE AND TOXIC PBT, OR VERY PERSISTENT AND VERY BIOACCUMULABLE VPVB						
		luded in the (EU) REGULATION 2019/	1021~2020/784 on persistent	organic pollutants:				

SAFE1	TY DATA SHEET (RE dance with Regulation (EC)	ACH) No. 1907/2006 and Regulation (EU) No. 2020/878			Page 3/14 (Language:EN)
	IRIS COLOR	BASE REVESTIMIENTO ELASTICO TR			(********)
Versio	on: 2 Revi	ision: 19/04/2024	Previous revision: 2	2/05/2018	Date of printing: 19/04/2024
SECTIC	N 4: FIRST AID MEASUR	ES			
4.1	DESCRIPTION OF FI	RST AID MEASURES:			
		occur after exposure, so that in case of direct expo tention.Never give anything by mouth to an uncons		hen in doubt, o	r when symptoms persist,
	Route of exposure	Symptoms and effects, acute and delayed	Description o	f first-aid meas	ures
	Inhalation:	It is not expected that symptoms will occur un normal conditions of use.	inder Should there affected to the		ms, transfer the person
	Skin:	It is not expected that symptoms will occur un normal conditions of use.	affected area	with plenty of c	ng.Wash thoroughly the cold or lukewarm water and le skin cleanser.
	Eyes:	It is not expected that symptoms will occur un normal conditions of use.	irrigation with	plenty of clean	e eyes copiously by , fresh water, holding the ists, consult a physician.
	Ingestion:	If swallowed in high doses, may cause gastrointestinal disturbances.		e vomiting, due ep the patient a	
4.2		SYMPTOMS AND EFFECTS, BOTH ACUTE A	-	<u> </u>	
4.3		d effects are indicated in sections 4.1 and 11.1 IMMEDIATE MEDICAL ATTENTION AND SF	PECIAL TREATMEN		
4.3	Notes to physician:	IMMEDIATE MEDICAL ATTENTION AND SI		INLLULU.	
		rected at the control of symptoms and the clinical c	ondition of the patient.		
	Specific antidote not kn				
SECTIC	N 5: FIREFIGHTING MEA	SURES			
5.1	EXTINGUISHING ME	DIA:			
		roundings, all extinguishing agents are allowed.			
5.2	As consequence of com	ARISING FROM THE SUBSTANCE OR MIXT nbustion or thermal decomposition, hazardous proc oxides, halogenated compounds.Exposure to comb	lucts may be produced		
5.3	ADVICE FOR FIREFI				
	Special protective equ				
	protective glasses or fac	le of fire, heat-proof protective clothing may be req ce masks and boots.If the fire-proof protective equi m a safe distance.The standard EN469 provides a	pment is not available	or is not being	used, combat fire from a
	Other recommendation				
		ks, cisterns or containers close to sources of heat or drains, sewers or water courses.	or fire.Bear in mind the	direction of the	wind.Do not allow fire-
	•				

	PINTURAS			
		BASE REVESTIMIENTO ELASTI	COTR	
	a a statistical fit			
ersion	n: 2 Re	evision: 19/04/2024	Previous revision: 22/05/2018	Date of printing: 19/04/20
CTION	6: ACCIDENTAL REL	EASE MEASURES		-
.1			PMENT AND EMERGENCY PROCEDURES:	
			pours.Keep people without protection in opposition to	the wind direction.
.2	ENVIRONMENTAL			
			vater and soil.In the case of large scale spills or when	the product contaminates
			es in accordance with local regulations.	
.3		ATERIAL FOR CONTAINMENT		
		spills with absorbent materials (saw	dust, earth, sand, vermiculite, diatomaceous earth, et	c). Keep the remains in a
4	closed container.	OTHER SECTIONS:		
.4			n 1	
		on in case of emergency, see sectio fe handling, see section 7.	11 1.	
		s and personal protection measures	, see section 8.	
	For waste disposal, fo	ollow the recommendations in section	on 13.	
CTION	17: HANDLING AND S	STORAGE		
.1	PRECAUTIONS FC	DR SAFE HANDLING:		
	Comply with the exist	ing legislation on health and safety	at work.	
	- General recomme	ndations:		
		kage or escape.Keep the container	• •	
		<u>s for the prevention of fire and ex</u>		
			and does not sustain the combustion reaction by oxyg	
		it is, so it is not included in the score explosive atmospheres.	pe of Directive 2014/34/EU concerning equipment and	protective systems intende
		s for the prevention of toxicologic	nal ricke:	
			wash hands with soap and water. For exposure conti	rols and personal protection
	measures, see sectio			
	- Recommendations	<u>s for the prevention of environme</u>	ental contamination:	
	Avoid any spillage in	the environment.Pay special attenti	on to the cleaning water. In the case of accidental spil	lage, follow the instructions
	indicated in section 6			
.2		SAFE STORAGE, INCLUDING		
		to avoid leakages, the containers,	ach of children. Keep away from sources of heat. If po after use, should be closed carefully and placed in a v	
	- Class of store:			
	According to current I	legislation.		
	- Maximum storage	period:		
	24 Months.			
	- Temperature inter			
	min:5 °C, max:40 °C	. ,		
	- Incompatible mate			
		izing agents, acids, alkalis.		
	 <u>Type of packaging</u> According to current I 			
	-	/eso III): Directive 2012/18/EU:		
		ict for non industrial use).		
.3	SPECIFIC END US			
			part from that already indicated are not available.	

	ELASTICO TR					
ion: 2 Revision: 19/04/2024		Pre	evious revision: 22	2/05/2018	Date of prir	nting: 19/04/20
ON 8: EXPOSURE CONTROLS/PERSONAL PROTE	CTION					
CONTROL PARAMETERS:						
If a product contains ingredients with exposure lim	nits, may be necess	ary a person	nel monitoring,	work place or	biological, to d	letermine the
effectiveness of the ventilation or other control me						
made to EN689, EN14042 and EN482 standard c exposure to chemical and biological agents. Refer						
determination of dangerous substances.	ence should be als	to made to ha	alional guidance		or methods for	uie
- OCCUPATIONAL EXPOSURE LIMIT VALU						
					Demenden	
EH40/2005 WELs (United Y Kingdom) 2018	ear WEL-TWA	ma/m3	WEL-STEL		Remarks	
1,2-benzisothiazol-3(2H)-one	ppm	mg/m3	1	mg/m3		Recommende
Terbutryne		0,1 1		-		cecommenue
Reaction mass of 5-chloro-2-methyl-2H	-	0,08		- 0,23		Recommende
-isothiazolin-3-one [EC 247-500-7] and	-	0,08	-	0,23		Cecommenu
2-methyl-2H-isothiazol-3-one [EC 220-						
239-6] (3:1)						
	1		1		•	
WEL - Workplace Exposure Limit, TWA - Time We	eighted Average (8	hours), STEI	L - Short Term B	Exposure Limit	: (15 min).	
- BIOLOGICAL LIMIT VALUES:						
Not established						
- DERIVED NO-EFFECT LEVEL (DNEL):						
Derived no-effect level (DNEL) is a level of exposi	ire that is consider	ed safe deriv	ed from toxicity	, data accordin	a to specific a	uidances
included in REACH. DNEL values may differ from						
recommended by a particular company, a governr						
health, the OEL values are derived by a process of			-			
	1					
	DNEL Inhalation		DNEL Cutaneous	6	DNEL Oral	
- DERIVED NO-EFFECT LEVEL, WORKERS:- Systemic effects, acute and chronic:	DNEL Inhalation mg/m3		DNEL Cutaneous mg/kg bw/d	<u>6</u>	DNEL Oral mg/kg bw/d	
Systemic effects, acute and chronic:	mg/m3		mg/kg bw/d	_	mg/kg bw/d	- (c)
Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate	mg/m3 0,07 (a)	0,023 (c)	mg/kg bw/d s/r (a)	2 (c)	mg/kg bw/d - (a)	- (c)
Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3-	mg/m3		mg/kg bw/d	_	mg/kg bw/d	- (c) - (c)
Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one	mg/m3 0,07 (a)	0,023 (c)	mg/kg bw/d s/r (a)	2 (c)	mg/kg bw/d - (a)	
Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1)	mg/m3 0,07 (a) - (a)	0,023 (c) - (c)	mg/kg bw/d s/r (a) - (a)	2 (c) - (c)	mg/kg bw/d - (a) - (a)	- (c)
Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon	mg/m3 0,07 (a) - (a) - (a)	0,023 (c) - (c) - (c)	mg/kg bw/d s/r (a) - (a) - (a)	2 (c) - (c) - (c)	mg/kg bw/d - (a) - (a) - (a)	- (c)
Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne	mg/m3 0,07 (a) - (a) - (a) - (a)	0,023 (c) - (c) - (c) - (c)	mg/kg bw/d s/r (a) - (a) - (a) - (a)	2 (c) - (c) - (c) - (c)	mg/kg bw/d - (a) - (a) - (a) - (a)	- (c) - (c)
Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon	mg/m3 0,07 (a) - (a) - (a)	0,023 (c) - (c) - (c)	mg/kg bw/d s/r (a) - (a) - (a)	2 (c) - (c) - (c)	mg/kg bw/d - (a) - (a) - (a) - (a) - (a)	- (c)
Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne	mg/m3 0,07 (a) - (a) - (a) - (a) - (a) <u>DNEL Inhalation</u>	0,023 (c) - (c) - (c) - (c) - (c)	mg/kg bw/d s / r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u>	2 (C) - (C) - (C) - (C) - (C)	mg/kg bw/d - (a) - (a) - (a) - (a) - (a) <u>DNEL Eyes</u>	- (c) - (c)
Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one	mg/m3 0,07 (a) - (a) - (a) - (a) - (a)	0,023 (c) - (c) - (c) - (c) - (c)	mg/kg bw/d s/r (a) - (a) - (a) - (a)	2 (C) - (C) - (C) - (C) - (C)	mg/kg bw/d - (a) - (a) - (a) - (a) - (a)	- (c) - (c)
Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic:	mg/m3 0,07 (a) - (a) - (a) - (a) - (a) <u>DNEL Inhalation</u> mg/m3	0,023 (c) - (c) - (c) - (c) - (c)	mg/kg bw/d s / r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/cm2	2 (c) - (c) - (c) - (c) - (c) - (c)	mg/kg bw/d - (a) - (a) - (a) - (a) - (a) <u>DNEL Eyes</u> mg/cm2	- (c) - (c) - (c)
Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate	mg/m3 0,07 (a) - (a) - (a) - (a) - (a) <u>DNEL Inhalation</u> mg/m3 1,16 (a)	0,023 (c) - (c) - (c) - (c) - (c) - (c) 1,16 (c)	mg/kg bw/d s/r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/cm2 a/r (a)	2 (c) - (c) - (c) - (c) - (c) <u>-</u> (c) <u>-</u>	mg/kg bw/d - (a) - (a) - (a) - (a) - (a) <u>DNEL Eyes</u> mg/cm2 m/r (a)	- (c) - (c) - (c) - (c)
Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3-	mg/m3 0,07 (a) - (a) - (a) - (a) - (a) <u>DNEL Inhalation</u> mg/m3	0,023 (c) - (c) - (c) - (c) - (c)	mg/kg bw/d s / r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/cm2	2 (c) - (c) - (c) - (c) - (c) - (c)	mg/kg bw/d - (a) - (a) - (a) - (a) - (a) <u>DNEL Eyes</u> mg/cm2	- (c) - (c) - (c)
Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one	mg/m3 0,07 (a) - (a) - (a) - (a) - (a) <u>DNEL Inhalation</u> mg/m3 1,16 (a)	0,023 (c) - (c) - (c) - (c) - (c) - (c) 1,16 (c)	mg/kg bw/d s/r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/cm2 a/r (a)	2 (c) - (c) - (c) - (c) - (c) <u>-</u> (c) <u>-</u>	mg/kg bw/d - (a) - (a) - (a) - (a) - (a) <u>DNEL Eyes</u> mg/cm2 m/r (a)	- (c) - (c) - (c) - (c) - (c)
Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1)	mg/m3 0,07 (a) - (a) - (a) - (a) - (a) <u>DNEL Inhalation</u> mg/m3 1,16 (a) - (a)	0,023 (c) - (c) - (c) - (c) - (c) - (c) 1,16 (c) - (c)	mg/kg bw/d s/r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/cm2 a/r (a) - (a)	2 (c) - (c) - (c) - (c) - (c) 2 a/r (c) - (c)	mg/kg bw/d - (a) - (a) - (a) - (a) - (a) <u>DNEL Eyes</u> mg/cm2 m/r (a) - (a)	- (c) - (c) - (c) - (c) - (c)
Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon	mg/m3 0,07 (a) - (a) - (a) - (a) - (a) <u>DNEL Inhalation</u> mg/m3 1,16 (a) - (a) - (a)	0,023 (c) - (c) - (c) - (c) - (c) 1,16 (c) - (c) - (c)	mg/kg bw/d s/r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/cm2 a/r (a) - (a) - (a)	2 (c) - (c) - (c) - (c) - (c) 2 a/r (c) - (c) - (c) - (c)	mg/kg bw/d - (a) - (a) - (a) - (a) - (a) <u>DNEL Eyes</u> mg/cm2 m/r (a) - (a) - (a)	- (c) - (c) - (c) - (c) - (c) - (c) - (c)
Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne	mg/m3 0,07 (a) - (a) - (a) - (a) - (a) <u>DNEL Inhalation</u> mg/m3 1,16 (a) - (a) - (a) - (a) - (a)	0,023 (c) - (c) - (c) - (c) - (c) 1,16 (c) - (c) - (c) - (c) - (c)	mg/kg bw/d s/r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/cm2 a/r (a) - (a) - (a) - (a)	2 (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c)	mg/kg bw/d - (a) - (a) - (a) - (a) - (a) <u>DNEL Eyes</u> mg/cm2 m/r (a) - (a) - (a) - (a)	- (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c)
Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon	mg/m3 0,07 (a) - (a) - (a) - (a) - (a) <u>DNEL Inhalation</u> mg/m3 1,16 (a) - (a) - (a)	0,023 (c) - (c) - (c) - (c) - (c) 1,16 (c) - (c) - (c)	mg/kg bw/d s/r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/cm2 a/r (a) - (a) - (a)	2 (c) - (c) - (c) - (c) - (c) 2 a/r (c) - (c) - (c) - (c)	mg/kg bw/d - (a) - (a) - (a) - (a) - (a) <u>DNEL Eyes</u> mg/cm2 m/r (a) - (a) - (a)	- (c) - (c) - (c) - (c) - (c) - (c) - (c)
Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne	mg/m3 0,07 (a) - (a)	0,023 (c) - (c) - (c) - (c) - (c) 1,16 (c) - (c) - (c) - (c) - (c) - (c) - (c)	mg/kg bw/d s/r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/cm2 a/r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u>	$\begin{array}{cccc} 2 & (c) \\ - & (c) \\ - & (c) \\ - & (c) \\ \hline a/r & (c) \\ - $	mg/kg bw/d - (a) - (a) - (a) - (a) - (a) <u>DNEL Eves</u> mg/cm2 m/r (a) - (a) - (a) - (a) - (a) - (a) - (a) - (a) - (a)	- (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c)
Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, GENERAL	mg/m3 0,07 (a) - (a) - (a) - (a) - (a) <u>DNEL Inhalation</u> mg/m3 1,16 (a) - (a)	0,023 (c) - (c) - (c) - (c) - (c) 1,16 (c) - (c) - (c) - (c) - (c) - (c) - (c)	mg/kg bw/d s/r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/cm2 a/r (a) - (a) - (a) - (a) - (a)	$\begin{array}{cccc} 2 & (c) \\ - & (c) \\ - & (c) \\ - & (c) \\ \hline a/r & (c) \\ - $	mg/kg bw/d - (a) - (a) - (a) - (a) - (a) <u>DNEL Eyes</u> mg/cm2 m/r (a) - (a) - (a) - (a) - (a) - (a)	- (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c)
Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, GENERAL POPULATION:- Systemic effects, acute and chronic:	mg/m3 0,07 (a) - (a)	0,023 (c) - (c) - (c) - (c) - (c) 1,16 (c) - (c) - (c) - (c) - (c) - (c) - (c)	mg/kg bw/d s/r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/cm2 a/r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u>	$\begin{array}{cccc} 2 & (c) \\ - & (c) \\ - & (c) \\ - & (c) \\ \hline a/r & (c) \\ - $	mg/kg bw/d - (a) - (a) - (a) - (a) - (a) <u>DNEL Eves</u> mg/cm2 m/r (a) - (a) - (a) - (a) - (a) - (a) - (a) - (a) - (a)	- (c) - (c) - (c) - (c) - (c) - (c) - (c)
Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, GENERAL POPULATION:- Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate	mg/m3 0,07 (a) - (a) - (a) - (a) - (a) (a) <u>DNEL Inhalation</u> mg/m3 1,16 (a) - (b) - (b) - (c) - (c)	0,023 (c) - (c) - (c) - (c) - (c) 1,16 (c) - (c) - (c) - (c) - (c) - (c) - (c)	mg/kg bw/d s/r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/cm2 a/r (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/kg bw/d s/r (a)	$\begin{array}{cccc} 2 & (c) \\ - & (c) \\ - & (c) \\ - & (c) \\ 2 \\ \hline a/r & (c) \\ - & (c) $	mg/kg bw/d - (a) - (a) - (a) - (a) - (a) - (a) <u>DNEL Eyes</u> mg/cm2 m/r (a) -	- (c) - (c)
Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, GENERAL POPULATION:- Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3-	mg/m3 0,07 (a) - (a) - (a) - (a) - (a) - (a) <u>DNEL Inhalation</u> mg/m3 1,16 (a) - (a) - (a) - (a) - (a) - (a) <u>DNEL Inhalation</u> mg/m3	0,023 (c) - (c) - (c) - (c) - (c) 1,16 (c) - (c) - (c) - (c) - (c) - (c) - (c)	mg/kg bw/d s / r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/cm2 a / r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/kg bw/d	$\begin{array}{cccc} 2 & (c) \\ - & (c) \\ - & (c) \\ - & (c) \\ 2 \\ \hline a/r & (c) \\ - & (c) \\ \end{array}$	mg/kg bw/d - (a) - (a) - (a) - (a) - (a) <u>DNEL Eyes</u> mg/cm2 m/r (a) - (a) - (a) - (a) <u>DNEL Eyes</u> mg/kg bw/d	- (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c)
Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, GENERAL POPULATION:- Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one	mg/m3 0,07 (a) - (a) - (a) - (a) - (a) (a) <u>DNEL Inhalation</u> mg/m3 1,16 (a) - (b) - (b) - (c) - (c)	0,023 (c) - (c) - (c) - (c) - (c) 1,16 (c) - (c) - (c) - (c) - (c) - (c) - (c)	mg/kg bw/d s/r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/cm2 a/r (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/kg bw/d s/r (a)	$\begin{array}{cccc} 2 & (c) \\ - & (c) \\ - & (c) \\ - & (c) \\ 2 \\ \hline a/r & (c) \\ - & (c) $	mg/kg bw/d - (a) - (a) - (a) - (a) - (a) - (a) <u>DNEL Eyes</u> mg/cm2 m/r (a) -	- (c) - (c)
Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, GENERAL POPULATION:- Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1)	mg/m3 0,07 (a) - (a) - (a) - (a) - (a) - (a) <u>DNEL Inhalation</u> mg/m3 1,16 (a) - (a)	0,023 (c) - (c) - (c) - (c) - (c) 1,16 (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c)	mg/kg bw/d s/r (a) - (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/cm2 a/r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/kg bw/d s/r (a) - (a)	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	mg/kg bw/d - (a) - (a)	- (c) - (c)
Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, GENERAL POPULATION:- Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon	mg/m3 0,07 (a) - (a) - (a) - (a) - (a) - (a) DNEL Inhalation mg/m3 1,16 (a) - (a)	0,023 (c) - (c)	mg/kg bw/d s/r (a) - (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/cm2 a/r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/kg bw/d s/r (a) - (a) - (a) - (a)	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	mg/kg bw/d - (a) - (a)	- (c) - (c)
Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, GENERAL POPULATION:- Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne	mg/m3 0,07 (a) - (a)	0,023 (c) - (c)	mg/kg bw/d s/r (a) - (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/cm2 a/r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/kg bw/d s/r (a) - (a) - (a) - (a) - (a) - (a)	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	mg/kg bw/d - (a) - (a) - (a) - (a) - (a) - (a) <u>DNEL Eyes</u> mg/cm2 m/r (a) - (a) - (a) - (a) <u>DNEL Eyes</u> mg/kg bw/d s/r (a) - (a) - (a) - (a) - (a)	- (c) - (c)
Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, GENERAL POPULATION:- Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one	mg/m3 0,07 (a) - (a)	0,023 (c) - (c)	mg/kg bw/d s/r (a) - (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/cm2 a/r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/kg bw/d s/r (a) - (a)	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	mg/kg bw/d - (a) - (a) - (a) - (a) - (a) - (a) <u>DNEL Eves</u> mg/cm2 m/r (a) - (a) - (a) - (a) <u>DNEL Eves</u> mg/kg bw/d s/r (a) - (a)	- (c) - (c)
Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, GENERAL POPULATION:- Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - LOCAL EFFECTS, ACUTE AND CHRONIC:- Local	mg/m3 0,07 (a) - (a)	0,023 (c) - (c)	mg/kg bw/d s / r (a) - (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/cm2 a / r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/kg bw/d s / r (a) - (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/kg bw/d	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	mg/kg bw/d - (a) - (a	- (c) - (c)
Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, GENERAL POPULATION:- Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one	mg/m3 0,07 (a) - (a)	0,023 (c) - (c)	mg/kg bw/d s/r (a) - (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/cm2 a/r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/kg bw/d s/r (a) - (a)	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	mg/kg bw/d - (a) - (a) - (a) - (a) - (a) - (a) <u>DNEL Eves</u> mg/cm2 m/r (a) - (a) - (a) - (a) <u>DNEL Eves</u> mg/kg bw/d s/r (a) - (a)	- (c) - (c)
Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, GENERAL POPULATION:- Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazoli-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - LOCAL EFFECTS, ACUTE AND CHRONIC:- Local effects, acute and chronic:	mg/m3 0,07 (a) - (a)	0,023 (c) - (c)	mg/kg bw/d s / r (a) - (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/cm2 a / r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/kg bw/d s / r (a) - (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/kg bw/d	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	mg/kg bw/d - (a) - (a	- (c) - (c)
Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, GENERAL POPULATION:- Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - LOCAL EFFECTS, ACUTE AND CHRONIC:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate	mg/m3 0,07 (a) - (a)	0,023 (c) - (c)	mg/kg bw/d s / r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/cm2 a / r (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/kg bw/d s / r (a) <u>- (a)</u> - (a) <u>- (a)</u> <u>- (b)</u> <u>- (a)</u> <u>- (a)</u>	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	mg/kg bw/d - (a)	- (c) - (c)
Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, GENERAL POPULATION:- Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3-	mg/m3 0,07 (a) - (a	0,023 (c) - (c)	mg/kg bw/d s / r (a) - (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/cm2 a / r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/kg bw/d s / r (a) - (a) - (a) - (a) <u>- (a)</u> <u>- (a)</u>	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	mg/kg bw/d - (a) - (a	- (c) - (c)
Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, GENERAL POPULATION:- Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one	mg/m3 0,07 (a) - (a	0,023 (c) - (c)	mg/kg bw/d s / r (a) - (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/cm2 a / r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/kg bw/d s / r (a) - (a) - (a) - (a) <u>- (a)</u> <u>- (a)</u>	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	mg/kg bw/d - (a) - (a	- (c) - (c)
Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, GENERAL POPULATION:- Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] an	mg/m3 0,07 (a) - (a)	0,023 (c) - (c)	mg/kg bw/d s/r (a) - (a) - (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/cm2 a/r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/kg bw/d s/r (a) - (a) - (a) <u>- (a)</u> - (a) <u>- (a)</u> <u>- (a)</u>	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	mg/kg bw/d - (a) - (a)	- (c) - (c)
Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, GENERAL POPULATION:- Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - LOCAL EFFECTS, ACUTE AND CHRONIC:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothi	mg/m3 0,07 (a) - (a)	0,023 (c) - (c)	mg/kg bw/d s / r (a) - (a) - (a) - (a) - (a) DNEL Cutaneous mg/cm2 a / r (a) - (a) - (a) - (a) DNEL Cutaneous mg/kg bw/d s / r (a) - (a)	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	mg/kg bw/d - (a) - (a)	- (c) - (c)
Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one - DERIVED NO-EFFECT LEVEL, GENERAL POPULATION:- Systemic effects, acute and chronic: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3- one [EC 247-500-7] and 2-methyl-2H-isothiazolin-3- one [EC 247-500-7] an	mg/m3 0,07 (a) - (a)	0,023 (c) - (c)	mg/kg bw/d s/r (a) - (a) - (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/cm2 a/r (a) - (a) - (a) - (a) <u>DNEL Cutaneous</u> mg/kg bw/d s/r (a) - (a) - (a) <u>- (a)</u> - (a) <u>- (a)</u> <u>- (a)</u>	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	mg/kg bw/d - (a) - (a)	$\begin{array}{c} - (c) \\ - (c) \end{array}$

ion: 2 Rev	sion: 19/04/2024		Previous revision: 22/05/2018	Date of printing: 19/04/2			
(a) - Acute, short-term (-) - DNEL not availab s/r - DNEL not derived m/r - DNEL not derived a/r - DNEL not derived	n exposure, (c) - Chronic, le le (without data of registra d (not identified hazard). d (medium hazard).	ation REACH).					
	ECT CONCENTRATION,	PNEC Fresh water	PNEC Marine	PNEC Intermittent			
AQUATIC ORGANISMS		mg/l	mg/l	mg/l			
water and intermittent r 3-iodo-2-propynyl but Reaction mass of 5-c isothiazolin-3-one [EC methyl-2H-isothiazol- (3:1)	<u>elease:</u> ylcarbamate hloro-2-methyl-2H- 2 247-500-7] and 2-	0.0005	4.6E-05 -	0.00053			
Isoproturon		_					
		-	-	-			
Terbutryne		-	-	-			
1,2-benzisothiazol-3(2							
- WASTEWATER TREA AND SEDIMENTS IN F WATER:	<u>ITMENT PLANTS (STP)</u> RESH- AND MARINE	PNEC STP mg/l	PNEC Sediments mg/kg dw/d	PNEC Sediments mg/kg dw/d			
3-iodo-2-propynyl but Reaction mass of 5-cl isothiazolin-3-one [EC methyl-2H-isothiazol- (3:1)	hloro-2-methyl-2H- 2 247-500-7] and 2-	0.44	0.017 -	0.0016			
Isoproturon		-	-	-			
Terbutryne		-	_	-			
1,2-benzisothiazol-3(2	2H)-one	-					
	ECT CONCENTRATION,	PNEC Air mg/m3	PNEC Soil mg/kg dw/d	PNEC Oral mg/kg dw/d			
effects for predators an 3-iodo-2-propynyl but Reaction mass of 5-ci isothiazolin-3-one [EC methyl-2H-isothiazol- (3:1)	ylcarbamate hloro-2-methyl-2H-) 247-500-7] and 2-	s/r -	0.005	n/b -			
Isoproturon		-	-	-			
Terbutryne		-	-	-			
	ole (without data of registra		-	-			
s/r - PNEC not derive	n/b - PNEC not derived (not bioaccumulative potential). s/r - PNEC not derived (not identified hazard).						
	EXPOSURE CONTROLS: ENGINEERING MEASURES:						
© [*] 🚰 🥇	by the use of local exhaust ventilation and good general extraction. If these measures are not sufficient to maintain concentrations of particulates and vapours below the Occupational Exposure Limits, suitable respiratory protection must be worn.						
	- Protection of respiratory system:						
	Avoid the inhalation of vapours.						
It is recommended to in	- Protection of eyes and face: It is recommended to install water taps or sources with clean water close to the working area.						
It is recommended to in exposed areas of the sl	- Protection of hands and skin: It is recommended to install water taps or sources with clean water close to the working area.Barrier creams may help to protect the exposed areas of the skin.Barrier creams should not be applied once exposure has occurred.						
As a general measure of with the corresponding characteristics of the PI	OCCUPATIONAL EXPOSURE CONTROLS: REGULATION (EU) NO. 2016/425: As a general measure on prevention and safety in the work place, we recommend the use of a basic personal protection equipment (PPE), with the corresponding marking. For more information on personal protective equipment (storage, use, cleaning, maintenance, type and characteristics of the PPE, protection class, marking, category, CEN norm, etc), you should consult the informative brochures provided by the manufacturers of PPE.						
Mask:	No.						

Page 7/14
(Language:EN)

BASE REVESTIMENTO ELASTICO TR Since 2 Revision: 1900/2022 Revision: 1900/2022 Revision: 2002 Revision			20/01/0	(Edilguage.El
Face shield: No. Gloves: Gloves resistant against chemicals (EN374).When repeated or prolonged contact with the product is expected, gloves of protection level 5 or higher should be used, with a breakthrough time of >240 min.When short contact with the product is expected, use gloves with a protection level 2 or higher should be used, with a breakthrough time of the selected glove material should be in accordance with the protective gloves with a protective gloves or ensistant against chemicals is clearly lower than the established standard EN374.Due to the wide variety of circumstances and possibilities, the instructions/specifications provided by the glove supplier should be instructions? Boots: No. Apron: No. Clothing: No. ENVIRONMENTAL EXPOSURE CONTROLS: Avoid any spillage in the environment. Avoid any release into the atmosphere. - Spills on the soil: Prevent contains the following substances included in the list of priority substances in the field of water policy under Directive 2000/60/EC-2013/39/EU: This product ontains the following substances included in the list of priority substances in the field of water policy under Directive 2000/60/EC-2013/39/EU: This product contains the following substances included in the list of priority substances in the field of vater policy under Directive 2000/60/EC-2013/39/EU: This product contains the following substances included in the list of priority substances in the field of vater policy under Directive 2000/60/EC-2013/39/EU: This product contains the followi	IRIS INTERNAL	BASE REVESTIMIENTO ELASTICO TR		
Gloves: Gloves resistant against chemicals (EN374). When repeated or prolonged contact with the product is expected, gloves of protection level 5 or higher should be used, with a breakthrough time of >240 min. When short contact with the product is expected, use gloves with a protection level 2 or higher should be used, with a breakthrough time >30 min. The breakthrough time of the selected glove material should be in accordance with the proteint e>30 min. The breakthrough time of the selected glove material sis clearly lover than the established standard EN374. Due to the wide variety of circumstances and possibilities, the instructions/specifications provided by the glove supplier should 1 taken into account. The gloves should be immediately replaced when any sign of degradation is noted to applicable (the product is handled at room temperature). ENTERING No. Clothing: No. ENTERING No. ENTERONMENTAL EXPOSURE CONTROLS: Avoid any spillage in the environment. Avoid any release into the atmosphere. -spills on the soli: Prevent contamination of soli. -Spills in water: Do not allow to ascape into drains, sewers or water courses.	sion: 2 Revi	sion: 19/04/2024	Previous revision: 22/05/2018	Date of printing: 19/04/202
Pexpected, gloves of protection level 5 or higher should be used, with a breakthrough time of >240 min.When short contact with the product is expected, use gloves with a protection level 2 or higher should be used, with a breakthrough time >30 min.The breakthrough time of the selected glove material should be in accordance with the pretended period of use. There are several factors (for example, temperature), they do in practice the period of use of a protective gloves resistant against chemicals is clearly lower than the established standard EM374.Due to the wide variety of circumstances and possibilities, the instructions/specifications provided by the glove supplier should I taken into account.The gloves should be immediately replaced when any sign of degradation is notect Boots: No. Apron: No. Clothing: No. Internal hazards: No. Inte	Face shield:	No.		
Apron: No. Clothing: No. Thermal hazards: No. Not applicable (the product is handled at room temperature). ENVIRONMENTAL EXPOSURE CONTROLS: Avoid any spillage in the environment. Avoid any release into the atmosphere. Spills on the soil: Prevent contamination of soil. Spills in water: Do not allow to escape into drains, sewers or water courses. Water Management Act: This product contains the following substances included in the list of priority substances in the field of water policy under Directive 2000/60/EC-2013/39/EU: Terbutryne. Emissions to the atmosphere: Because of volatility, emissions to the atmosphere while handling and use may result. Avoid any release into the atmosphere. VOC (product ready for use*): It is applicable the Directive 2004/42/EC, on the limitation of emissions of volatile compounds due to the use of organic solvents: PAINTS AND VANISHES (defined in the Directive 2004/42/EC, Annex I.1): Emission subcategory c) Coating for exterior walls of mineral substrate water-borne. VOC (product ready for use*): (BASE REVESTIMIENTO ELASTICO TR Cod. 00252 = 100 in volume): 0.2 g/t (VOC max.40 g/t)* starting from 01.01.2010) VOC (industrial installations): If this product is used in an industrial installation, it must be verified if it is applicable the Directive 2010/75/CE (DL.127/2013, on the limitation of emissions of volatile compounds due to the use of organic solvents: Solvents: 1.35 % Weight, VOC (souply):		expected, gloves of protection level min.When short contact with the should be used, with a breakthro material should be in accordance example, temperature), they do in chemicals is clearly lower than the circumstances and possibilities, the	vel 5 or higher should be used, with a bre product is expected, use gloves with a pro ugh time >30 min.The breakthrough time with the pretended period of use.There a n practice the period of use of a protective e established standard EN374.Due to the the instructions/specifications provided by	akthrough time of >240 otection level 2 or higher of the selected glove are several factors (for e gloves resistant against wide variety of the glove supplier should b
Clothing: No. - Thermal hazards: No. Not applicable (the product is handled at room temperature). ENVIRONMENTAL EXPOSURE CONTROLS: Avoid any spillage in the environment. Avoid any release into the atmosphere. - Spills on the soil: Prevent contamination of soil. - Spills in water: Do not allow to escape into drains, sewers or water courses. - Water Management Act: This product contains the following substances included in the list of priority substances in the field of water policy under Directive 2000/60/EC-2013/39/EU: Terbutryne. - Emissions to the atmosphere: Because of volatility, emissions to the atmosphere while handling and use may result. Avoid any release into the atmosphere. VOC (product ready for use*): It is applicable the Directive 2004/42/EC, on the limitation of emissions of volatile compounds due to the use of organic solvents: PAINTS AND VARNISHES (defined in the Directive 2004/42/EC, Annex I.1): Emission subcategory c) Coating for exterior walls of mineral substrate water-borne. VOC (product ready for use*): (BASE REVESTIMIENTO ELASTICO TR Cod. 00252 = 100 in volume): 0.2 g/l* (VOC max.40 g/l* starting from 01.01.2010) VOC (industrial installations): If this product is used in an industrial installation, it must be verified if it is applicable the Directive 2010/75/CE (DL.127/2013, on the limitation of emissions of volatile compounds due to the use of organic solvents: 1.35 % Weight, VOC (supply): 0.01 % Weight, VOC (o.01, % C expressed as carbon), Molecular weight (average): 1.2	Boots:	No.		
Thermal hazards: Not applicable (the product is handled at room temperature). ENVIRONMENTAL EXPOSURE CONTROLS: Avoid any spillage in the environment. Avoid any release into the atmosphere. - Spills on the soil: Prevent contamination of soil. - Spills in water: Do not allow to escape into drains, sewers or water courses. Water Management Act: This product contains the following substances included in the list of priority substances in the field of water policy under Directive 2000/60/EC~2013/39/EU: Terbutryne. - Emissions to the atmosphere: Because of volatility, emissions to the atmosphere while handling and use may result. Avoid any release into the atmosphere. VOC (product ready for use*): It is applicable the Directive 2004/42/EC, on the limitation of emissions of volatile compounds due to the use of organic solvents: PAINTS AND VARNISHES (defined in the Directive 2004/42/EC, Annex I.1): Emission subcategory c) Coating for exterior walls of mineral substrate water-borne. VOC (product ready for use*): (BASE REVESTIMIENTO ELASTICO TR Cod. 00252 = 100 in volume): 0.2 g/l* (VOC max.40 g/l* starting from 01.01.2010) VOC (industrial installation, it must be verified if it is applicable the Directive 2010/75/CE (DL.127/2013, on the limitation of emissions of volatile compounds due to the installations: Solvents: 1,35 % Weight, VOC (supply): 0,01 % Weight, VOC: 0,01 % C (expressed as carbon), Molecular weight (average): 122,12, Number C atoms	Apron:	No.		
Not applicable (the product is handled at room temperature). ENVIRONMENTAL EXPOSURE CONTROLS: Avoid any spillage in the environment. Avoid any release into the atmosphere. - Spills on the soil: Prevent contamination of soil. - Spills in water: Do not allow to escape into drains, sewers or water courses. Water Management Act: This product contains the following substances included in the list of priority substances in the field of water policy under Directive 2000/60/EC-2013/39/EU: Terbutryne. - Emissions to the atmosphere: Because of volatility, emissions to the atmosphere while handling and use may result. Avoid any release into the atmosphere. VOC (product ready for use*): It is applicable the Directive 2004/42/EC, on the limitation of emissions of volatile compounds due to the use of organic solvents: PAINTS AND VARNISHES (defined in the Directive 2004/42/EC, Annex I.1): Emission subcategory c) Coating for exterior walls of mineral substrate water-borne. VOC (product ready for use*): (BASE REVESTIMIENTO ELASTICO TR Cod. 00252 = 100 in volume): 0.2 g/l* (VOC max.40 g/l* starting from 01.01.2010) VOC (industrial installations): If this product is used in an industrial installation, it must be verified if it is applicable the Directive 2010/75/CE (DL.127/2013, on the limitation of emissions of volatile compounds due to the is colvents: 1,35 % Weight, VOC (supply): 0,01 % Weight, VOC: 0,01 % C (expressed as carbon), Molecular weight (average): 122,12, Number C atoms <th>Clothing:</th> <th>No.</th> <td></td> <th></th>	Clothing:	No.		
	Prevent contamination of <u>Spills in water:</u> Do not allow to escape <u>-Water Manageme</u> This product contains th 2000/60/EC~2013/39/E Terbutryne. <u>Emissions to the atm</u> Because of volatility, em <u>VOC (product ready for</u> It is applicable the Direct AND VARNISHES (define water-borne. VOC (product ready for g/l* starting from 01.01.2 <u>VOC (industrial install</u> If this product is used in limitation of emissions of Weight, VOC (supply): 0	into drains, sewers or water courses. ent Act: the following substances included in the list the following substances included in the list mosphere: nissions to the atmosphere while handling or use*): trive 2004/42/EC, on the limitation of emis- ned in the Directive 2004/42/EC, Annex I duct ready for use*): (BASE REVESTIMIE 2010) lations): an industrial installation, it must be verified of volatile compounds due to the use of our	g and use may result. Avoid any release into ssions of volatile compounds due to the use o .1): Emission subcategory c) Coating for exte ENTO ELASTICO TR Cod. 00252 = 100 in vo ded if it is applicable the Directive 2010/75/CE rganic solvents in certain activities and install	the atmosphere. of organic solvents: PAINTS rior walls of mineral substrate lume): 0,2 g/l* (VOC max.40 (DL.127/2013, on the ations: Solvents: 1,35 %

	RUSE COLOR					
rsior	n: 2 Revision: 19/04/2024	Previous revision: 22/05/2018	Date of printing: 19/04/2			
	N 9: PHYSICAL AND CHEMICAL PROPERTIES					
1	INFORMATION ON BASIC PHYSICAL AND C	HEMICAL PROPERTIES:				
	Appearance					
	Physical state: Colour:	Liquid				
	Odour:	See the colour in the package Characteristic				
	Odour threshold:	Not available (mixture).				
	Change of state					
	Freezing point:	Not available (mixture).				
	Boiling interval:	100* - 255* °C at 760 mmHg				
	- Flammability:					
	Flashpoint:	Not flammable				
	Lower/upper flammability or explosive limits:	Not available				
	Autoignition temperature:	Not applicable (do not sustain combustion).				
	<u>Stability</u>		41			
	Decomposition temperature:	Not available (technical impossibility to obtair data).	i the			
	pH-value	uala).				
	pH:	8,5 ± 1 at 20⁰C				
	- Viscosity:	0,0 1 1 41 20 0				
	Dynamic viscosity:	15000 ± 1000 cps at 20°C				
	Kinematic viscosity:	3992,05* mm2/s at 40°C				
	- Solubility(ies):					
	Solubility in water	Miscible				
	Liposolubility:	Not applicable (inorganic product).				
	Partition coefficient: n-octanol/water:	Not applicable (mixture).				
	- Volatility:					
	Vapour pressure:	17,4967* mmHg at 20°C				
	Vapour pressure:	12,0865* kPa at 50°C				
	Evaporation rate:	Not available (lack of data).				
	Density Relative density:	1,300 ± 0,05 at 20/4°C	Relative wate			
	Relative vapour density:	Not available.				
	Particle characteristics					
	Particle size:	Not applicable.				
	- Explosive properties:					
	Not available.					
	 Oxidizing properties: 					
	Not classified as oxidizing product.					
	*Estimated values based on the substances compo	osing the mixture.				
2	OTHER INFORMATION:	-				
	Information regarding physical hazard classes					
	No additional information available.					
	Other security features:					
	VOC (supply):	0,2 g/l				
	Nonvolatile:	51,92 * % Weight	1h. 60°C			
	The values indicated do not always coincide with product specifications. The data for the product specifications can be found in the					
		information concerning physical and chemical properties relate				
	environment, see sections 7 and 12.					
	·					

SAFETY DATA SHEET (REACH)

	BASE REVESTIMIENTO EL	ASTICO TR		
ersio	on: 2 Revision: 19/04/2024	Previo	us revision: 22/05/2018	Date of printing: 19/04/20
ECTIO	ON 10: STABILITY AND REACTIVITY			
10.1	REACTIVITY:			
	- Corrosivity to metals:			
	It is not corrosive to metals.			
	- Pyrophorical properties:			
	It is not pyrophoric.			
10.2	CHEMICAL STABILITY:			
	Stable under recommended storage and handling c	onditions.		
10.3	POSSIBILITY OF HAZARDOUS REACTIONS:			
	Possible dangerous reaction with oxidizing agents,	acids, alkalis.		
10.4	CONDITIONS TO AVOID:			
	- Heat:			
	Keep away from sources of heat.			
	<u>- Light:</u>			
	If possible, avoid direct contact with sunlight.			
	<u>- Air:</u>			
	The product is not affected by exposure to air, but s	hould not be left the containers op	ben.	
	- Pressure:			
	Not relevant.			
	- Shock:			
	The product is not sensitive to shocks, but as a reco			
	dents and breakage of packaging, especially when	the product is handled in large qu	antities, and during loading	and download operation
0.5	INCOMPATIBLE MATERIALS:			
	Keep away from oxidizing agents, acids, alkalis.			
0.6	HAZARDOUS DECOMPOSITION PRODUCTS	—		
	As consequence of thermal decomposition, hazardo	ous products may be produced: ni	trogen oxides, sulfur oxides	, hydrochloric acid,
	halogenated compounds.			
CHO	ON 11: TOXICOLOGICAL INFORMATION			
1.1	No experimental toxicological data on the prepa carried out by using the conventional calculatio INFORMATION ON HAZARD CLASSES AS D	n method of the Regulation (EL	J) No. 1272/2008~2022/6	92 (CLP).
1.1	ACUTE TOXICITY:	EFINED IN REGULATION (EC	<u>, NO 1272/2000 .</u>	
	Dose and lethal concentrations	DL50 (OECD401)	DL50 (OECD402)	CL50 (OECD4
	for individual ingredients:	mg/kg bw Oral	mg/kg bw Cutaneous	mg/m3·4h Inhala
	3-iodo-2-propynyl butylcarbamate	1056 Rat	> 2000 Rabbit	> 670
	Reaction mass of 5-chloro-2-methyl-2H-	74,9 Rat	140 Rat	> 1230
	isothiazolin-3-one [EC 247-500-7] and 2-	74,0114	140 140	- 1200
	methyl-2H-isothiazol-3-one [EC 220-239-6]			
	(3:1)	> 2000 Rat	> 2000 Rat	> 1950
	(3:1) Isoproturon	> 2000 Rat 1470 Rat	> 2000 Rat > 2000 Rabbit	
	(3:1) Isoproturon Terbutryne	1470 Rat	> 2000 Rabbit	> 2200
	(3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one	1470 Rat 1020 Rat	> 2000 Rabbit > 2000 Rat	> 2200 > 2050
	(3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one Estimates of acute toxicity (ATE)	1470 Rat 1020 Rat ATE	> 2000 Rabbit > 2000 Rat ATE	> 2200 > 2050
	(3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one Estimates of acute toxicity (ATE) for individual ingredients:	1470 Rat 1020 Rat ATE mg/kg bw Oral	> 2000 Rabbit > 2000 Rat	> 2200 > 2050 # mg/m3·4h Inhala
	(3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one Estimates of acute toxicity (ATE) for individual ingredients: 3-iodo-2-propynyl butylcarbamate	1470 Rat 1020 Rat ATE mg/kg bw Oral 1056	> 2000 Rabbit > 2000 Rat ATE mg/kg bw Cutaneous -	> 2200 > 2050 # mg/m3·4h Inhala
	(3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one Estimates of acute toxicity (ATE) for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H-	1470 Rat 1020 Rat ATE mg/kg bw Oral	> 2000 Rabbit > 2000 Rat ATE	> 2200 > 2050 # mg/m3·4h Inhala
	(3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one Estimates of acute toxicity (ATE) for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2-	1470 Rat 1020 Rat ATE mg/kg bw Oral 1056	> 2000 Rabbit > 2000 Rat ATE mg/kg bw Cutaneous -	> 2200 > 2050 / mg/m3·4h Inhala
	(3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one Estimates of acute toxicity (ATE) for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6]	1470 Rat 1020 Rat ATE mg/kg bw Oral 1056	> 2000 Rabbit > 2000 Rat ATE mg/kg bw Cutaneous -	> 2200 > 2050 # mg/m3·4h Inhala
	(3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one Estimates of acute toxicity (ATE) for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1)	1470 Rat 1020 Rat ATE mg/kg bw Oral 1056	> 2000 Rabbit > 2000 Rat ATE mg/kg bw Cutaneous -	> 2200 > 2050 # mg/m3·4h Inhala
	(3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one Estimates of acute toxicity (ATE) for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon	1470 Rat 1020 Rat ATE mg/kg bw Oral 1056 74,9	> 2000 Rabbit > 2000 Rat ATE mg/kg bw Cutaneous -	> 2200 > 2050 / mg/m3·4h Inhala
	(3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one Estimates of acute toxicity (ATE) for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne	1470 Rat 1020 Rat ATE mg/kg bw Oral 1056 74,9	> 2000 Rabbit > 2000 Rat ATE mg/kg bw Cutaneous -	> 2200 > 2050 // mg/m3·4h Inhala
	(3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one Estimates of acute toxicity (ATE) for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one	1470 Rat 1020 Rat ATE mg/kg bw Oral 1056 74,9 - 1470 *567	> 2000 Rabbit > 2000 Rat ATE mg/kg bw Cutaneous - 140 - -	> 2200 > 2050 // mg/m3·4h Inhalat
	(3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one Estimates of acute toxicity (ATE) for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one (*) - Point estimates of acute toxicity corresponding	1470 Rat 1020 Rat ATE mg/kg bw Oral 1056 74,9 - 1470 *567 to the classification category (see	> 2000 Rabbit > 2000 Rat ATE mg/kg bw Cutaneous - 140 - - - - - - - -	> 2200 > 2050 // mg/m3·4h Inhala > >
	(3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one Estimates of acute toxicity (ATE) for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one (*) - Point estimates of acute toxicity corresponding be used in the calculation of the ATE for classification	1470 Rat 1020 Rat ATE mg/kg bw Oral 1056 74,9 1470 *567 to the classification category (see on of a mixture based on its compo	> 2000 Rabbit > 2000 Rat MTE mg/kg bw Cutaneous - 140 - - - - - - - - - - - - - - - - - - -	> 2200 > 2050 // mg/m3·4h Inhala > ese values are designed t test results.
	(3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one Estimates of acute toxicity (ATE) for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one (*) - Point estimates of acute toxicity corresponding	1470 Rat 1020 Rat ATE mg/kg bw Oral 1056 74,9 1470 *567 to the classification category (see on of a mixture based on its compo	> 2000 Rabbit > 2000 Rat MTE mg/kg bw Cutaneous - 140 - - - - - - - - - - - - - - - - - - -	> 2200 > 2050 // mg/m3·4h Inhala > ese values are designed t test results.
	(3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one Estimates of acute toxicity (ATE) for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one (*) - Point estimates of acute toxicity corresponding be used in the calculation of the ATE for classification (-) - The components that are assumed to have no acute toxicity corresponding	1470 Rat 1020 Rat ATE mg/kg bw Oral 1056 74,9 1470 *567 to the classification category (see on of a mixture based on its compo	> 2000 Rabbit > 2000 Rat MTE mg/kg bw Cutaneous - 140 - - - - - - - - - - - - - - - - - - -	> 2200 > 2050 // mg/m3·4h Inhalat (> ese values are designed t test results.
	(3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one Estimates of acute toxicity (ATE) for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one (*) - Point estimates of acute toxicity corresponding be used in the calculation of the ATE for classification (-) - The components that are assumed to have no acute toxicity corresponding	1470 Rat 1020 Rat ATE mg/kg bw Oral 1056 74,9 1470 *567 to the classification category (see on of a mixture based on its compo acute toxicity at the upper thresho	> 2000 Rabbit > 2000 Rat MTE mg/kg bw Cutaneous - 140 - - - - - - - - - - - - - - - - - - -	t test results.
	 (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one Estimates of acute toxicity (ATE) for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one (*) - Point estimates of acute toxicity corresponding be used in the calculation of the ATE for classification (-) - The components that are assumed to have no are ignored. 	1470 Rat 1020 Rat ATE mg/kg bw Oral 1056 74,9 1470 *567 to the classification category (see on of a mixture based on its compo acute toxicity at the upper thresho	> 2000 Rabbit > 2000 Rat MTE mg/kg bw Cutaneous - 140 - - - - - - - - - - - - - - - - - - -	> 2200 > 2050 // mg/m3·4h Inhalat / ese values are designed t test results. esponding exposure rout NOAEC Inhalat
	 (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one Estimates of acute toxicity (ATE) for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one (*) - Point estimates of acute toxicity corresponding be used in the calculation of the ATE for classification (-) - The components that are assumed to have no are ignored. 	1470 Rat 1020 Rat ATE mg/kg bw Oral 1056 74,9 1470 *567 to the classification category (see on of a mixture based on its compo acute toxicity at the upper thresho	> 2000 Rabbit > 2000 Rat ATE mg/kg bw Cutaneous - 140 - - - - - - - - - - - - - - - - - - -	> 2200 > 2050 // mg/m3·4h Inhalat (> ese values are designed t test results. esponding exposure rout NOAEC Inhalat mg.
	 (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one Estimates of acute toxicity (ATE) for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one (*) - Point estimates of acute toxicity corresponding be used in the calculation of the ATE for classification (-) - The components that are assumed to have no are ignored. 	1470 Rat 1020 Rat ATE mg/kg bw Oral 1056 74,9 1470 *567 to the classification category (see on of a mixture based on its compo acute toxicity at the upper thresho NOAEL Oral mg/kg bw/d	> 2000 Rabbit > 2000 Rat ATE mg/kg bw Cutaneous - 140 - - - - - - - - - - - - - - - - - - -	> 2200 > 2050 // mg/m3·4h Inhalat (> ese values are designed t test results. esponding exposure rout NOAEC Inhalat mg.
	 (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one Estimates of acute toxicity (ATE) for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one (*) - Point estimates of acute toxicity corresponding be used in the calculation of the ATE for classification (-) - The components that are assumed to have no are ignored. 	1470 Rat 1020 Rat ATE mg/kg bw Oral 1056 74,9 1470 *567 to the classification category (see on of a mixture based on its compo acute toxicity at the upper thresho NOAEL Oral mg/kg bw/d	> 2000 Rabbit > 2000 Rat ATE mg/kg bw Cutaneous - 140 - - - - - - - - - - - - - - - - - - -	> 2200 > 2050 mg/m3·4h Inhalat (> ese values are designed t test results. esponding exposure rout
	 (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one Estimates of acute toxicity (ATE) for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one (*) - Point estimates of acute toxicity corresponding be used in the calculation of the ATE for classification (-) - The components that are assumed to have no are ignored. No observed adverse effect level 3-iodo-2-propynyl butylcarbamate Lowest observed adverse effect level 	1470 Rat 1020 Rat ATE mg/kg bw Oral 1056 74,9 1470 *567 to the classification category (see on of a mixture based on its comp acute toxicity at the upper thresho NOAEL Oral mg/kg bw/d 20 Rat	> 2000 Rabbit > 2000 Rat ATE mg/kg bw Cutaneous - 140 - - - - - - - - - - - - - - - - - - -	> 2200 > 2050 // mg/m3·4h Inhalad // / / / / / / / / / / / / / / / / /
	 (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one Estimates of acute toxicity (ATE) for individual ingredients: 3-iodo-2-propynyl butylcarbamate Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(2H)-one (*) - Point estimates of acute toxicity corresponding be used in the calculation of the ATE for classification (-) - The components that are assumed to have no are ignored. Invo observed adverse effect level 3-iodo-2-propynyl butylcarbamate	1470 Rat 1020 Rat ATE mg/kg bw Oral 1056 74,9 1470 *567 to the classification category (see on of a mixture based on its compr acute toxicity at the upper thresho NOAEL Oral mg/kg bw/d 20 Rat LOAEL Oral mg/kg bw/d	> 2000 Rabbit > 2000 Rat ATE mg/kg bw Cutaneous - 140 - - - - - - - - - - - - - - - - - - -	> 2200 > 2050 mg/m3·4h Inhala ese values are designed t test results. esponding exposure rou NOAEC Inhala mg 1,16 LOAEC Inhala

PINTURAS IRIS ERIS COLOR Sectors of the sectors of	8	BASE REVESTIMIENTO ELASTICO TR				
Version: 2	Revis	ion: 19/04/2024	I	Previous revision: 22/05/2018	Date of printing	19/04/2024
Routes of e	exposure	Acute toxicity	Cat.	Main effects, acute and/or	delayed	Criteria
Inhalation: Not classifi	ed	ATE > 20000 mg/m3	-	Not classified as a product if inhaled (based on availal classification criteria are no	ole data, the	GHS/CLP 3.1.3.6.
Skin: Not classifi	ed	ATE > 5000 mg/kg bw	-	Not classified as a product in contact with skin (based the classification criteria ar	on available data,	
Eyes: Not classifi	ed	Not available.	-	Not classified as a product by eye contact (lack of data	with acute toxicity a).	GHS/CLP 1.2.5.
Ingestion: Not classifi	ed	ATE > 5000 mg/kg bw	-	Not classified as a product if swallowed (based on ava classification criteria are no	ailable data, the	GHS/CLP 3.1.3.6.

GHS/CLP 3.1.3.6: Classification of mixtures based on ingredients of the mixture (additivity formula).

CORROSION / IRRITATION / SENSITISATION :

Danger class	Target organs	Cat.	Main effects, acute and/or delayed	Criteria
- Respiratory corrosion/irritation: Not classified	-	-	Not classified as a product corrosive or irritant by inhalation (based on available data the classification criteria are not met).	GHS/CLP ,1.2.6. 3.8.3.4.
- Skin corrosion/irritation: Not classified	-	-	Not classified as a product corrosive or irritant in contact with skin (based on available data, the classification criteria are not met).	GHS/CLP 3.2.3.3.
- Serious eye damage/irritation: Not classified	-	-	Not classified as a product corrosive or irritant in contact with eyes (based on available data, the classification criteria are not met).	GHS/CLP 3.3.3.3.
 Respiratory sensitisation: Not classified 	-	-	Not classified as a product sensitising by inhalation (based on available data, the classification criteria are not met).	GHS/CLP 3.4.3.3.
 Skin sensitisation: Not classified 	-	-	Not classified as a product sensitising by skin contact (based on available data, the classification criteria are not met).	GHS/CLP 3.4.3.3.

GHS/CLP 3.2.3.3: Classification of the mixture when data are available for all components or only for some components. GHS/CLP 3.3.3.3: Classification of the mixture when data are available for all components or only for some components. GHS/CLP 3.4.3.3: Classification of the mixture when data are available for all components or only for some components. GHS/CLP 3.8.3.4: Classification of the mixture when data are available for all components or only for some components.

- ASPIRATION HAZARD:

Danger class	Target organs	Cat.	Main effects, acute and/or delayed	Criteria
 Aspiration hazard: Not classified 	-		Not classified as a product hazardous by aspiration (based on available data, the	GHS/CLP 3.10.3.3.
			classification criteria are not met).	

GHS/CLP 3.10.3.3: Classification of the mixture when data are available for all components or only for some components.

SPECIFIC TARGET ORGANS TOXICITY (STOT): Single exposure (SE) and/or Repeated exposure (RE):

Not classified as a dangerous product for target organs.

GHS/CLP 3.8.3.4: Classification of the mixture when data are available for all components or only for some components.

CMR EFFECTS:

- Carcinogenic effects:

It is not considered as a carcinogenic product.

Genotoxicity:

It is not considered as a mutagenic product.

- Toxicity for reproduction:

Does not harm fertility. Does not harm the unborn child.

Effects via lactation:

Not classified as a hazardous product for children breast-fed.

DELAYED AND IMMEDIATE EFFECTS AS WELL AS CHRONIC EFFECTS FROM SHORT AND LONG-TERM EXPOSURE: Routes of exposure

Not available.

	PINTURAS	ASE REVESTIME	NTO ELASTICO TR					
ersior/	n: 2 Revisi	on: 19/04/2024		Previou	s revision: 22/05/2018	Date of printing: 19/04/20		
	- Short-term exposure:							
	Not available.							
	- Long-term or repeated Not available.	exposure:						
	NOL AVAIIADIE.							
	INTERACTIVE EFFECT	rs:						
	Not available.							
	INFORMATION ABOUT TOXICOCINETICS, METABOLISM AND DISTRIBUTION:							
	- Dermal absorption: Not available.							
	- Basic toxicokinetics:							
	Not available.							
	ADDITIONAL INFORMA	<u>ATION:</u>						
44.0	Not available.							
11.2	INFORMATION ON OT Endocrine disrupting pro							
			th endocrine disrupting proper	ties identifie	ed or under evaluation			
	Other information:							
	No additional information a	available.						
	N 12: ECOLOGICAL INFOR	MATION						
	No experimental ecotox	icological data or	n the preparation as such is	available.	The ecotoxicological cla	assification for these		
		d out by using the	e conventional calculation m	ethod of th	ne Regulation (EU) No.	1272/2008~2022/692		
	(CLP).							
12.1	TOXICITY:							
	- Acute toxicity in aquation for individual ingredients		CL50 (OEC	D 203) 96hours	CE50 (OECD 202 mg/l·48hours) CE50 (OECD 20 mg/l·72hou		
	3-iodo-2-propynyl butylc		0.067 -		0.16 - Daphniae			
	Reaction mass of 5-chlo			Fishes	0.16 - Daphniae			
	isothiazolin-3-one [EC 2			1 101100	0.10 Dapinia	0.001 7 %.9		
	methyl-2H-isothiazol-3-c	one [EC 220-239-	6]					
	(3:1)							
	Isoproturon			Fishes	5.3 - Daphniae			
	Terbutryne			Fishes Fishes	2.7 - Daphniae			
	1,2-benzisothiazol-3(2H)-one		1.2 -	FISHES	0.85 - Daphniae	e 0.37 - Alg		
	- No observed effect cor	centration	NOEC (OEC	D 210)	NOEC (OECD 211	NOEC (OECD 20		
			`mg/l ·	28 days	mg/l · 21 days	, mg/l · 72 hou		
	3-iodo-2-propynyl butylc		0.0084 -		0.05 - Daphniae			
	Reaction mass of 5-chlo isothiazolin-3-one [EC 2			Fishes	0.011 - Daphniae	e 0.004 - Alg		
	methyl-2H-isothiazol-3-c							
	(3:1)		-1					
	Terbutryne				1.3 - Daphniae	e		
	- Lowest observed effect concentration Not available							
	ASSESSMENT OF AQU		<i>.</i>					
	Aquatic toxicity	Cat.	Main hazards to the aquation	c environme	ent	Criteria		
		0.4.1						
	- Acute aquatic toxicity:	-	Not classified as a hazardo					
	Not classified		(based on available data, th		,			
	- Chronic aquatic toxicity	: Cat.3	HARMFUL: Harmful to aqu	atic life with	long lasting effects.	GHS/CLP 4.1.3.5.5.4.		
	✓ 4.1.0.0.4.							
	CLP 4.1.3.5.5.3: Classification of a mixture for acute hazards, based on summation of classified components.							
	CLP 4.1.3.5.5.4: Classification of a mixture for chronic (long term) hazards, based on summation of classified components.							
10.0	PERSISTENCE AND DEGRADABILITY: Biodegradability:							
12.2								
12.2	- Biodegradability:							
12.2	- <u>Biodegradability:</u> Not available.			COD	%DB0/D00) Biodegradabilid		
12.2	- Biodegradability:	3		COD mgO2/g	%DBO/DQC 5 days 14 days 28 days	Biodegradabilid		

		BASE REVESTIMIENTO E	LASTICU TR				
/ersion	n: 2 Revis	sion: 19/04/2024	Pre	vious revision: 22/05/2018	Date of printing: 19/04/202		
	Reaction mass of 5-chl isothiazolin-3-one [EC methyl-2H-isothiazol-3- (3:1)	247-500-7] and 2-		55	Not eas		
	Isoproturon		3490	30	Not eas		
	Terbutryne			50	Not eas		
	1,2-benzisothiazol-3(2	,			Not eas		
	<u>- Hydrolysis:</u> Not available. <u>- Photodegradability:</u> Not available.		age of data from various bibliogr	apnic sources.			
12.3	BIOACCUMULATIVE Not available.	POTENTIAL:					
	Bioaccumulation for individual ingredien	ts	logPow	BCF L/kg	Potenti		
	3-iodo-2-propynyl buty		2.81	26 (calculated)	Unlikely, lo		
	Reaction mass of 5-chl isothiazolin-3-one [EC methyl-2H-isothiazol-3- (3:1)	loro-2-methyl-2H- 247-500-7] and 2-	0.75	· · · · · ·	Unlikely, lo		
	Isoproturon		2.87	36.4 (calculated)	Lov		
	Terbutryne		3.74	72.4 (calculated)	Lov		
	1,2-benzisothiazol-3(2l	H)-one	0.64	3.2 (calculated)	Unlikely, lo		
12.4	MOBILITY IN SOIL:						
	Not available Mobility for individual ingredien	ts	log Poc	Constant of Henry Pa⋅m3/mol 20°C	Potenti		
	3-iodo-2-propynyl buty		2,5		Unlikely, lo		
	Reaction mass of 5-chl isothiazolin-3-one [EC methyl-2H-isothiazol-3- (3:1)	loro-2-methyl-2H- 247-500-7] and 2-	0,45		Unlikely, lo		
	Isoproturon		1,8		Lo		
	Terbutryne		2,8		Lo		
	1,2-benzisothiazol-3(2H)-one 1,05				Unlikely, lo		
12.5 12.6		nces that fulfil the PBT/vP	:(<u>Annex XIII of Regulation (EC</u> vB criteria.	<u>C) no. 1907/2006:)</u>			
12.0			locrine disrupting properties ider	ntified or under evaluation.			
12.7	OTHER ADVERSE EF						
	Not available. <u>Photochemical ozone creation potential:</u>						
	Not available. <u>- Earth global warming potential:</u>						
ECTION	Not available.	FRATIONS					
13.1			008/98/EC~Regulation (EU) r	0. 1357/2014:			
10.1	Take all necessary meas Do not discharge into dra	sures to prevent the produc ains or the environment, di	ction of waste whenever possibli ispose at an authorised waste co ons. For exposure controls and	e. Analyse possible methods fo ollection point. Waste should b	e handled and disposed in		
	LER code	Description		Ту	pe of waste		
				Ha	azardous		
	Type of waste according to Regulation (EU) No. 1357/2014:						
	HP 14 Ecotoxic Disposal of empty containers:Directive 94/62/EC~2015/720/EU, Decision 2000/532/EC~2014/955/EU:						
	Emptied containers and packaging as hazardous classification, in accorda	packaging should be dispo waste will depend on the nce with Chapter 15 01 of	osed in accordance with current degree of empting of the same, Decision 2000/532/EC, and for	ly local and national regulations being the holder of the residue warding to the appropriate final	e responsible for their		
	contaminated containers and packaging, adopt the same measures as for the product in itself. <u>Procedures for neutralising or destroying the product:</u> Authorised landfill in accordance with local regulations.						

		BASE REVESTIMIENTO ELASTICO TR		
	COLOR			
ersion	n: 2 Re	evision: 19/04/2024	Previous revision: 22/05/2018	Date of printing: 19/04/20
	N 14: TRANSPORT IN			
4.1	UN NUMBER OR I			
	Not applicable			
4.2	UN PROPER SHIP	PING NAME:		
	Not applicable			
4.3	TRANSPORT HAZ			
	Transport by road (. Transport by rail (F			
	No reglamented	<u>(10 2023).</u>		
	Transport by sea (II	MDG 40-20):		
	No reglamented			
	Transport by air (IC	<u>AO/IATA 2021):</u>		
	No reglamented			
	Transport by inland No reglamented	<u>waterways (ADN):</u>		
4.4	PACKING GROUP	•		
T.T	No reglamented	-		
4.5	ENVIRONMENTAL	HAZARDS:		
	Not applicable.			
4.6		ITIONS FOR USER:		
	Ensure that persons upright and secure.	transporting the product know what to do in	case of accident or spill. Always transport in o	closed containers that are
4.7		PORT IN BULK ACCORDING TO IMO		
T .1	Not applicable.			
	N 15: REGULATORY II	NFORMATION		
5.1	SAFETY, HEALTH	AND ENVIRONMENTAL REGULATION	NS/LEGISLATION SPECIFIC FOR THE S	UBSTANCE OR MIXTUR
		cable to this product generally are listed three	oughout this Safety Data Sheet.	
		nufacture, placing on market and use:		
	See section 1.2	langer		
	Tactile warning of d	lassification criteria are not met).		
	Child safety protect			
	Not applicable (the cl	lassification criteria are not met).		
	VOC information or			
	Contains VOC max.	0,2 g/l* for the product ready for use - The line. is VOC max. 40 g/l (2010)	mit value 2004/42/EC-IIA cat. c) Coating for e	xterior walls of mineral
	OTHER REGULAT	- · · · ·		
	Not available.			
	Control of the risks	inherent in major accidents (Seveso III):	<u>.</u>	
	See section 7.2			
	Other local legislation			
5.2	CHEMICAL SAFET	verify the possible existence of local regulati	ions applicable to the chemical.	
0.2		sessment has not been carried out for this n	nixture	

	IRIS COLOR	BASE REVESTIMIENTO ELASTICO			(Language.Liv)		
Version		sion: 19/04/2024	Previous revision: 22	/05/2018	Date of printing: 19/04/2024		
SECTION	16 : OTHER INFORMA	TION					
16.1	TEXT OF THE PHRA	SES AND NOTES REFERENCE	D IN SECTIONS 2 AND/OR 3:				
			<u>1272/2008~2022/692 (CLP), Anne</u>				
	H301 Toxic if swallowed. H302 Harmful if swallowed. H310 Fatal in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H330 Fatal if inhaled. H331 Toxic if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. EUH071 Corrosive to the respiratory tract. H351 Suspected of causing cancer. H372 Causes damage to organs through prolonged or repeated exposure if inhaled. H373 May cause damage to liver and blood through prolonged or repeated exposure if swallowed.						
			elling of the substances or mixture				
	these solutions require have a general designa solution on the label. Ur	different classification and labelling s tion of the following type: 'nitric acid nless otherwise stated, it is assumed <u>E INFORMATION ON THE DAN</u>	 the market in aqueous solutions at v ince the hazards vary at different cond %'. In this case the supplier must si that the percentage concentration is concernation is concernation. 	centrations. In F tate the percen	Part 3 entries with Note B tage concentration of the		
		RAINING APPROPRIATE FOR V	OBKERS:				
	It is recommended for a provide understanding a	Il staff that will handle this product to and interpretation of Safety Data She	carry out a basic training in occupatic ets and labelling of products as well.	onal risk and pre	evention, in order to		
		REFERENCES AND SOURCES I					
		Agency: ECHA, http://echa.europa.eu nion Law, http://eur-lex.europa.eu/	1/				
	Threshold Limit Values						
	· European agreement	on the international carriage of dang Dangerous Goods Code IMDG inclu	erous goods by road, (ADR 2023). ding Amendment 40-20 (IMO, 2020).				
			t necessarily used) in this Safety Data	Sheet.			
	GHS: Globally Harmor CLP: European regula EINECS: European In ELINCS: European In ELINCS: European Lis CAS: Chemical Abstra UVCB: Substances of SVHC: Substances of PBT: Persistent, bioac vPvB: Very persistent VOC: Volatile Organic DNEL: Derived No-Eff PNEC: Predicted No-Eff PNEC: Predicted No-Eff PNEC: Predicted No-Eff LC50: Lethal concentr LD50: Lethal concentr LD50: Lethal dose, 50 UN: United Nations Or ADR: European agree RID: Regulations conc IMDG: International Mi IATA: International Air ICAO: International Cir SAFETY DATA SHEE	nized System of Classification and L rion on Classificatin, Labelling and I ventory of Existing Commercial Cher st of Notified Chemical Substances. cts Service (Division of the American Unknown or Variable composition, of Very High Concern. cumulable and toxic substances. and very bioaccumulable substance Compounds. ect Level (REACH). Effect Concentration (REACH). ation, 50 percent. percent. ganisation. ment concerning the international ca cerning the international transport of aritime code for Dangerous Goods. Transport Association. vil Aviation Organization. <u>ET REGULATIONS:</u>	n Chemical Society). complex reaction products or biological s. rriage of dangeous goods by road. dangeous goods by rail.	ations. al mixtures. I materials.	lation (EU) No. 2020/878		
		_	on (EC) No. 1907/2006 (REACH) and	Annex of Regu	iation (EU) No. 2020/878.		
	HISTORIC: Version: 1 Version: 2	REVISION: 22/05/2018 19/04/2024					
	Changes that have bee	us Safety Data Sheet: n introduced with respect to the prev J) No. 2020/878: All sections.	ious version due to the structural and	content adapta	tion of the Safety Data		
conditions handling i legislatior	The information of this Safety Data Sheet, is based on the present state of knowledge and on current UE and national laws, as the users" working conditionsare beyond our knowledge and control. The product is not to be used for other purposes than those specified, without first obtaining written handling instruction. It is always the responsibility of the user to take all necessary steps in order to fulfil the demand laid down in the local rules and legislation. The information in this Safety Data Sheet is meant as a description of the safety requirements of the product and it is not to be considered as a guarantee of the product"s properties.						