	RES COLOR	REVESTIMIENTO ACRILICA PURA	100% CO	ORES		
Version	: 3 Revisio	on: 09/05/2023	Pre	evious revision: 20/04/2023	Dat	te of printing: 09/05/2023
SECTION	1: IDENTIFICATION OF T	HE SUBSTANCE/MIXTURE AND (	OF THE C	OMPANY/UNDERTAKIN	IG	
1.1	PRODUCT IDENTIFIER					
	REVESTIMIENTO ACRILI	CA PURA 100% COLORES				
1.2	RELEVANT IDENTIFIED	DUSES OF THE SUBSTANCE (	OR MIXT	URE AND USES ADV	ISED AGAINST:	
	Intended uses (main tec	hnical functions): [] Indust	rial [X] P	rofessional [X] Consur	<u>mers</u>	
	Liquid paint. Sectors of use:					
	Consumer uses (SU21).					
	Uses advised against:					
	This product is not recomn "Intended or identified use	nended for any use or sector of use	(industria	al, professional or consun	ner) other than those p	reviously listed as
		ture, placing on market and use,	accordi	ng to Annex XVII of Red	gulation (EC) No. 190	07/2006:
	Not restricted.					
1.3	DETAILS OF THE SUPI PINTURAS IRIS COLOR,	PLIER OF THE SAFETY DATAS	<u>SHEET:</u>			
		o.∟. Iígono Industrial El Salvador - 0263	0 LA ROI	DA (Albacete) ESPAÑA		
	Phone number: (+34) 967	114272 - Fax: (+34) 967 440678 -	www.pint	urasiriscolor.es		
	- E-mail address of the p pinturasiriscolor@pinturas	person responsible for the Safety	<u> Data Sh</u>	leet:		
1.4	EMERGENCY TELEPH					
	(+34) 967 114272 9:00-14					
SECTION	2 : HAZARDS IDENTIFICA					
2.1		HE SUBSTANCE OR MIXTURE				
	available, generally is carr extrapolation methods of a information which would al data of the individual comp		the absen le data fo plation teo	ce of data (tests) for mixt r mixtures similarly classi hniques, methods are us	ures are generally use fied, and c) in the abs	d interpolation or ence of tests and
	Aquatic Chronic 3:H412	nce with Regulation (EU) No. 12	2/2/000	~2021/049 (CLP).		
	Danger class	Classification of the mixture	Cat.	Routes of exposure	Target organs	Effects
	Physicochemical:					
	Not classified					
	Human health: Not classified					
	Environment:	Aquatic Chronic 3:H412 c)	Cat.3	-	-	-
	Full text of hazard stateme	ents mentioned is indicated in section	on 16.			·
		range of percentages is used, the h ponent, but below the maximum va		environmental hazards o	describe the effects of t	the highest
2.2	LABEL ELEMENTS:					
		This product is labe	elled in ac	cordance with Regulation	(EU) No. 1272/2008~2	2021/849 (CLP)
	- Hazard statements:		<i></i>			
	H412 H - Precautionary stateme	larmful to aquatic life with long lasti nts:	ng effects			
		medical advice is needed, have pro	duct cont	ainer or label at hand.		
		eep out of reach of children.				
		ead label before use. /oid release to the environment. Dis	spose of c	ontents/container in acco	ordance with local regu	lations.
	- Supplementary statem				Ū.	
		ontains 1,2-benzisothiazol-3(2H)-or nd 2-methyl-2H-isothiazol-3-one [EC				one [EC 247-500-7]
		ontains Isoproturon, 3-iodo-2-propy			-	
	- Substances that contril					
2.3	None in a percentage equa	al to or higher than the limit for the r	name.			
۷.۵		Ilt in classification but which may co	ontribute t	o the overall hazards of t	he mixture:	
	- Other physicochemical	hazards:				
	No other relevant adverse					
	- Other adverse human No other relevant adverse					
	- Other negative environ	mental effects:				

		REVESTIMIENTO ACRILICA				
	COLOR	REVESTIMIENTO ACRILICA	PURA 100% COLORES			
rsion:	: 3 Rev	vision: 09/05/2023	Previous revision	on: 20/04/2023	Date	of printing: 09/05/20
		stances that fulfil the PBT/vPvB c	riteria.			
	Endocrine disrupting	contain substances with endocri	ne disrupting properties ide	ntified or under evaluat	ion.	
		FORMATION ON INGREDIENTS	1 01 1			
1	SUBSTANCES:					
	Not applicable (mixtur	e).				
	MIXTURES: This product is a mixtu	Ire				
	Chemical description					
	• •	olymer in aqueous media.				
	HAZARDOUS INGR	<u>EDIENTS:</u> rt in a percentage higher than the	exemption limit:			
ŀ	C < 0,05 %	Isoproturon			ATP13	
		CAS: 34123-59-6, EC: 251-835- CLP: Warning: Carc. 2:H351   S (M=10)   Aquatic Chronic 1:H41	STOT RE 2:H373   Aquatic A			
F	C < 0,025 %	3-iodo-2-propynyl butylcarbama	ite		ACH / ATP06	
		CAS: 55406-53-6, EC: 259-627- CLP: Danger: Acute Tox. (inh.) 3				
	••••	1:H318   Skin Sens. 1:H317   S (M=10)   Aquatic Chronic 1:H41	TOT RE 1:H372   Aquatic A			
Ē	C < 0,01 %	1,2-benzisothiazol-3(2H)-one			CLP00	Skin Sens. 1, H31 C ≥0,05
		CAS: 2634-33-5, EC: 220-120-9 CLP: Danger: Acute Tox. (oral) 4 Eye Dam. 1:H318   Skin Sens. 1	4:H302 (ATE=567 mg/kg)   3			0 _0,00
Ē	C < 0,0050 %	Terbutryne			Autoclassified	
		CAS: 886-50-0, EC: 212-950-5, CLP: Warning: Acute Tox. (oral) Aquatic Chronic 1:H410 (M=100	4:H302   Aquatic Acute 1:H	1400 (M=100)		
	C < 0,0015 %	Reaction mass of 5-chloro-2-me and 2-methyl-2H-isothiazol-3-or CAS: 55965-84-9, EC: 611-341- CLP: Danger: Acute Tox. (inh.) 2 (oral) 3:H301   Skin Corr. 1C:H3 1:H400 (M=100)   Aquatic Chron 1A:H317 (Note B)	ne [EC 220-239-6] (3:1) -5, REACH: Exempt (biocido 2:H330   Acute Tox. (skin) 2 314   Eye Dam. 1:H318   Aq	e) :H310   Acute Tox. uatic Acute	ATP13	Skin Corr. 1C, H3 $C \ge 0,6$ Skin Irrit. 2, H3 $0,06 \% \le C < 0,6$ Eye Dam. 1, H3 $C \ge 0,6$ Eye Irrit. 2, H3 $0,06 \% \le C < 0,6$ Skin Sens. 1A, H3 $C \ge 0,0015$
F	Impurities:					0 _0,0010
	Does not contain othe Stabilizers:	r components or impurities which	ו will influence the classifica	tion of the product.		
	None.					
	Reference to other s					
		on hazardous ingredients, see se VERY HIGH CONCERN (SVH				
	List updated by ECHA		<u>.</u>			
		subject to authorisation, include	ed in Annex XIV of Regul	ation (EC) no. 1907/2	2006:	
	None.	andidate to be included in Ani	nov XIV of Pogulation (E(	C) po 1007/2006		
	None.			<u>5) 110. 190772000.</u>		
	SUBSTANCES:	CCUMULABLE AND TOXIC F		ENT AND VERY BIO	ACCUMULAB	LE VPVB
		stances that fulfil the PBT/vPvB c	riteria.			
	4: FIRST AID MEASU	RES FIRST AID MEASURES:				
'	Symptoms ma	y occur after exposure, so that in			oubt, or when s	ymptoms persist,
	seek medical a	attention.Never give anything by	mouth to an unconscious pe	erson.		
	Route of exposure	Symptoms and effects, a	-	Description of first-aid		
	Inhalation:	It is not expected that sy normal conditions of use		Should there be any s affected to the open a		ter the person
	Skin:		mptoms will occur under	Remove contaminated affected area with pler neutral soap, or use a	d clothing.Wash hty of cold or lul	kewarm water and
	Eyes:	It is not expected that sy	mptoms will occur under	Remove contact lense		

Г

		REVESTIMIENTO ACRILICA	PURA 100% COLORES		
Versior	n: 3 R	evision: 09/05/2023	Previous revis	ion: 20/04/2023	Date of printing: 09/05/2023
	Ingestion:	lf swallowed in high dose gastrointestinal disturbar			e vomiting, due to the risk of ep the patient at rest.
4.2	MOST IMPORTAN	IT SYMPTOMS AND EFFECTS	, BOTH ACUTE AND D	ELAYED:	
		and effects are indicated in sectio			
4.3		NY IMMEDIATE MEDICAL AT	<u>FENTION AND SPECIAL</u>	L TREATMENT	<u>FNEEDED:</u>
	Notes to physician Treatment should be Antidotes and con	e directed at the control of sympton	ns and the clinical condition	n of the patient	
	Specific antidote no	t known.			
SECTION	N 5: FIREFIGHTING N	IEASURES			
5.1	EXTINGUISHING	MEDIA:)			
	In case of fire in the	surroundings, all extinguishing age	ents are allowed.		
5.2		DS ARISING FROM THE SUBS			
	nitrogen oxides, sulf hazard to health.	ur oxides, halogenated compound			: carbon monoxide, Carbon dioxide, on or decomposition products may be a
5.3	ADVICE FOR FIR				
	Special protective				
	protective glasses o	itude of fire, heat-proof protective of fire, heat-proof protective of fire, provide the fire of the fire of the fire of the fire of the standard form a safe distance. The standard form a safe distance of the standard form as a safe distance of the safe distance of the standard form as a safe distance of the standard form as a safe distance of the standard form as a safe distance of the safe distance of the standard form as a safe distance of the standard form as a safe distance of the	roof protective equipment	is not available	pendent breathing apparatus, gloves, or is not being used, combat fire from a n for chemical incidents.
	Other recommend	ations:			
		tanks, cisterns or containers close nter drains, sewers or water course		ear in mind the	direction of the wind.Do not allow fire-
SECTION	N 6: ACCIDENTAL RE	LEASE MEASURES			
6.1	PERSONAL PREC	CAUTIONS, PROTECTIVE EQU	JIPMENT AND EMERGE	ENCY PROCE	DURES:
		with this product.Avoid breathing v			
6.2	ENVIRONMENTA	L PRECAUTIONS:		-	
	lakes, rivers or sewa	ages, inform the appropriate author	ities in accordance with loo		pills or when the product contaminates
6.3		MATERIAL FOR CONTAINMEN o spills with absorbent materials (sa		culite, diatomace	eous earth, etc). Keep the remains in a
6.4		OTHER SECTIONS:			
0.4		ion in case of emergency, see sect	ion 1		
	For information on s For exposure contro For waste disposal,	afe handling, see section 7. Is and personal protection measur follow the recommendations in sec	es, see section 8.		
SECTION	N 7: HANDLING AND	STORAGE			
7.1	PRECAUTIONS F	<u>OR SAFE HANDLING:</u>			
		sting legislation on health and safe	ty at work.		
	- General recomm				
		akage or escape.Keep the containe			
		ns for the prevention of fire and			
	environment in whic for use in potentially	explosive atmospheres.	ope of Directive 2014/34/E		iction by oxygen from air in the quipment and protective systems intended
		ns for the prevention of toxicolog			
	Do not eat, drink or measures, see secti		g, wash hands with soap a	and water. For ex	xposure controls and personal protection
	Avoid any spillage ir			In the case of a	ccidental spillage, follow the instructions
7.0	indicated in section				
7.2		R SAFE STORAGE, INCLUDIN			of hoot of possible queid direct and a
		er to avoid leakages, the containers			of heat. If possible, avoid direct contact placed in a vertical position. For more
	- Class of store:				
	According to current	0			
	- Maximum storag	e period:			
	24 Months.	m cali			
	- Temperature inte				
	min:5 °C, max:40 °( - Incompatible mat	. ,			
		dizing agents, acids, alkalis.			
	- Type of packagin				
	I	~			

IRIS COLOF							
rsion: 3	Revision: 09/05/2023	I	Previous rev	sion: 20/04/2023		Date of prin	nting: 09/05/20
	to current legislation.						
	<u>antity (Seveso III): Directive 2012/</u>	<u>18/EU:</u>					
	cable (product for non industrial use).						
	se of this product particular recommen	dations apart from the	at alreadv i	ndicated are not a	available.		
	SURE CONTROLS/PERSONAL PRO						
	DL PARAMETERS:						
effectiver made to l exposure determina	ct contains ingredients with exposure ess of the ventilation or other control r EN689, EN14042 and EN482 standard to chemical and biological agents. Re ation of dangerous substances. PATIONAL EXPOSURE LIMIT VAL	neasures and/or the r l concerning methods ference should be als	for assesit	use respiratory p ng the exposure b	protective eq	uipment. Refere to chemical age	nce should b nts, and
Not estab	lished						
	GICAL LIMIT VALUES:						
Not estat	IISNED ED NO-EFFECT LEVEL (DNEL):						
Derived r included recomme	o-effect level (DNEL) is a level of expo n REACH. DNEL values may differ fro nded by a particular company, a gover e OEL values are derived by a process	m a occupational exp	osure limit	(OEL) for the sar	ne chemical.	OEL values may	y come
	NO-EFFECT LEVEL, WORKERS:-	DNEL Inhalation		DNEL Cutaneous	<u> </u>	DNEL Oral mg/kg bw/d	
	effects, acute and chronic:	mg/m3		mg/kg bw/d		mg/kg bw/a	
	ropynyl butylcarbamate	0,07 (a)	0,023 (c)		2 (c)	- (a)	- (c)
	nass of 5-chloro-2-methyl-2H-isothiazolin-3 47-500-7] and 2-methyl-2H-isothiazol-3-one 39-6] (3:1)		- (c)	- (a)	- (c)	- (a)	- (c)
Isoproturo		- (a)	- (c)	- (a)	- (c)	- (a)	– (c)
Terbutryne		- (a)	- (c)	- (a)	- (c)	- (a)	– (c)
	othiazol-3(2H)-one	- (a)	- (c)	- (a)	- (c)	- (a)	– (c)
	) NO-EFFECT LEVEL, WORKERS:- Local ute and chronic:	DNEL Inhalation mg/m3		DNEL Cutaneous mg/cm2	2	DNEL Eyes mg/cm2	
	ropynyl butylcarbamate	1,16 (a)	1,16 (c)	a/r <b>(a)</b>	a/r (c)	m/r (a)	– (c)
	nass of 5-chloro-2-methyl-2H-isothiazolin-3 47-500-7] and 2-methyl-2H-isothiazol-3-one 39-6] (3:1)		- (c)	- (a)	- (c)	- (a)	- (c)
Isoproturo		- (a)	- (c)	- (a)	- (c)	- (a)	– (c)
Terbutryne		- (a)	- (c)	- (a)	- (c)	- (a)	– (c)
	othiazol-3(2H)-one	- (a)	- (c)	- (a)	- (c)	- (a)	- (c)
	ONO-EFFECT LEVEL, GENERAL ION:- Systemic effects, acute and chronic:	DNEL Inhalation mg/m3		DNEL Cutaneous mg/kg bw/d	<u> </u>	DNEL Eyes mg/kg bw/d	
	ropynyl butylcarbamate	s/r (a)	s/r (c)	s/r (a)	s/r (c)	s/r (a)	s/r <b>(c)</b>
	nass of 5-chloro-2-methyl-2H-isothiazolin-3 47-500-7] and 2-methyl-2H-isothiazol-3-one 39-61 (3:1)		- (c)	- (a)	- (c)	- (a)	- (c)
Isoproturo		- (a)	- (c)	- (a)	- (c)	- (a)	– (c)
Terbutryne		- (a)	- (c)	- (a)	- (c)	- (a)	- (c)
	othiazol-3(2H)-one	- (a)	- (c)	- (a)	- (c)	- (a)	– (c)
	FFECTS, ACUTE AND CHRONIC:- Local	DNEL Inhalation mg/m3		DNEL Cutaneous mg/cm2	<u>8</u>	DNEL Eyes mg/cm2	
	ute and chronic:	s/r (a)	s/r (c)	s/r (a)	s/r (c)	s/r (a)	- (c)
	ropynyl butylcarbamate nass of 5-chloro-2-methyl-2H-isothiazolin-3		- (c)	- (a)	- (c)	- (a)	- (c) - (c)
	17-500-7] and 2-methyl-2H-isothiazol-3-one				. ,		~ /
Isoproturo		- (a)	- (c)	- (a)	- (c)	- (a)	- (c)
Terbutryne		- (a)	- (c)	- (a)	- (c)	- (a)	- (c)
	othiazol-3(2H)-one	- (a)	- (c)	- (a)	- (c)	- (a)	– (c)
(-) - DNE s/r - DNE	te, short-term exposure, (c) - Chror L not available (without data of reg L not derived (not identified hazard EL not derived (medium hazard). L not derived (high hazard).	istration REACH).	eated exp	osure.			

Constraints of the second		REVESTIMIENTO ACRILIC	CA PURA 100% COLORES				
ACUARC DRCAMISMS: Fresh water, manage       mpt       mpt       mpt       mpt       mpt       mpt         3-dot-2-propymy buty/carbamate       0.0005       4.6E-05       0.00053         Reactor mass of 5-chiro-2-methy-2H-1-isotilizacih-3-one [EC 220-239-6]       isotilizacih-3-one [EC 220-239-6]       isotilizacih-3-one [EC 220-239-6]         (3.1)       Isoproturon       -       -       -       -         Terbutyren       -       -       -       -         3-dot-2-propymy buty/carbamate       0.44       0.017       0.0016         3-dot-2-propymy buty/carbamate       0.44       0.017       0.0016	on: 3 Revi	sion: 09/05/2023	Previous revi	ision: 20/04/2023	<u> </u>	Date of pr	inting: 09/05/20
ACUARC DRCAMISMS: Fresh water, manage       mpt       mpt       mpt       mpt       mpt       mpt         3-dot-2-propymy buty/carbamate       0.0005       4.6E-05       0.00053         Reactor mass of 5-chiro-2-methy-2H-1-isotilizacih-3-one [EC 220-239-6]       isotilizacih-3-one [EC 220-239-6]       isotilizacih-3-one [EC 220-239-6]         (3.1)       Isoproturon       -       -       -       -         Terbutyren       -       -       -       -         3-dot-2-propymy buty/carbamate       0.44       0.017       0.0016         3-dot-2-propymy buty/carbamate       0.44       0.017       0.0016			PNEC Fresh water	PNEC Marine		PNEC Intermit	tent
3-dod-2-propynyl butykarhamate       0.0005       4.6E-05       0.00053         Reaction mass of 5-chirors-2-methyl2-H- isothizazibi-3-one [EC 220-239-6]       -       -       -         (3:1)       isoproturon       -       -       -       -         Terbutyne       -       -       -       -       -       -         12-bertzisothizzol-3/2H-one       - <td>AQUATIC ORGANISMS</td> <td><u>:- Fresh water, marine</u></td> <td></td> <td></td> <td></td> <td></td> <td></td>	AQUATIC ORGANISMS	<u>:- Fresh water, marine</u>					
Reaction mass of 5-chloro-2-methyl-2H- isothiazoli-3-one [EC 27-00-7] and 2- methyl-2H-isothiazol-3(2H)-one       - <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>							
isothizazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothizazol-3-one [EC 220-239-6] (3:1) Isoproturon			0.0005		4.6E-05		0.00053
methyl-2H-isothiazol-3-one [EC 220-230-6]       i       i       i         (3:1)       Isoproturon       i       i       i         12-benzisothiazol-3(2H)-one       i       i       i       i         - WASTEWATER TREATMENT PLANTS (STP)       PNEC.STP       mateg avid       mateg avid       inpliq avid       i			-		-		-
(3.1)       isoproturon       i       i       i         Stopporturon       i       i       i       i       i         ALD SEDMENTS IN FRESH-AND MARINE       mplit       mplit golded       mplit golded <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>							
Isoproturon       -       -       -         12-benzisothiazol-3(2H)-one       -       -       -        WASTEWATER TREATMENT PLANTS (STP)       PNEC STP       PNEC Stemmate       PNEC Stemmate         MOL SEDMENTS IN FRESH- AND MARINE       mail       maya dwa       maya dwa         State ALT,		s-one [EC 220-239-6]					
Terbutryne       -       -       -         1.2-bernziohizol-3(2H)-one       -       -       -         -WASTEWATER TREATMENT PLANTS (STP)       PNEC.Satimatis       mg/g dw/d       mg/g dw/d         AND SEDMENTS IN FRESH-AND MARINE       mg/t       mg/t       mg/g dw/d       mg/g dw/d         3/dod-2-propynyl butylcarbamate       0.44       0.017       0.0016         Reacton mass of 5-chior-2-methyl-2H       -       -       -       -         isothizaclin-3-one [EC 22-239-6]       -       -       -       -       -         (3.1)       Isoproturon       -       <							
1.2-bergizeothiazol-3(2H)-one       -       -       -       -       -         2-WASTEWATER TREATMENT PLANTS (STP) WATE:       PMEC Sediments mode       PMEC Sediments mode and       PMEC Sediments mode and         3-iodo-2-propynyl butylcarbamate       0.44       0.017       0.0016         Reaction mass of 5-chloro-2-methyl-2H- isothiazoli-3-one [EC 27:00-7] and 2: methyl-2H-isothiazol-3-one [EC 220-239-6]       -       -       -         3:1)       Isoproturon       -       -       -       -       -         1.2-benzisothiazol-3(2H)-one       -       -       -       -       -         1.2-benzisothiazol-3(2H)-one       -       -       -       -       -         1.2-benzisothiazol-3(2H)-one       -<					_		
UNASTEWATER TREATMENT PLAND MARINE         INSEC Sediments         INSEC Sediments           WAD SEDMENTS IN RESH-AND MARINE         nph         mg/q dw/d         mg/q dw/d           WATER:         3-idoc-2-propynyl butylcarbamate         0.44         0.017         0.0016           Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2.         -<	1 -	H)-one			_		
AND SEDIMENTS IN FRESH- AND MARINE       mg/t       mg/tg dw/d       mg/tg dw/d         3/ado-2-propynyl butylcarbamate       0.44       0.017       0.0016         Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3one [EC 27-500-7] and 2.       -       -       -         methyl-2H-isothiazol-3-one [EC 27-500-7] and 2.       -       -       -       -         Terbutyne       -       -       -       -       -       -         1.2-benzisothiazol-3(2H)-one       -		,		PNEC Sediment	-	PNEC Sedime	-
WATER:         0.44         0.017         0.0016           3idot-2-propynyl butylcarbamate         0.44         0.017         0.0016           Reaction mass of 5-chloro-2-methyl-2H- isothiazol-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3(2H)-one         -         -         -           1 Supproturon         -         -         -         -         -         -           1 Supproturon         -					2		<u>::::5</u>
Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1)       -       -       -         (3:1)       Isoproturon       -       -       -       -         1.2-benzisothiazol-3(2H)-one       -       -       -       -       -         -       -       -       -       -       -       -       -         1.2-benzisothiazol-3(2H)-one       -							
Reaction mask of 5-chioro-2-methyl-2H- isothiazoli-3-one [EC 220-239-6] (3:1)       -       -       -         Isoproturon Terbutryne       -       -       -       -         1.2-benzisothiazol-3(2H)-one       -       -       -       -         - PREDICTED NO-EFFECT CONCENTRATION. Terbutryne       PNEC Air mays dwid       PNEC Coll mays dwid       PNEC Coll mays dwid       PNEC Coll mays dwid         3-iodo-2-propynyl butylcarbamate Reaction masks of 5-chioro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3(2H)-one       -       -         (3:1)       Isoproturon       -       -       -       -         12-benzisothiazol-3(2H)-one       -       -       -       -       -         (3:1)       Isoproturon       -       -       -       -       -       -         (2) - PNEC not derived (not identified hazard).       EXPOSURE CONTROLS:       ENCINEERING MEASURES:       -		lcarbamate	0.44		0.017		0.0016
isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1)       -       -       -         12-benzisothiazol-3(2H)-one       -       -       -       -         - PREDICTED NO-EFFECT CONCENTRATION. TERRESTRIAL ORGANISMS: Air soli and effects for predators and humans: 3-odo-2-propynyl butylcatbamate       PNEC Air mp <sup>ling</sup> adwid       PNEC Coli mp <sup>ling</sup> adwid       PNEC Coli mp <sup>ling</sup> adwid       PNEC Coli mp <sup>ling</sup> adwid         soldor-2-propynyl butylcatbamate       s/r       0.005       n/b         Reaction mass of 5-chloro-2-methyl-2H.       -       -       -         isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1)       -       -       -         isoproturon       -       -       -       -       -         isoproturon       -       -       -       -       -         rethyl-2H-isothiazol-3(2H)-one       -       -       -       -       -         (-7) PNEC not derived (not lidentified hazard).       EXPOSURE CONTROLS:       -       -       -       -         Sir - PNEC not derived (not lidentified hazard).       EXPOSURE CONTROLS:       -       -       -       -         ENGINEERING MEASURES:       Occupational Exposure Limits, suitable respiratory protection. If these measure are not sufficient to maintain concentrations of particua			-		-		-
(3:1)       Isoproturon       -       -       -       -         12-benzisothiazol-3(2H)-one       -	isothiazolin-3-one [EC	247-500-7] and 2-					
Isoproturon       -       -       -         Terbutryne       -       -       -       -         -       -       PNEC Soil       PNEC Oral       mg/kg dwid       mg/kg dwid         -       -       PNEC Soil       PNEC Call       PNEC Call       mg/kg dwid       mg/kg d		3-one [EC 220-239-6]					
Terbutryne       -       -       -         1.2-benzisothiazol-3(2H)-one       -       -       -         -PREDICTED NO-EFFECT CONCENTRATION, TERRESTRIAL ORGANISMS:-AIr, soli and effects for predators and humans:       PNEC.Air       PNEC.Sell       PNEC.Ordl							
1.2-benzisothiazol-3(2H)-one       - <td< td=""><td></td><td></td><td>-</td><td></td><td>-</td><td></td><td>-</td></td<>			-		-		-
PREDICTE NO.EFFECT CONCENTRATION. IERRESTRIAL ORGANISMS- Air, soil and effects for yrodators and humans.       PMECAir       PMECSuir       PMEC Suir       PMEC Suir <t< td=""><td>1 7</td><td></td><td>-</td><td></td><td>-</td><td></td><td>-</td></t<>	1 7		-		-		-
TERRESTRIAL ORGANISMS-Air.soil and effects for predators and humans: 3-idoc-2-propynyl butylcarbamate       mg/mg/mg/mg/mg/mg/mg/mg/mg/mg/mg/mg/mg/m			-		-		-
effects for predators and humans:       s/r       0.005       n/b         3-iodo-2-propynyl butylcarbamate       s/r       0.005       n/b         Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1)       -       -       -         (3:1)       Isoproturon       -       -       -       -       -         Terbutyne       -       -       -       -       -       -         1.2-benzisothiazol-3(2H)-one       -							
3-iodo-2-propynyl butylcarbamate       s/r       0.005       n/b         Reaction mass of 5-chloro-2-methyl-2H- isothiazoln-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1)       -       -       -         Isoproturon       -       -       -       -       -         Terbutryne       -       -       -       -       -         (2) - PNEC not available (without data of registration REACH). n/b - PNEC not derived (not bioaccumulative potential). s/r - PNEC cont available (without data of registration REACH). n/b - PNEC cont available (without data of registration REACH). n/b - PNEC cont available (without data of registration REACH). n/b - PNEC cont available (without data of registration REACH). n/b - PNEC cont available (without data of registration REACH). n/b - PNEC cont available (without data of registration REACH). n/b - PNEC cont available (without data of registration School avai			mg/m3	mg/kg dw/d		mg/kg dw/d	
Reaction mass of 5-chloro-2-methyl-2H- isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1)       -       -       -         Isoproturon       -       -       -       -         Terbutryne       -       -       -       -         1,2-benzisothiazol-3(2H)-one       -       -       -       -         ()- PNEC not available (without data of registration REACH). n/b - PNEC not derived (not identified hazard).       -       -       -         EXPOSURE CONTROLS:       ENGINEERING MEASURES:       -       -       -       -         Image: Protection of respiratory system:       Avoid the inhalation of vapours.       -<	· ·		s/r		0.005		n/b
isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6]         (3:1)         Isoproturon         Terbutryne         1.2-benzisothiazol-3(2H)-one         -         (-) - PNEC not available (without data of registration REACH). n/b - PNEC not derived (not bioaccumulative potential). s/r - PNEC not derived (not bioaccumulative potential).         S/r - PNEC not derived (not bioaccumulative potential). s/r - PNEC not derived (not bioaccumulative potential).         S/r - PNEC not derived (not bioaccumulative potential). s/r - Protection of respiratory system:         Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction. If these measure are not sufficient to maintain concentrations of particulates and vapours below the Occupational Exposure Limits, suitable respiratory protection must be worn.         - Protection of respiratory system:         - Protection of sees and face:         It is recommended to install water taps or sources with clean water close to the working area.         - Protection of hands and skin;         It is recommended to install water taps or sources with clean water close to the working area.         - Protection of hands and skin;         It is recommen			-		-		-
methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1)       -       -       -         Isoproturon       -       -       -       -         Terbutryne       -       -       -       -         1.2-benzisothiazol-3(2H)-one       -       -       -       -         (·) - PNEC not derived (not bioaccumulative potential). s/r - PNEC not derived (not identified hazard).       -       -       -         EXPOSURE CONTROLS:       ENGINEERING MEASURES:       -       -       Occupational Exposure Limits, suitable respiratory protection must be worn.         - Protection of respiratory system: Avoid the inhalation of vapours.       -       -       -       Occupational Exposure Limits, suitable respiratory protection must be worn.         - Protection of eyes and face: It is recommended to install water taps or sources with clean water close to the working area.       -       -       -         OCCUPATIONAL EXPOSURE CONTROLS: REGULATION (EU) NO. 2016/425: As a general measure on prevention and safety in the work place, we recommend the use of a basic personal protection equipment (PPE with the corresponding marking. For more information on personal protective equipment (storage, use, cleaning, maintenance, type and characteristics of the PPE, protection class, marking, category, CEN norm, etc), you should consult the informative brochures provide the manufacturers of PPE.         Mask:       No.       -       -       -         Safety goggles:							
Isoproturon       -       -       -       -         Terbutryne       -       -       -       -         1,2-benzisothiazol-3(2H)-one       -       -       -       -         (-) - PNEC not available (without data of registration REACH).       -       -       -       -         n/b - PNEC not derived (not bioaccumulative potential).       -       -       -       -       -         s/r - PNEC not derived (not identified hazard).       EXPOSURE CONTROLS:       ENGINEERING MEASURES:       -	methyl-2H-isothiazol-3						
Terbutryne       -       -       -       -         1.2-benzisothiazol-3(2H)-one       -       -       -       -         (-) - PNEC not available (without data of registration REACH).       -       -       -       -         (nb - PNEC not derived (not identified hazard).       EXPOSURE CONTROLS:       -       -       -       -         ENGINEERING MEASURES:       Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction. If these measure are not sufficient to maintain concentrations of particulates and vapours below the Occupational Exposure Limits, suitable respiratory protection must be worn.         - Protection of respiratory system:       -       -       -         Avoid the inhalation of vapours.       -       -       -       -         - Protection of hands and skin:       It is recommended to install water taps or sources with clean water close to the working area.       -       -       -         - Protection of hands and skin:       It is recommended to install water taps or sources with clean water close to the working area.       -       -       -         - OCCUPATIONAL EXPOSURE CONTROLS: REGULATION (EU) NO. 2016/425:       As a general measure on prevention and safety in the work place, we recommend the use of a basic personal protection equipment (PPE with the corresponding marking. For more information on personal protective equipment (storage, use,	(3:1)						
1,2-benzisothiazol-3(2H)-one       -       -       -         (-) PNEC not available (without data of registration REACH).       n/b - PNEC not derived (not bioaccumulative potential).       s/r - PNEC not derived (not bioaccumulative potential).         s/r - PNEC not derived (not identified hazard).       EXPOSURE CONTROLS:         ENGINEERING MEASURES:       Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction. If these measure are not sufficient to maintain concentrations of particulates and vapours below the Occupational Exposure Limits, suitable respiratory protection must be worn.         - Protection of respiratory system:       Avoid the inhalation of vapours.         - Protection of hands and skin:       It is recommended to install water taps or sources with clean water close to the working area.         - Protection of hands and skin:       It is recommended to install water taps or sources with clean water close to the working area.         - Protection of hands and skin:       It is recommended to install water taps or sources with clean water close to the working area.         - Protection of new skin.Barrier creams should not be applied once exposure has occurred.         OCCUPATIONAL EXPOSURE CONTROLS: REGULATION (EU) NO. 2016/425:         As a general measure on prevention and safety in the work place, we recommend the use of a basic personal protection equipment (PPE with the corresponding marking. For more information on personal protective equipment (storage, use, cleaning, maintenance, type and characteristisof			-		-		-
<ul> <li>(-) - PNEC not available (without data of registration REACH). n/b - PNEC not derived (not bioaccumulative potential). s/r - PNEC not derived (not identified hazard).</li> <li>EXPOSURE CONTROLS: ENGINEERING MEASURES:</li> <li>Image: Control of the provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction. If these measure are not sufficient to maintain concentrations of particulates and vapours below the Occupational Exposure Limits, suitable respiratory protection must be worn.</li> <li>-Protection of respiratory system: Avoid the inhalation of vapours. -Protection of hands and skin: It is recommended to install water taps or sources with clean water close to the working area. -Protection of hands and skin: It is recommended to install water taps or sources with clean water close to the working area. -Protection of hands and skin: It is recommended to install water taps or sources with clean water close to the working area. -Protection of hands and skin: It is recommended to install water taps or sources with clean water close to the working area. -Protection of protect the exposed areas of the skin.Barrier creams should not be applied once exposure has occurred. OCCUPATIONAL EXPOSURE CONTROLS: REGULATION (EU) NO. 2016/425: As a general measure on prevention and safety in the work place, we recommend the use of a basic personal protection equipment (PPE with the corresponding marking. For more information on personal protective equipment (storage, use, cleaning, maintenance, type and characteristics of the PPE, protection class, marking, category, CEN norm, etc), you should consult the informative brochures provided the manufacturers of PPE. Mask: No. Safety goggles: Safety goggles designed to protect against liquid splashes, with suitable lateral protection (EM166).Clean daily and disinfect at regular intervals in accordance with the instructions of the manufactu</li></ul>			-		-		-
n/b - PNEC not derived (not bioaccumulative potential).         s/r - PNEC not derived (not identified hazard).         EXPOSURE CONTROLS:         ENGINEERING MEASURES:         Image: Image			-		-		-
s/r - PNEC not derived (not identified hazard).         EXPOSURE CONTROLS:         ENGINEERING MEASURES:         Image: Second Seco							
EXPOSURE CONTROLS:         ENGINEERING MEASURES:         Image: Strength Strengt Strength Strength Strength Strength Strength Strengt Strength St			tential).				
ENGINEERING MEASURES:         Image: Second State S		· /					
Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction. If these measure are not sufficient to maintain concentrations of particulates and vapours below the Occupational Exposure Limits, suitable respiratory protection must be worn.         - Protection of respiratory system:         Avoid the inhalation of vapours.         - Protection of eyes and face:         It is recommended to install water taps or sources with clean water close to the working area.         - Protection of hands and skin:         It is recommended to install water taps or sources with clean water close to the working area.         - Protection of hands and skin:         It is recommended to install water taps or sources with clean water close to the working area.         OCCUPATIONAL EXPOSURE CONTROLS: REGULATION (EU) NO. 2016/425:         As a general measure on prevention and safety in the work place, we recommend the use of a basic personal protection equipment (PPE with the corresponding marking. For more information on personal protective equipment (storage, use, cleaning, maintenance, type and characteristics of the PPE, protection class, marking, category, CEN norm, etc), you should consult the informative brochures provided the manufacturers of PPE.         Mask:       No.         Safety goggles:       Safety goggles designed to protect against liquid splashes, with suitable lateral protection (EN166).Clean daily and disinfect at regular intervals in accordance with the instructions of the manufacturer.							
Protection of respiratory system:         Avoid the inhalation of vapours.         - Protection of respiratory system:         Avoid the inhalation of vapours.         - Protection of eyes and face:         It is recommended to install water taps or sources with clean water close to the working area.         - Protection of hands and skin:         It is recommended to install water taps or sources with clean water close to the working area.         - Protection of hands and skin:         It is recommended to install water taps or sources with clean water close to the working area.         - OCCUPATIONAL EXPOSURE CONTROLS: REGULATION (EU) NO. 2016/425:         As a general measure on prevention and safety in the work place, we recommend the use of a basic personal protection equipment (PPE with the corresponding marking. For more information on personal protective equipment (storage, use, cleaning, maintenance, type and characteristics of the PPE, protection class, marking, category, CEN norm, etc), you should consult the informative brochures provided the manufacturers of PPE.         Mask:       No.         Safety goggles:       Safety goggles designed to protect against liquid splashes, with suitable lateral protection (EN166).Clean daily and disinfect at regular intervals in accordance with the instructions of the manufacturer.		DORES.					
are not sufficient to maintain concentrations of particulates and vapours below the Occupational Exposure Limits, suitable respiratory protection must be worn.  - Protection of respiratory system: Avoid the inhalation of vapours Protection of eyes and face: It is recommended to install water taps or sources with clean water close to the working area Protection of hands and skin: It is recommended to install water taps or sources with clean water close to the working area.Barrier creams may help to protect the exposed areas of the skin.Barrier creams should not be applied once exposure has occurred. OCCUPATIONAL EXPOSURE CONTROLS: REGULATION (EU) NO. 2016/425: As a general measure on prevention and safety in the work place, we recommend the use of a basic personal protection equipment (PPE with the corresponding marking. For more information on personal protective equipment (storage, use, cleaning, maintenance, type and characteristics of the PPE, protection class, marking, category, CEN norm, etc), you should consult the informative brochures provided the manufacturers of PPE. Mask: No. Safety goggles: Safety goggles designed to protect against liquid splashes, with suitable lateral protection (EN166).Clean daily and disinfect at regular intervals in accordance with the instructions of the manufacturer.							
Occupational Exposure Limits, suitable respiratory protection must be worn.         - Protection of respiratory system:         Avoid the inhalation of vapours.         - Protection of eyes and face:         It is recommended to install water taps or sources with clean water close to the working area.         - Protection of hands and skin:         It is recommended to install water taps or sources with clean water close to the working area. Barrier creams may help to protect the exposed areas of the skin.Barrier creams should not be applied once exposure has occurred.         OCCUPATIONAL EXPOSURE CONTROLS: REGULATION (EU) NO. 2016/425:         As a general measure on prevention and safety in the work place, we recommend the use of a basic personal protection equipment (PPE with the corresponding marking. For more information on personal protective equipment (storage, use, cleaning, maintenance, type and characteristics of the PPE, protection class, marking, category, CEN norm, etc), you should consult the informative brochures provided the manufacturers of PPE.         Mask:       No.         Safety goggles:       Safety goggles designed to protect against liquid splashes, with suitable lateral protection (EN166).Clean daily and disinfect at regular intervals in accordance with the instructions of the manufacturer.							
Protection of respiratory system: Avoid the inhalation of vapours.     Protection of eyes and face: It is recommended to install water taps or sources with clean water close to the working area. Protection of hands and skin: It is recommended to install water taps or sources with clean water close to the working area.Barrier creams may help to protect the exposed areas of the skin.Barrier creams should not be applied once exposure has occurred. OCCUPATIONAL EXPOSURE CONTROLS: REGULATION (EU) NO. 2016/425: As a general measure on prevention and safety in the work place, we recommend the use of a basic personal protection equipment (PPE with the corresponding marking. For more information on personal protective equipment (storage, use, cleaning, maintenance, type and characteristics of the PPE, protection class, marking, category, CEN norm, etc), you should consult the informative brochures provided the manufacturers of PPE. Mask: No. Safety goggles: Safety goggles designed to protect against liquid splashes, with suitable lateral protection (EN166).Clean daily and disinfect at regular intervals in accordance with the instructions of the manufacturer.							
Avoid the inhalation of vapours Protection of eyes and face: It is recommended to install water taps or sources with clean water close to the working area Protection of hands and skin: It is recommended to install water taps or sources with clean water close to the working area.Barrier creams may help to protect the exposed areas of the skin.Barrier creams should not be applied once exposure has occurred. OCCUPATIONAL EXPOSURE CONTROLS: REGULATION (EU) NO. 2016/425: As a general measure on prevention and safety in the work place, we recommend the use of a basic personal protection equipment (PPE with the corresponding marking. For more information on personal protective equipment (storage, use, cleaning, maintenance, type and characteristics of the PPE, protection class, marking, category, CEN norm, etc), you should consult the informative brochures provided the manufacturers of PPE. Mask: No. Safety goggles: Safety goggles designed to protect against liquid splashes, with suitable lateral protection (EN166).Clean daily and disinfect at regular intervals in accordance with the instructions of the manufacturer.	- Protection of respirat			Sultable respira	lory protect		0111.
Protection of eyes and face: It is recommended to install water taps or sources with clean water close to the working area.     Protection of hands and skin: It is recommended to install water taps or sources with clean water close to the working area.Barrier creams may help to protect the exposed areas of the skin.Barrier creams should not be applied once exposure has occurred. OCCUPATIONAL EXPOSURE CONTROLS: REGULATION (EU) NO. 2016/425: As a general measure on prevention and safety in the work place, we recommend the use of a basic personal protection equipment (PPE with the corresponding marking. For more information on personal protective equipment (storage, use, cleaning, maintenance, type and characteristics of the PPE, protection class, marking, category, CEN norm, etc), you should consult the informative brochures provided the manufacturers of PPE. Mask: No. Safety goggles: Safety goggles designed to protect against liquid splashes, with suitable lateral protection (EN166).Clean daily and disinfect at regular intervals in accordance with the instructions of the manufacturer.							
It is recommended to install water taps or sources with clean water close to the working area.  - Protection of hands and skin: It is recommended to install water taps or sources with clean water close to the working area.Barrier creams may help to protect the exposed areas of the skin.Barrier creams should not be applied once exposure has occurred. OCCUPATIONAL EXPOSURE CONTROLS: REGULATION (EU) NO. 2016/425: As a general measure on prevention and safety in the work place, we recommend the use of a basic personal protection equipment (PPE with the corresponding marking. For more information on personal protective equipment (storage, use, cleaning, maintenance, type and characteristics of the PPE, protection class, marking, category, CEN norm, etc), you should consult the informative brochures provided the manufacturers of PPE. Mask: No. Safety goggles: Safety goggles designed to protect against liquid splashes, with suitable lateral protection (EN166).Clean daily and disinfect at regular intervals in accordance with the instructions of the manufacturer.		•					
- Protection of hands and skin:         It is recommended to install water taps or sources with clean water close to the working area.Barrier creams may help to protect the exposed areas of the skin.Barrier creams should not be applied once exposure has occurred.         OCCUPATIONAL EXPOSURE CONTROLS: REGULATION (EU) NO. 2016/425:         As a general measure on prevention and safety in the work place, we recommend the use of a basic personal protection equipment (PPE with the corresponding marking. For more information on personal protective equipment (storage, use, cleaning, maintenance, type and characteristics of the PPE, protection class, marking, category, CEN norm, etc), you should consult the informative brochures provided the manufacturers of PPE.         Mask:       No.         Safety goggles:       Safety goggles designed to protect against liquid splashes, with suitable lateral protection (EN166).Clean daily and disinfect at regular intervals in accordance with the instructions of the manufacturer.			ith clean water close to the	working area.			
It is recommended to install water taps or sources with clean water close to the working area.Barrier creams may help to protect the exposed areas of the skin.Barrier creams should not be applied once exposure has occurred. OCCUPATIONAL EXPOSURE CONTROLS: REGULATION (EU) NO. 2016/425: As a general measure on prevention and safety in the work place, we recommend the use of a basic personal protection equipment (PPE with the corresponding marking. For more information on personal protective equipment (storage, use, cleaning, maintenance, type and characteristics of the PPE, protection class, marking, category, CEN norm, etc), you should consult the informative brochures provided the manufacturers of PPE. Mask: No. Safety goggles: Safety goggles designed to protect against liquid splashes, with suitable lateral protection (EN166).Clean daily and disinfect at regular intervals in accordance with the instructions of the manufacturer.				0			
OCCUPATIONAL EXPOSURE CONTROLS: REGULATION (EU) NO. 2016/425:         As a general measure on prevention and safety in the work place, we recommend the use of a basic personal protection equipment (PPE with the corresponding marking. For more information on personal protective equipment (storage, use, cleaning, maintenance, type and characteristics of the PPE, protection class, marking, category, CEN norm, etc), you should consult the informative brochures provided the manufacturers of PPE.         Mask:       No.         Safety goggles:       Safety goggles designed to protect against liquid splashes, with suitable lateral protection (EN166).Clean daily and disinfect at regular intervals in accordance with the instructions of the manufacturer.	It is recommended to ins	stall water taps or sources w			rier creams r	may help to pro	tect the
As a general measure on prevention and safety in the work place, we recommend the use of a basic personal protection equipment (PPE with the corresponding marking. For more information on personal protective equipment (storage, use, cleaning, maintenance, type and characteristics of the PPE, protection class, marking, category, CEN norm, etc), you should consult the informative brochures provided the manufacturers of PPE. Mask: No. Safety goggles: Safety goggles designed to protect against liquid splashes, with suitable lateral protection (EN166).Clean daily and disinfect at regular intervals in accordance with the instructions of the manufacturer.							
with the corresponding marking. For more information on personal protective equipment (storage, use, cleaning, maintenance, type and characteristics of the PPE, protection class, marking, category, CEN norm, etc), you should consult the informative brochures provided the manufacturers of PPE.          Mask:       No.         Safety goggles:       Safety goggles designed to protect against liquid splashes, with suitable lateral protection (EN166).Clean daily and disinfect at regular intervals in accordance with the instructions of the manufacturer.							= =
characteristics of the PPE, protection class, marking, category, CEN norm, etc), you should consult the informative brochures provided the manufacturers of PPE. Mask: Safety goggles: Safety goggles: (EN166).Clean daily and disinfect at regular intervals in accordance with the instructions of the manufacturer.							
the manufacturers of PPE.         Mask:       No.         Safety goggles:       Safety goggles designed to protect against liquid splashes, with suitable lateral protection (EN166).Clean daily and disinfect at regular intervals in accordance with the instructions of the manufacturer.							
Safety goggles: Safety goggles designed to protect against liquid splashes, with suitable lateral protection (EN166).Clean daily and disinfect at regular intervals in accordance with the instructions of the manufacturer.			,	,, , encord cor			
(EN166). Clean daily and disinfect at regular intervals in accordance with the instructions of the manufacturer.		No.					
(EN166). Clean daily and disinfect at regular intervals in accordance with the instructions of the manufacturer.							
manufacturer.	Mask:	Safety googles design	ed to protect against liqu	id splashes with	n suitahla la	ateral nrotectio	n
Face shield: No.	Mask:						
	Mask:	(EN166).Clean daily a					

n accordance with Regulat	ion (ÉC) No. 1907/2006 and Regulation (E	EU) No. 2020/878	(Language:EN)
	REVESTIMIENTO ACRILICA	PURA 100% COLORES	
Version: 3	Revision: 09/05/2023	Previous revision: 20/04/2023	Date of printing: 09/05/2023
Gloves:	expected, gloves of prot min.When short contact should be used, with a b material should be in ac example, temperature), chemicals is clearly lowe circumstances and poss	ection level 5 or higher should be used, with with the product is expected, use gloves wit oreakthrough time >30 min.The breakthrough cordance with the pretended period of use.T they do in practice the period of use of a pro- er than the established standard EN374.Due sibilities, the instructions/specifications provio gloves should be immediately replaced when	a a breakthrough time of >240 th a protection level 2 or higher in time of the selected glove There are several factors (for betective gloves resistant against to the wide variety of ded by the glove supplier should be
Boots:	No.		
Apron:	No.		
Clothing:	No.		
ENVIRONME Avoid any spilla - Spills on the Prevent contan - Spills in wate Do not allow to -Water Ma This product oc 2000/60/EC~20 Terbutryne. - Emissions to Because of vol VOC (product It is applicable AND VARNISH water-borne. V (VOC max.40 g VOC (industria If this product is	nination of soil. <u>er:</u> bescape into drains, sewers or water con- <u>nagement Act:</u> intains the following substances include 013/39/EU: <u>the atmosphere:</u> <u>atility, emissions to the atmosphere while</u> <u>ready for use*):</u> the Directive 2004/42/EC, on the limitati ES (defined in the Directive 2004/42/EC OC (product ready for use*): (REVESTING (NEVESTING) (NEVES	se into the atmosphere. burses. d in the list of priority substances in the field of v le handling and use may result. Avoid any releas fon of emissions of volatile compounds due to th C, Annex I.1): Emission subcategory c) Coating f MIENTO ACRILICA PURA 100% COLORES Co	se into the atmosphere. e use of organic solvents: PAINTS for exterior walls of mineral substrate, d. 02360 = 100 in volume): 0,2 g/l*

		INTO ACRILICA PURA 100% COLORES	
rsion:	: 3 Revision: 09/05/2	D23 Previous revision: 20/04/2023	Date of printing: 09/05/202
	9: PHYSICAL AND CHEMICAL PROP	FRTIFS	
		CAL AND CHEMICAL PROPERTIES:	
	Appearance		
	Physical state:	Liquid	
	Colour:	See the colour in the package	
	Odour:	Characteristic	
	Odour threshold:	Not available (mixture).	
	Change of state		
	Melting point:	Not available (mixture).	
	Boiling interval:	100* - 255* ⁰C at 760 mmHg	
	- Flammability:		
	Flashpoint:	Not flammable	
	Lower/upper flammability or explosive		
	Autoignition temperature:	Not applicable (do not sustain combus	tion).
	Stability		
	Decomposition temperature:	Not available (technical impossibility to data).	o obtain the
	nH value	uala).	
	<u>pH-value</u> pH:	8,5 ± 1 at 20⁰C	
	- Viscosity:	0,5 ± 1 at 20 C	
	Dynamic viscosity:	13000 ± 1000 cps at 20⁰C	
	Kinematic viscosity:	3115,72* mm2/s at 40°C	
	- Solubility(ies):		
	Solubility in water	Miscible	
	Liposolubility:	Not applicable (inorganic product).	
	Partition coefficient: n-octanol/water:	Not applicable (mixture).	
	- Volatility:		
	Vapour pressure:	17,491* mmHg at 20°C	
	Vapour pressure:	12,0827* kPa at 50°C	
	Evaporation rate:	Not available (lack of data).	
	Density		
	Relative density:	1,430 ± 0,1 at 20/4°C	Relative water
	Relative vapour density:	Not available.	
	Particle characteristics		
1	Particle size:	Not applicable.	
	- Explosive properties: Not available.		
	- Oxidizing properties:		
	Not classified as oxidizing product.		
	Not classified as oxidizing product.		
	*Estimated values based on the subst	nces composing the mixture.	
2	OTHER INFORMATION:		
	Information regarding physical haz	rd classes	
	No additional information available.		
	Other security features:		
	VOC (supply):	0,2 g/l	
	Nonvolatile:	59,30 * % Weight	1h. 60°C
		ncide with product specifications. The data for the product specificati r additional information concerning physical and chemical properties	

			CA PURA 100% COLORES		
ersion	n: 3 Rev	vision: 09/05/2023	Previous revision: 2	20/04/2023	Date of printing: 09/05/202
	N 10: STABILITY AND R	EACTIVITY			
0.1	REACTIVITY:				
	<ul> <li>Corrosivity to meta</li> </ul>				
	It is not corrosive to me				
	- Pyrophorical prope It is not pyrophoric.	<u>rues:</u>			
0.2	CHEMICAL STABILI	TY:			
0.2		ended storage and handling c	conditions.		
0.3		AZARDOUS REACTIONS:			
		action with oxidizing agents,	acids, alkalis.		
0.4	CONDITIONS TO A	<u>VOID:</u>			
	<u>- Heat:</u>	an of boot			
	Keep away from source - Light:	es of heat.			
	If possible, avoid direct	t contact with sunlight.			
	<u>- Air:</u>	0			
	The product is not affe	cted by exposure to air, but s	should not be left the containers or	ben.	
	- Pressure:				
	Not relevant.				
	- Shock: The product is not sen	sitive to shocks, but as a rec	ommendation of a general nature	should be avoided humps ar	nd rough handling to avo
			the product is handled in large qu		
).5	INCOMPATIBLE MA	TERIALS:			
		zing agents, acids, alkalis.			
).6		OMPOSITION PRODUCTS			
	As consequence of the halogenated compound		ous products may be produced: ni	trogen oxides, sulfur oxides,	hydrochloric acid,
	N 11: TOXICOLOGICAL				
1.1			n method of the Regulation (EU DEFINED IN REGULATION (EC		+9 (CLP).
	Dose and lethal conc		DL50 (OECD401)	DL50 (OECD402)	CL50 (OECD40
	for individual ingredie		mg/kg bw Oral 1056 Rat	mg/kg bw Cutaneous > 2000 Rabbit	mg/m3·4h Inhalat > 670 F
	Reaction mass of 5-c				- 0701
1			/4 9 Rat	140 Rati	> 1230 F
			74,9 Rat	140 Rat	> 1230 F
	isothiazolin-3-one [E0 methyl-2H-isothiazol-		74,9 Rat	140 Rat	> 1230 F
	isothiazolin-3-one [E0 methyl-2H-isothiazol- (3:1)	C 247-500-7] and 2-			
	isothiazolin-3-one [E0 methyl-2H-isothiazol- (3:1) Isoproturon	C 247-500-7] and 2-	> 2000 Rat	> 2000 Rat	> 1950 F
	isothiazolin-3-one [E( methyl-2H-isothiazol- (3:1) Isoproturon Terbutryne	C 247-500-7] and 2- -3-one [EC 220-239-6]	> 2000 Rat 1470 Rat	> 2000 Rat > 2000 Rabbit	> 1950 F > 2200 F
	isothiazolin-3-one [E0 methyl-2H-isothiazol- (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3(	C 247-500-7] and 2- -3-one [EC 220-239-6] (2H)-one	> 2000 Rat 1470 Rat 1020 Rat	> 2000 Rat > 2000 Rabbit > 2000 Rat	> 1950 F > 2200 F > 2050 F
	isothiazolin-3-one [E0 methyl-2H-isothiazol- (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3( Estimates of acute to	C 247-500-7] and 2- -3-one [EC 220-239-6] (2H)-one pxicity (ATE)	> 2000 Rat 1470 Rat 1020 Rat ATE	> 2000 Rat > 2000 Rabbit > 2000 Rat ATE	> 1950 F > 2200 F > 2050 F A
	isothiazolin-3-one [E0 methyl-2H-isothiazol- (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3( Estimates of acute to for individual ingredie	C 247-500-7] and 2- -3-one [EC 220-239-6] (2H)-one pxicity (ATE) ents:	> 2000 Rat 1470 Rat 1020 Rat ATE mg/kg bw Oral	> 2000 Rat > 2000 Rabbit > 2000 Rat	> 1950 F > 2200 F > 2050 F A mg/m3·4h Inhalati
	isothiazolin-3-one [E0 methyl-2H-isothiazol- (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3( Estimates of acute to for individual ingredie 3-iodo-2-propynyl but	C 247-500-7] and 2- -3-one [EC 220-239-6] (2H)-one exicity (ATE) ents: tylcarbamate	> 2000 Rat 1470 Rat 1020 Rat ATE mg/kg bw Oral 1056	> 2000 Rat > 2000 Rabbit > 2000 Rat ATE	> 1950 F > 2200 F > 2050 F A mg/m3·4h Inhalati 6
	isothiazolin-3-one [E0 methyl-2H-isothiazol- (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3( Estimates of acute to for individual ingredie 3-iodo-2-propynyl but Reaction mass of 5-o isothiazolin-3-one [E0	C 247-500-7] and 2- -3-one [EC 220-239-6] (2H)-one exicity (ATE) ents: tylcarbamate chloro-2-methyl-2H- C 247-500-7] and 2-	> 2000 Rat 1470 Rat 1020 Rat ATE mg/kg bw Oral	> 2000 Rat > 2000 Rabbit > 2000 Rat ATE mg/kg bw Cutaneous -	> 1950 F > 2200 F > 2050 F A mg/m3·4h Inhalati 6
	isothiazolin-3-one [E0 methyl-2H-isothiazol- (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3( Estimates of acute to for individual ingredie 3-iodo-2-propynyl but Reaction mass of 5-c isothiazolin-3-one [E0 methyl-2H-isothiazol-	C 247-500-7] and 2- -3-one [EC 220-239-6] (2H)-one exicity (ATE) ents: tylcarbamate chloro-2-methyl-2H-	> 2000 Rat 1470 Rat 1020 Rat ATE mg/kg bw Oral 1056	> 2000 Rat > 2000 Rabbit > 2000 Rat ATE mg/kg bw Cutaneous -	> 1950 F > 2200 F > 2050 F A mg/m3·4h Inhalati 6
	isothiazolin-3-one [E0 methyl-2H-isothiazol- (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3( Estimates of acute to for individual ingredie 3-iodo-2-propynyl but Reaction mass of 5-o isothiazolin-3-one [E0 methyl-2H-isothiazol- (3:1)	C 247-500-7] and 2- -3-one [EC 220-239-6] (2H)-one exicity (ATE) ents: tylcarbamate chloro-2-methyl-2H- C 247-500-7] and 2-	> 2000 Rat 1470 Rat 1020 Rat ATE mg/kg bw Oral 1056	> 2000 Rat > 2000 Rabbit > 2000 Rat ATE mg/kg bw Cutaneous -	> 1950 F > 2200 F > 2050 F A mg/m3·4h Inhalati 6
	isothiazolin-3-one [E0 methyl-2H-isothiazol- (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3( Estimates of acute to for individual ingredie 3-iodo-2-propynyl but Reaction mass of 5-o isothiazolin-3-one [E0 methyl-2H-isothiazol- (3:1) Isoproturon	C 247-500-7] and 2- -3-one [EC 220-239-6] (2H)-one exicity (ATE) ents: tylcarbamate chloro-2-methyl-2H- C 247-500-7] and 2-	> 2000 Rat 1470 Rat 1020 Rat ATE mg/kg bw Oral 1056 74,9	> 2000 Rat > 2000 Rabbit > 2000 Rat ATE mg/kg bw Cutaneous -	> 1950 F > 2200 F > 2050 F A mg/m3·4h Inhalati 6
	isothiazolin-3-one [E0 methyl-2H-isothiazol- (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3( Estimates of acute to for individual ingredie 3-iodo-2-propynyl but Reaction mass of 5-o isothiazolin-3-one [E0 methyl-2H-isothiazol- (3:1) Isoproturon Terbutryne	C 247-500-7] and 2- -3-one [EC 220-239-6] (2H)-one exicity (ATE) ents: tylcarbamate chloro-2-methyl-2H- C 247-500-7] and 2- -3-one [EC 220-239-6]	> 2000 Rat 1470 Rat 1020 Rat ATE mg/kg bw Oral 1056	> 2000 Rat > 2000 Rabbit > 2000 Rat ATE mg/kg bw Cutaneous -	> 1230 F > 1950 F > 2200 F > 2050 F A mg/m3·4h Inhalati 6 >
	isothiazolin-3-one [E0 methyl-2H-isothiazol- (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3( Estimates of acute to for individual ingredie 3-iodo-2-propynyl but Reaction mass of 5-o isothiazolin-3-one [E0 methyl-2H-isothiazol- (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3( (*) - Point estimates of be used in the calculat	C 247-500-7] and 2- -3-one [EC 220-239-6] (2H)-one exicity (ATE) ents: tylcarbamate chloro-2-methyl-2H- C 247-500-7] and 2- -3-one [EC 220-239-6] (2H)-one facute toxicity corresponding tion of the ATE for classification	> 2000 Rat 1470 Rat 1020 Rat ATE mg/kg bw Oral 1056 74,9	> 2000 Rat > 2000 Rabbit > 2000 Rat ATE mg/kg bw Cutaneous 140 - - - - - - -	> 1950 F > 2200 F > 2050 F A mg/m3·4h Inhalati 6 > se values are designed t test results.
	isothiazolin-3-one [E0 methyl-2H-isothiazol- (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3( Estimates of acute to for individual ingredie 3-iodo-2-propynyl but Reaction mass of 5-c isothiazolin-3-one [E0 methyl-2H-isothiazol- (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3( (*) - Point estimates of be used in the calculat (-) - The components the	C 247-500-7] and 2- -3-one [EC 220-239-6] (2H)-one exicity (ATE) ents: tylcarbamate chloro-2-methyl-2H- C 247-500-7] and 2- -3-one [EC 220-239-6] (2H)-one facute toxicity corresponding ion of the ATE for classification hat are assumed to have no	> 2000 Rat 1470 Rat 1020 Rat ATE mg/kg bw Oral 1056 74,9 1470 *567 to the classification category (see on of a mixture based on its comp	> 2000 Rat > 2000 Rabbit > 2000 Rat ATE mg/kg bw Cutaneous 140 - - - - - - -	> 1950 F > 2200 F > 2050 F A mg/m3·4h Inhalati 6 > se values are designed f test results. sponding exposure route NOAEC Inhalati
	isothiazolin-3-one [E0 methyl-2H-isothiazol- (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3( Estimates of acute to for individual ingredie 3-iodo-2-propynyl but Reaction mass of 5-c isothiazolin-3-one [E0 methyl-2H-isothiazol- (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3( (*) - Point estimates of be used in the calculat (-) - The components th are ignored.	C 247-500-7] and 2- -3-one [EC 220-239-6] (2H)-one exicity (ATE) ents: tylcarbamate chloro-2-methyl-2H- C 247-500-7] and 2- -3-one [EC 220-239-6] (2H)-one f acute toxicity corresponding ion of the ATE for classification hat are assumed to have not se effect level	> 2000 Rat 1470 Rat 1020 Rat ATE mg/kg bw Oral 1056 74,9 1470 *567 to the classification category (see on of a mixture based on its comp acute toxicity at the upper thresho	> 2000 Rat > 2000 Rabbit > 2000 Rat ATE mg/kg bw Cutaneous 140 - - - - - - - - - - - - - - - - - - -	> 1950 F > 2200 F > 2050 F A mg/m3·4h Inhalati 6 > se values are designed f test results. sponding exposure route NOAEC Inhalati
	isothiazolin-3-one [E0 methyl-2H-isothiazol- (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3( Estimates of acute to for individual ingredie 3-iodo-2-propynyl but Reaction mass of 5-c isothiazolin-3-one [E0 methyl-2H-isothiazol- (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3( (*) - Point estimates of be used in the calculat (-) - The components the are ignored.	C 247-500-7] and 2- -3-one [EC 220-239-6] (2H)-one (2	> 2000 Rat 1470 Rat 1020 Rat ATE mg/kg bw Oral 1056 74,9  1470 *567 to the classification category (see on of a mixture based on its comp acute toxicity at the upper thresho NOAEL Oral mg/kg bw/d	> 2000 Rat > 2000 Rabbit > 2000 Rat ATE mg/kg bw Cutaneous - 140 - - - - - - - - - - - - - - - - - - -	> 1950 F > 2200 F > 2050 F A mg/m3·4h Inhalati 6 > se values are designed f test results.
	isothiazolin-3-one [E0 methyl-2H-isothiazol- (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3( Estimates of acute to for individual ingredie 3-iodo-2-propynyl but Reaction mass of 5-o isothiazolin-3-one [E0 methyl-2H-isothiazol- (3:1) Isoproturon Terbutryne 1,2-benzisothiazol-3( (*) - Point estimates of be used in the calculat (-) - The components the are ignored. - No observed adverse 3-iodo-2-propynyl but	C 247-500-7] and 2- -3-one [EC 220-239-6] (2H)-one exicity (ATE) ents: tylcarbamate chloro-2-methyl-2H- C 247-500-7] and 2- -3-one [EC 220-239-6] (2H)-one f acute toxicity corresponding tion of the ATE for classification hat are assumed to have no se effect level tylcarbamate dverse effect level	> 2000 Rat 1470 Rat 1020 Rat ATE mg/kg bw Oral 1056 74,9 1470 *567 to the classification category (see on of a mixture based on its comp acute toxicity at the upper thresho NOAEL Oral mg/kg bw/d 20 Rat	> 2000 Rat > 2000 Rabbit > 2000 Rat ATE mg/kg bw Cutaneous - 140 - - - - - - - - - - - - - - - - - - -	> 1950 F > 2200 F > 2050 F A mg/m3·4h Inhalat 6 > se values are designed test results. sponding exposure rout NOAEC Inhalati mg/ 1,16 F

# 

Version: 3

**REVESTIMIENTO ACRILICA PURA 100% COLORES** 

Revision: 09/05/2023 Previous

Previous revision: 20/04/2023

Date of printing: 09/05/2023

Routes of exposure	Acute toxicity	Cat.	Main effects, acute and/or delayed	Criteria
Inhalation: Not classified	ATE > 20000 mg/m3	-	Not classified as a product with acute toxicity if inhaled (based on available data, the classification criteria are not met).	GHS/CLF 3.1.3.6.
Skin: Not classified	ATE > 5000 mg/kg bw	-	Not classified as a product with acute toxicity in contact with skin (based on available data, the classification criteria are not met).	
Eyes: Not classified	Not available.	-	Not classified as a product with acute toxicity by eye contact (lack of data).	GHS/CLP 1.2.5.
Ingestion: Not classified	ATE > 5000 mg/kg bw	-	Not classified as a product with acute toxicity if swallowed (based on available data, the classification criteria are not met).	GHS/CLP 3.1.3.6.

GHS/CLP 3.1.3.6: Classification of mixtures based on ingredients of the mixture (additivity formula).

### CORROSION / IRRITATION / SENSITISATION :

Danger class	Target organs	Cat.	Main effects, acute and/or delayed	Criteria
<ul> <li>Respiratory corrosion/irritation: Not classified</li> </ul>	-	-	Not classified as a product corrosive or irritant by inhalation (based on available data the classification criteria are not met).	GHS/CLP ,1.2.6. 3.8.3.4.
- Skin corrosion/irritation: Not classified	-	-	Not classified as a product corrosive or irritant in contact with skin (based on available data, the classification criteria are not met).	GHS/CLP 3.2.3.3.
- Serious eye damage/irritation: Not classified	-	-	Not classified as a product corrosive or irritant in contact with eyes (based on available data, the classification criteria are not met).	GHS/CLP 3.3.3.3.
<ul> <li>Respiratory sensitisation: Not classified</li> </ul>	-	-	Not classified as a product sensitising by inhalation (based on available data, the classification criteria are not met).	GHS/CLP 3.4.3.3.
- Skin sensitisation: Not classified	-	-	Not classified as a product sensitising by skir contact (based on available data, the classification criteria are not met).	GHS/CLP 3.4.3.3.

GHS/CLP 3.2.3.3: Classification of the mixture when data are available for all components or only for some components. GHS/CLP 3.3.3.3: Classification of the mixture when data are available for all components or only for some components. GHS/CLP 3.4.3.3: Classification of the mixture when data are available for all components or only for some components. GHS/CLP 3.8.3.4: Classification of the mixture when data are available for all components or only for some components.

#### - ASPIRATION HAZARD:

Danger class	Target organs	Cat.	Main effects, acute and/or delayed	Criteria
- Aspiration hazard: Not classified	-	-	Not classified as a product hazardous by aspiration (based on available data, the classification criteria are not met).	GHS/CLP 3.10.3.3.

GHS/CLP 3.10.3.3: Classification of the mixture when data are available for all components or only for some components.

<u>SPECIFIC TARGET ORGANS TOXICITY (STOT): Single exposure (SE) and/or Repeated exposure (RE):</u> Not classified as a dangerous product for target organs.

GHS/CLP 3.8.3.4: Classification of the mixture when data are available for all components or only for some components.

CMR EFFECTS:

- Carcinogenic effects:

It is not considered as a carcinogenic product.

Genotoxicity:

It is not considered as a mutagenic product.

Toxicity for reproduction:

Does not harm fertility.Does not harm the unborn child.

Effects via lactation:

Not classified as a hazardous product for children breast-fed.

DELAYED AND IMMEDIATE EFFECTS AS WELL AS CHRONIC EFFECTS FROM SHORT AND LONG-TERM EXPOSURE: Routes of exposure Not available. - Short-term exposure:

	COLOR					
ersion: 3	Revi	sion: 09/05	/2023	Previous revision	: 20/04/2023	Date of printing: 09/05/202
	ot available.	d ovposure				
	<u>ong-term or repeate</u> ot available.		-			
INF	TERACTIVE EFFE	оте.				
	ot available.	<u>510.</u>				
INI			CINETICS	, METABOLISM AND DISTRIBU		
	Dermal absorption:	<u> </u>				
	ot available. Basic toxicokinetics:					
	ot available.	-				
No	ot available.					
	FORMATION ON O		ARDS:			
	ndocrine disrupting p nis product does not co		nces with e	ndocrine disrupting properties ident	ified or under evaluation.	
Ot	ther information:		_			
	additional information					
			data on th	e preparation as such is available	e. The ecotoxicological class	sification for these
	ixture has been carri LP).	ied out by u	sing the co	onventional calculation method of	f the Regulation (EU) No. 12	272/2008~2021/849
	DXICITY:					
	cute toxicity in aqua		nent	CL50 (OECD 203) mg/l·96hours	CE50 (OECD 202) mg/l·48hours	CE50 (OECD 20 mg/l·72hou
	r individual ingredier odo-2-propynyl buty			0.067 - Fishes	0.16 - Daphniae	0.053 - Alga
Re	eaction mass of 5-ch	loro-2-meth		0.19 - Fishes	0.16 - Daphniae	0.037 - Alga
	othiazolin-3-one [EC ethyl-2H-isothiazol-3					
(3:			20-239-0]			
	oproturon			30 - Fishes	5.3 - Daphniae	0.03 - Alga
	erbutryne 2-benzisothiazol-3(2	H)-one		1.1 - Fishes 1.2 - Fishes	2.7 - Daphniae 0.85 - Daphniae	0.013 - Alga 0.37 - Alga
	-				· ·	
- N	lo observed effect c	oncentration	ו	NOEC (OECD 210) mg/l · 28 days	NOEC (OECD 211) mg/l · 21 days	NOEC (OECD 20 mg/l · 72 hour
	odo-2-propynyl buty			0.0084 - Fishes	0.05 - Daphniae	0.0046 - Alga
	eaction mass of 5-ch othiazolin-3-one [EC			0.02 - Fishes	0.011 - Daphniae	0.004 - Alga
	ethyl-2H-isothiazol-3					
	. 1 )					
(3:					1.3 - Daphniae	
(3: Tei	rbutryne				1.3 - Daphniae	
(3: Tei <u>- L</u>	owest observed effe	ect concent	ation		1.3 - Daphniae	
(3: Tei - L No <u>AS</u>	erbutryne <u>Lowest observed effe</u> ot available <u>SSESSMENT OF AC</u>		<u>XICITY:</u>		·	
(3: Tei - L No <u>AS</u>	rbutryne <u>_owest observed eff</u> o ot available		<u>XICITY:</u>	Main hazards to the aquatic environ	·	Criteria
(3: Tel No <u>AS</u>	erbutryne <u>owest observed effe</u> t available <u>SSESSMENT OF AC</u> quatic toxicity Acute aquatic toxicity:	QUATIC TO	<u>XICITY:</u> Cat.	Not classified as a hazardous produ	ment	clife GHS/CLP
(3: Ter No <u>AS</u> Ac	erbutryne <u>owest observed effe</u> ot available <u>SSESSMENT OF AC</u> quatic toxicity Acute aquatic toxicity: ot classified		XICITY: Cat.	Not classified as a hazardous produ based on available data, the classif	ment ct with acute toxicity to aquatic ication criteria are not met).	c life GHS/CLP 4.1.3.5.5.3.
(3: Ter No <u>AS</u> Ac	erbutryne <u>owest observed effe</u> t available <u>SSESSMENT OF AC</u> quatic toxicity Acute aquatic toxicity:	QUATIC TO	XICITY: Cat.	Not classified as a hazardous produ	ment ct with acute toxicity to aquatic ication criteria are not met).	clife GHS/CLP
(3: Ter No AS Ac CL	erbutryne <u>owest observed effe</u> ot available <u>SSESSMENT OF AC</u> quatic toxicity Acute aquatic toxicity: ot classified Chronic aquatic toxici	ty:	XICITY: Cat.	Not classified as a hazardous produ based on available data, the classif	ment ct with acute toxicity to aquatic fication criteria are not met). <i>i</i> th long lasting effects. of classified components.	Clife GHS/CLP 4.1.3.5.5.3. GHS/CLP 4.1.3.5.5.4.
(3: Ter No AS AC L	erbutryne <u>owest observed effe</u> ot available <u>SESSMENT OF AC</u> quatic toxicity Acute aquatic toxicity: ot classified Chronic aquatic toxici _P 4.1.3.5.5.3: Classifi _P 4.1.3.5.5.4: Classifi	ty:	XICITY: Cat.	Not classified as a hazardous produ based on available data, the classif HARMFUL: Harmful to aquatic life w cute hazards, based on summation	ment ct with acute toxicity to aquatic fication criteria are not met). <i>i</i> th long lasting effects. of classified components.	Clife GHS/CLP 4.1.3.5.5.3. GHS/CLP 4.1.3.5.5.4.
(3: Ter No AS AC CL CL CL 22	erbutryne <u>owest observed effe</u> ot available <u>SSESSMENT OF AC</u> quatic toxicity Acute aquatic toxicity: ot classified Chronic aquatic toxici	ty:	XICITY: Cat.	Not classified as a hazardous produ based on available data, the classif HARMFUL: Harmful to aquatic life w cute hazards, based on summation	ment ct with acute toxicity to aquatic fication criteria are not met). <i>i</i> th long lasting effects. of classified components.	Clife GHS/CLP 4.1.3.5.5.3. GHS/CLP 4.1.3.5.5.4.
(3: Tel No AS AC CL CL 12.2 PE - B No	erbutryne <u>owest observed effe</u> ot available <u>SSESSMENT OF AC</u> quatic toxicity Acute aquatic toxicity: ot classified Chronic aquatic toxici _P 4.1.3.5.5.3: Classifi _P 4.1.3.5.5.4: Classifi <u>ERSISTENCE AND</u> <u>Biodegradability:</u> ot available.	ty:	XICITY: Cat.	Not classified as a hazardous produ based on available data, the classif HARMFUL: Harmful to aquatic life w cute hazards, based on summation hronic (long term) hazards, based o	ment ict with acute toxicity to aquatic ication criteria are not met). /ith long lasting effects. of classified components. n summation of classified com	c life GHS/CLP 4.1.3.5.5.3. GHS/CLP 4.1.3.5.5.4.
(3: Tel No AS AC CL CL 12.2 PE - B No Ae	erbutryne <u>owest observed effe</u> ot available <u>SESSMENT OF AC</u> quatic toxicity Acute aquatic toxicity: ot classified Chronic aquatic toxici _P 4.1.3.5.5.3: Classifi _P 4.1.3.5.5.4: Classifi <u>ERSISTENCE AND</u> Biodegradability:	ty: cation of a m cation of a m DEGRADA	XICITY: Cat.	Not classified as a hazardous produ based on available data, the classif HARMFUL: Harmful to aquatic life w cute hazards, based on summation	ment ct with acute toxicity to aquatic fication criteria are not met). <i>i</i> th long lasting effects. of classified components.	Clife GHS/CLP 4.1.3.5.5.3. GHS/CLP 4.1.3.5.5.4.

Versio	n: 3 Revision: 09/05/2023	Previous revisio	n: 20/04/2023	Date of printing: 09/05/202					
	Reaction mass of 5-chloro-2-methyl-2H-		55	Not eas					
	isothiazolin-3-one [EC 247-500-7] and 2-		55	NULEAS					
	methyl-2H-isothiazol-3-one [EC 220-239-6]								
	(3:1)								
	Isoproturon	3490	30	Not eas					
	Terbutryne		50	Not eas					
	1,2-benzisothiazol-3(2H)-one			Not eas					
	Note: Biodegradability data correspond to an avera	age of data from various bibliogra	aphic sources.						
	- Hydrolysis:								
	Not available.								
	- Photodegradability:								
	Not available.								
12.3	BIOACCUMULATIVE POTENTIAL:								
	Not available.	<u> </u>							
	Bioaccumulation	logPow	BCF L/kg	Potenti					
	for individual ingredients		°						
	3-iodo-2-propynyl butylcarbamate	2.81	26 (calculated)	Unlikely, lo					
	Reaction mass of 5-chloro-2-methyl-2H-	0.75	3.2 (calculated)	Unlikely, lo					
	isothiazolin-3-one [EC 247-500-7] and 2-								
	methyl-2H-isothiazol-3-one [EC 220-239-6]								
	(3:1)								
		2.87	36.4 (calculated)	Lo					
	Terbutryne	3.74	72.4 (calculated)	Lo					
	1,2-benzisothiazol-3(2H)-one	0.64	3.2 (calculated)	Unlikely, lo					
12.4	MOBILITY IN SOIL:								
	Not available								
ľ	Mobility	log Poc	Constant of Henry	Potent					
	for individual ingredients		Pa⋅m3/mol 20ºC						
	3-iodo-2-propynyl butylcarbamate	2,5		Unlikely, lo					
	Reaction mass of 5-chloro-2-methyl-2H-	0,45		Unlikely, lo					
	isothiazolin-3-one [EC 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC 220-239-6]								
	(3:1)								
	Isoproturon	1,8		Lo					
	Terbutryne	2,8		Lo					
	1,2-benzisothiazol-3(2H)-one	1,05							
10.5	1,2-benzisothiazol-3(2H)-one       1,05       Unlikely, I         RESULTS OF PBT AND VPVB ASSESMENT: (Annex XIII of Regulation (EC) no. 1907/2006:)       1007/2006:)								
12.5			<u>5) 110. 1907/2000.j</u>						
12.6	Does not contain substances that fulfil the PBT/vPvB criteria.								
12.0	This product does not contain substances with end	locrine disrupting properties ider	ntified or under evaluation						
12.7	OTHER ADVERSE EFFECTS:								
	- Ozone depletion potential:								
	Not available.								
	- Photochemical ozone creation potential:								
	Not available.								
	- Earth global warming potential:								
	Not available.								
ECTIO	N 13: DISPOSAL CONSIDERATIONS								
13.1	WASTE TREATMENT METHODS: Directive 2008/98/EC~Regulation (EU) no. 1357/2014:								
	Take all necessary measures to prevent the production of waste whenever possible. Analyse possible methods for revaluation or recycling. Do not discharge into drains or the environment, dispose at an authorised waste collection point. Waste should be handled and disposed in								
	accordance with current local and national regulations. For exposure controls and personal protection measures, see section 8.								
	Disposal of empty containers:Directive 94/62/EC~2015/720/EU, Decision 2000/532/EC~2014/955/EU:								
	Emptied containers and packaging should be disposed in accordance with currently local and national regulations. The								
		packaging as hazardous waste will depend on the degree of empting of the same, being the holder of the residue responsi							
	packaging as hazardous waste will depend on the	degree of empting of the same,							
	packaging as hazardous waste will depend on the classification, in accordance with Chapter 15 01 of	degree of empting of the same, Decision 2000/532/EC, and for	varding to the appropriate fina						
	packaging as hazardous waste will depend on the	degree of empting of the same, Decision 2000/532/EC, and forver same measures as for the prod	varding to the appropriate fina						

		REVESTIMIENTO ACRILICA	PURA 100% COLORES		
/ersior	n: 3	Revision: 09/05/2023	Previous revision: 20/04/2023	Date of printing: 09/05/202	
	N 14: TRANSPO	RT INFORMATION			
14.1	UN NUMBER	OR ID NUMBER:			
	Not applicable				
14.2		SHIPPING NAME:			
14.3	Not applicable	HAZARD CLASS(ES):			
14.5		road (ADR 2021) and			
		<u>rail (RID 2021):</u>			
	No reglamente				
	No reglamente	<u>sea (IMDG 39-18):</u> .a			
		air (ICAO/IATA 2021):			
	No reglamente				
		<u>inland waterways (ADN):</u>			
	No reglamente				
14.4	PACKING GF No reglamente				
14.5	-	NTAL HAZARDS:			
11.0	Not applicable				
14.6		ECAUTIONS FOR USER:			
	Ensure that persons transporting the product know what to do in case of accident or spill. Always transport in closed containers that are upright and secure.				
14.7		RANSPORT IN BULK ACCORDING	TO IMO INSTRUMENTS:		
14.7	Not applicable				
ECTION		ORY INFORMATION			
15.1	SAFETY, HE	ALTH AND ENVIRONMENTAL REG	ULATIONS/LEGISLATION SPECIFIC FOR TH	IE SUBSTANCE OR MIXTUR	
	Child safety p Not applicable	(the classification criteria are not met). protection: (the classification criteria are not met).			
	Contains VOC substrate, wate <u>OTHER REG</u> Not available. <u>Control of the</u> See section 7. <u>Other local le</u> The receiver s	er-borne. is VOC max. 40 g/l (2010) <u>ULATIONS:</u> e risks inherent in major accidents (Se 2 gislations: hould verify the possible existence of loc	se - The limit value 2004/42/EC-IIA cat. c) Coating t eveso III): cal regulations applicable to the chemical.	for exterior walls of mineral	
15.2	Contains VOC substrate, wate <u>OTHER REG</u> Not available. <u>Control of the</u> See section 7. <u>Other local le</u> The receiver s <u>CHEMICAL S</u>	max. 0,2 g/l* for the product ready for u er-borne. is VOC max. 40 g/l (2010) <u>ULATIONS:</u> e risks inherent in major accidents (Se 2 gislations:	eveso III): al regulations applicable to the chemical.	for exterior walls of mineral	

In accordance with Regulation (EC)	No. 1907/2006 and Regulation (E	U) No. 2020/878	(Language:EN)				
IRIS INCLUSION	REVESTIMIENTO ACRILICA	PURA 100% COLORES					
Version: 3 Revis	sion: 09/05/2023	Previous revision: 20/04/2023	Date of printing: 09/05/2023				
SECTION 16 : OTHER INFORMAT	ΓΙΟΝ						
16.1 TEXT OF THE PHRAS	SES AND NOTES REFEREN	ICED IN SECTIONS 2 AND/OR 3:					
Hazard statements ac	cording the Regulation (EU)	<u>No. 1272/2008~2021/849 (CLP), Anne</u>	ex III:				
H315 Causes skin irritat if inhaled. H400 Very tox lasting effects. EUH071	H301 Toxic if swallowed. H302 Harmful if swallowed. H310 Fatal in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H330 Fatal if inhaled. H331 Toxic if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. EUH071 Corrosive to the respiratory tract. H351 Suspected of causing cancer. H372 Causes damage to organs through prolonged or repeated exposure if inhaled. H373 May cause damage to liver and blood through prolonged or repeated exposure if						
Notes related to the id	entification, classification and	d labelling of the substances or mixture	es:				
these solutions require of have a general designat solution on the label. Un <u>EVALUATION OF TH</u>	te B : Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, se solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B re a general designation of the following type: 'nitric acid %'. In this case the supplier must state the percentage concentration of the ution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis. <u>ALUATION OF THE INFORMATION ON THE DANGER OF MIXTURES:</u> e sections 9.1, 11.1 and 12.1.						
ADVICES ON ANY TF	RAINING APPROPRIATE FO	R WORKERS:					
provide understanding a	It is recommended for all staff that will handle this product to carry out a basic training in occupational risk and prevention, in order to provide understanding and interpretation of Safety Data Sheets and labelling of products as well.						
	REFERENCES AND SOURC						
Access to European U	<ul> <li>European Chemicals Agency: ECHA, http://echa.europa.eu/</li> <li>Access to European Union Law, http://eur-lex.europa.eu/</li> <li>Threshold Limit Values, (AGCIH, 2021).</li> </ul>						
· European agreement c	European agreement on the international carriage of dangerous goods by road, (ADR 2021). International Maritime Dangerous Goods Code IMDG including Amendment 39-18 (IMO, 2018).						
ABBREVIATIONS AN List of abbreviations and	ABBREVIATIONS AND ACRONYMS:						
<ul> <li>GHS: Globally Harmon</li> <li>CLP: European regular</li> <li>EINECS: European Inv</li> <li>ELINCS: European Lis</li> <li>CAS: Chemical Abstraat</li> <li>UVCB: Substances of 1</li> <li>SVHC: Substances of 1</li> <li>PBT: Persistent, bioact</li> <li>vPVB: Very persistent at</li> <li>vOCC: Volatile Organic</li> <li>DNEL: Derived No-Effett</li> <li>PNEC: Predicted No-Effett</li> <li>PNEC: Predicted No-Effett</li> <li>LC50: Lethal concentrations</li> <li>LD50: Lethal dose, 50</li> <li>UN: United Nations Organic</li> <li>ADR: European agreer</li> <li>RID: Regulations concomplete</li> <li>IATA: International Air</li> <li>ICAO: International Air</li> <li>ICAO: International Cives</li> <li>Safety Data Sheet in act</li> <li>HISTORIC:</li> <li>Version: 1</li> <li>Version: 2</li> <li>Version: 3</li> <li>Changes since previou</li> <li>Legislative, contextual, r</li> </ul>	Version: 1         23/11/2020           Version: 2         20/04/2023						
identified by #.	Chaot is beard on the same	ototo of knowledge and an assess U	d notional laws, as the users " we down				
conditionsare beyond our knowled handling instruction. It is always the	ge and control. The product is r e responsibility of the user to ta safety Data Sheet is meant as a	state of knowledge and on current UE an ot to be used for other purposes than thos ke all necessary steps in order to fulfil the description of the safety requirements of	se specified, without first obtaining written demand laid down in the local rules and				