		ÈC) No. 1907/2006 and Regulation (EU		(Language:
		GESSO BLANCO		
	COLOR	Code : 00049		
	**Dinturasities00			
ersior	n: 4 I	Revision: 25/04/2023	Previous revision: 20/09/2022	Date of printing: 25/04/20
), a safety data sheet (SDS) must be provided for	
		ot meet the classification criteria of Re requirements regarding the content of	egulation (EC) No. 1272/2008 (CLP). Therefore, th	is document is outside the scope
			AND OF THE COMPANY/UNDERTAKING	
.1	PRODUCT IDEN GESSO BLANCO	IIFIER.		
	Code : 00049			
.2		TIFIED USES OF THE SUBSTAN	ICE OR MIXTURE AND USES ADVISED AG	AINST:
	Intended uses (m	ain technical functions): [] In	dustrial [X] Professional [X] Consumers	
	Liquid paint.			
	Sectors of use:			
	Consumer uses (SI Uses advised aga			
			ct can be used in ways other than the identified us	ses, but all uses have to be
	consistent with the	safety guidelines provided.	-	
		anufacture, placing on market and	luse, according to Annex XVII of Regulation (<u>EC) No. 1907/2006:</u>
	Not restricted.			
3		E SUPPLIER OF THE SAFETY DA	ATA SHEET:	
	PINTURAS IRIS CO Avda III Naves 14-		02630 LA RODA (Albacete) ESPAÑA	
		34) 967 114272 - Fax: (+34) 967 4406		
		of the person responsible for the S		
		pinturasiriscolor.com		
.4		ELEPHONE NUMBER:		
	,	9:00-14:00 / 16:00-19:00 h		
	1 2 : HAZARDS IDEN			
1		<u>N OF THE SUBSTANCE OR MIXT</u>		
	This product is not	classified as dangerous, in accordance	ce with Regulation (EU) No. 1272/2008~2021/849	(CLP).
	under ordinary con		according to the Regulation (EC) no. 2020/878.V ochemical, health safety or environmental hazard st.	
.2	LABEL ELEMEN	<u>TS:</u>		
			e with Regulation (EU) No. 1272/2008~2021/849 (CLP).
	- Hazard stateme	<u>nts:</u>		
	None. <u> - Precautionary st</u>	tatements:		
	- Treodutionary St			
	P102			
	P102 <u>- Supplementary s</u>	Keep out of reach of children.		
	-	Keep out of reach of children. statements: Contains 1,2-benzisothiazol-3(2	H)-one, Reaction mass of 5-chloro-2-methyl-2H-is	L
	- Supplementary s EUH208	Keep out of reach of children. statements: Contains 1,2-benzisothiazol-3(2 and 2-methyl-2H-isothiazol-3-on	H)-one, Reaction mass of 5-chloro-2-methyl-2H-is ne [EC 220-239-6] (3:1). May produce an allergic r	L
	- Supplementary s EUH208 - Substances that	Keep out of reach of children. <u>statements:</u> Contains 1,2-benzisothiazol-3(2l and 2-methyl-2H-isothiazol-3-on <u>t contribute to classification:</u>	ne [EC 220-239-6] (3:1). May produce an allergic r	L
3	- Supplementary s EUH208 - Substances that None in a percenta	Keep out of reach of children. <u>statements:</u> Contains 1,2-benzisothiazol-3(2l and 2-methyl-2H-isothiazol-3-on <u>t contribute to classification:</u> ige equal to or higher than the limit for	ne [EC 220-239-6] (3:1). May produce an allergic r	L
3	- Supplementary s EUH208 - Substances that None in a percenta OTHER HAZARD	Keep out of reach of children. <u>statements:</u> Contains 1,2-benzisothiazol-3(2l and 2-methyl-2H-isothiazol-3-on <u>t contribute to classification:</u> ige equal to or higher than the limit for <u>SS:</u>	ne [EC 220-239-6] (3:1). May produce an allergic r	eaction.
3	- Supplementary s EUH208 - Substances that None in a percenta OTHER HAZARD	Keep out of reach of children. <u>statements:</u> Contains 1,2-benzisothiazol-3(2) and 2-methyl-2H-isothiazol-3-on <u>t contribute to classification:</u> age equal to or higher than the limit for <u>OS:</u> not result in classification but which m	ne [EC 220-239-6] (3:1). May produce an allergic r r the name.	eaction.
3	- Supplementary s EUH208 - Substances that None in a percenta OTHER HAZARD Hazards which do r - Other physicoch No other relevant a	Keep out of reach of children. statements: Contains 1,2-benzisothiazol-3(2l and 2-methyl-2H-isothiazol-3-on t contribute to classification: loge equal to or higher than the limit for DS: not result in classification but which m hemical hazards: adverse effects are known.	ne [EC 220-239-6] (3:1). May produce an allergic r r the name.	eaction.
3	- Supplementary s EUH208 - Substances that None in a percenta OTHER HAZARD Hazards which do r - Other physicoch No other relevant a - Other adverse h	Keep out of reach of children. statements: Contains 1,2-benzisothiazol-3(2l and 2-methyl-2H-isothiazol-3-on t contribute to classification: age equal to or higher than the limit for OS: not result in classification but which m <u>nemical hazards:</u> adverse effects are known. <u>human health effects:</u>	ne [EC 220-239-6] (3:1). May produce an allergic r r the name. hay contribute to the overall hazards of the mixture	reaction.
3	- Supplementary s EUH208 - Substances that None in a percenta OTHER HAZARD Hazards which do r - Other physicoch No other relevant a - Other adverse h Prolonged exposure	Keep out of reach of children. statements: Contains 1,2-benzisothiazol-3(2l and 2-methyl-2H-isothiazol-3-on t contribute to classification: loge equal to or higher than the limit for DS: not result in classification but which m <u>hemical hazards:</u> adverse effects are known. <u>human health effects:</u> re to vapours may produce transient d	ne [EC 220-239-6] (3:1). May produce an allergic r r the name.	reaction.
3	- Supplementary s EUH208 - Substances that None in a percenta OTHER HAZARD Hazards which do r - Other physicoch No other relevant a - Other adverse h Prolonged exposur - Other negative e	Keep out of reach of children. <u>statements:</u> Contains 1,2-benzisothiazol-3(2l and 2-methyl-2H-isothiazol-3-on <u>t contribute to classification:</u> uge equal to or higher than the limit for <u>DS:</u> not result in classification but which m <u>nemical hazards:</u> adverse effects are known. <u>numan health effects:</u> re to vapours may produce transient d <u>environmental effects:</u>	ne [EC 220-239-6] (3:1). May produce an allergic r r the name. hay contribute to the overall hazards of the mixture lrowsiness. Prolonged contact may cause skin dry	reaction.
3	- Supplementary s EUH208 - Substances that None in a percenta OTHER HAZARD Hazards which do r - Other physicoch No other relevant a - Other adverse h Prolonged exposur - Other negative e	Keep out of reach of children. <u>statements:</u> Contains 1,2-benzisothiazol-3(2) and 2-methyl-2H-isothiazol-3-on <u>t contribute to classification:</u> uge equal to or higher than the limit for <u>DS:</u> not result in classification but which m <u>nemical hazards:</u> adverse effects are known. <u>numan health effects:</u> re to vapours may produce transient d <u>environmental effects:</u> ubstances that fulfil the PBT/vPvB crit	ne [EC 220-239-6] (3:1). May produce an allergic r r the name. hay contribute to the overall hazards of the mixture lrowsiness. Prolonged contact may cause skin dry	reaction.
2.3	- Supplementary s EUH208 - Substances that None in a percenta OTHER HAZARD Hazards which do r - Other physicoch No other relevant a - Other adverse h	Keep out of reach of children. statements: Contains 1,2-benzisothiazol-3(2l and 2-methyl-2H-isothiazol-3-on t contribute to classification: age equal to or higher than the limit for OS: not result in classification but which m <u>nemical hazards:</u> adverse effects are known. <u>human health effects:</u>	ne [EC 220-239-6] (3:1). May produce an allergic r r the name. hay contribute to the overall hazards of the mixture	reaction.

	***** plinturasific aller	Code : 00049		
ersior	n: 4 R	evision: 25/04/2023	Previous revision: 20/09/2022	Date of printing: 25/04/20
CTION		NFORMATION ON INGREDIENTS		
.1	SUBSTANCES:			
.2	Not applicable (mixtu	Jre).		
.2	This product is a mix	tture.		
	Chemical description			
	Mixture of pigments, HAZARDOUS ING	extenders, resins and additives in ad	queous media.	
		art in a percentage higher than the e	xemption limit:	
	C < 0,01 %	1,2-benzisothiazol-3(2H)-one	· ·	CLP00 Skin Sens. 1, H3 C ≥0.05
		CAS: 2634-33-5, EC: 220-120-9	1302 (ATE=567 mg/kg) Skin Irrit. 2:H31	
		Eye Dam. 1:H318 Skin Sens. 1:H	1317 Aquatic Acute 1:H400	
	C < 0,0015 %		yl-2H-isothiazolin-3-one [EC 247-500-7]	ATP13 Skin Corr. 1C, H31 C ≥0,6
		and 2-methyl-2H-isothiazol-3-one CAS: 55965-84-9, EC: 611-341-5	[EC 220-239-6] (3:1)	Skin Irrit. 2, H3
		CLP: Danger: Acute Tox. (inh.) 2:H	1330 Acute Tox. (skin) 2:H310 Acute T	
			l Eye Dam. 1:H318 Aquatic Acute 1:H410 (M=100) EUH071 Skin Sens.	C ≥0,6 Eye Irrit. 2, H3
		1A:H317 (Note B)		0,06 % ≤ C < 0,6 Skin Sens. 1A, H3
	les e vitis e v			C ≥0,0015
	Impurities: Does not contain oth	er components or impurities which w	ill influence the classification of the prod	luct.
	Stabilizers:			
	None.			
	Reference to other	<u>sections:</u> , see sections 8, 11, 12 and 16.		
		VERY HIGH CONCERN (SVHC)):	
	List updated by ECH	IA on 17/01/2023.		
		subject to authorisation, included	in Annex XIV of Regulation (EC) no.	<u>1907/2006:</u>
	None. Substances SVHC	candidate to be included in Anne	x XIV of Regulation (EC) no. 1907/20	006.
	None.		······································	
		ACCUMULABLE AND TOXIC PB	T, OR VERY PERSISTENT AND VE	RY BIOACCUMULABLE VPVB
	SUBSTANCES: Does not contain sul	bstances that fulfil the PBT/vPvB crite	eria	
CTION	N 4: FIRST AID MEAS			
.1	DESCRIPTION OF	FIRST AID MEASURES:		
	Symptoms m seek medica	nay occur after exposure, so that in ca I attention.Never give anything by mo	ase of direct exposure to the product, who to an unconscious person.	nen in doubt, or when symptoms persist,
	Route of exposure	Symptoms and effects, acu	ite and delayed Description of	first-aid measures
	Inhalation:	It is not expected that symp		be any symptoms, transfer the person
	Skin:	normal conditions of use. Prolonged contact may cau	affected to the	open air. Aminated clothing.Wash thoroughly the
	OKIT.	i tolonged contact may cat	affected area	with plenty of cold or lukewarm water and or use a suitable skin cleanser.
	Eyes:	Contact with the eyes prod	-	act lenses.Rinse eyes copiously by
		- 5 1	irrigation with	plenty of clean, fresh water, holding the
	Ingestion:	If swallowed in high doses,		f irritation persists, consult a physician. e vomiting, due to the risk of
		gastrointestinal disturbance		ep the patient at rest.
		IT SYMPTOMS AND EFFECTS, E		
.2		and effects are indicated in sections	4.1 and 11.1 NTION AND SPECIAL TREATMENT	
	Notes to physician		INTION AND SPECIAL IREATMENT	INCEDED.
.2		-	and the clinical condition of the patient	
		currected at the control of symptoms		
	Treatment should be Antidotes and cont	raindications:		
	Treatment should be	raindications:		
	Treatment should be Antidotes and cont	raindications:		

		GESSO BLANCO		
	Same Dinturastriction	Code : 00049		
Versio	n: 4 Revis	sion: 25/04/2023	Previous revision: 20/09/2022	Date of printing: 25/04/2023
SECTIO	N 5: FIREFIGHTING MEA	SURES		
5.1	EXTINGUISHING ME	DIA: <u>)</u>		
		oundings, all extinguishing age		
5.2		ARISING FROM THE SUBS		manavida. Carbon diavida
			ion, hazardous products may be produced: carbon s, hydrochloric acid.Exposure to combustion or dec	
5.3	ADVICE FOR FIREFIC	<u>GHTERS:</u>		
	protective glasses or fac	e of fire, heat-proof protective of masks and boots.If the fire-p m a safe distance.The standard	clothing may be required, appropriate independent roof protective equipment is not available or is not I EN469 provides a basic level of protection for ch	being used, combat fire from a
		s, cisterns or containers close drains, sewers or water course	to sources of heat or fire.Bear in mind the directior s.	n of the wind.Do not allow fire-
SECTIO	N 6: ACCIDENTAL RELEA	ASE MEASURES		
6.1			IPMENT AND EMERGENCY PROCEDURES	
			apours.Keep people without protection in opposition	on to the wind direction.
6.2		drains, surface or subterranean	water and soil.In the case of large scale spills or v ities in accordance with local regulations.	when the product contaminates
6.3		ERIAL FOR CONTAINMEN		
	Contain and mop up spill closed container.	lls with absorbent materials (sa	wdust, earth, sand, vermiculite, diatomaceous ear	th, etc). Keep the remains in a
6.4	REFERENCE TO OTH	HER SECTIONS:		
	For information on safe For exposure controls a	in case of emergency, see sect handling, see section 7. nd personal protection measure w the recommendations in sec	es, see section 8.	
)RAGE		
SECTIO	N 7: HANDLING AND STO	NAOL		
SECTIOI 7.1	PRECAUTIONS FOR	SAFE HANDLING:		
	PRECAUTIONS FOR Comply with the existing	SAFE HANDLING: glegislation on health and safet	ty at work.	
	PRECAUTIONS FOR Comply with the existing - General recommend	SAFE HANDLING: Jegislation on health and safet ations:	-	
	PRECAUTIONS FOR Comply with the existing - General recommend Avoid any type of leakag	SAFE HANDLING: J legislation on health and safe ations: ge or escape.Keep the containe	er tightly closed.	
	PRECAUTIONS FOR Comply with the existing - General recommend Avoid any type of leakag - Recommendations for The product is not liable	SAFE HANDLING: J legislation on health and safe <u>ations:</u> ge or escape.Keep the contained or the prevention of fire and of to ignite, deflagrate or exploded is, so it is not included in the sc	er tightly closed.	
	PRECAUTIONS FOR Comply with the existing - General recommend Avoid any type of leakag - Recommendations for The product is not liable environment in which it if for use in potentially exp - Recommendations for Do not eat, drink or smo	SAFE HANDLING: g legislation on health and safet ations: ge or escape.Keep the containe or the prevention of fire and of to ignite, deflagrate or explode is, so it is not included in the sc plosive atmospheres. or the prevention of toxicolog ke while handling.After handlin	er tightly closed. explosion risks: e, and does not sustain the combustion reaction by ope of Directive 2014/34/EU concerning equipmer	nt and protective systems intended
	PRECAUTIONS FOR Comply with the existing - General recommend Avoid any type of leakag - Recommendations for The product is not liable environment in which it if for use in potentially exp - Recommendations for Do not eat, drink or smo measures, see section 8	SAFE HANDLING: g legislation on health and safet ations: ge or escape.Keep the containe or the prevention of fire and of to ignite, deflagrate or explode is, so it is not included in the sc plosive atmospheres. or the prevention of toxicolog ke while handling.After handlin	er tightly closed. explosion risks: e, and does not sustain the combustion reaction by ope of Directive 2014/34/EU concerning equipmer <u>gical risks:</u> g, wash hands with soap and water. For exposure	nt and protective systems intended
	PRECAUTIONS FOR Comply with the existing - General recommend Avoid any type of leakag - Recommendations for The product is not liable environment in which it i for use in potentially exp - Recommendations for Do not eat, drink or smo measures, see section 8 - Recommendations for It is not considered a da	SAFE HANDLING: a legislation on health and safet ations: ge or escape.Keep the containe or the prevention of fire and of to ignite, deflagrate or explode is, so it is not included in the sc olosive atmospheres. or the prevention of toxicolog ke while handling.After handling a pr the prevention of environm nger to the environment. In the	er tightly closed. explosion risks: e, and does not sustain the combustion reaction by ope of Directive 2014/34/EU concerning equipmer <u>gical risks:</u> g, wash hands with soap and water. For exposure <u>nental contamination:</u> case of accidental spillage, follow the instructions	nt and protective systems intended controls and personal protection
	PRECAUTIONS FOR Comply with the existing - General recommend Avoid any type of leakag - Recommendations for The product is not liable environment in which it i for use in potentially exp - Recommendations for Do not eat, drink or smo measures, see section 8 - Recommendations for It is not considered a da CONDITIONS FOR So	SAFE HANDLING: a legislation on health and safet ations: ge or escape.Keep the containe or the prevention of fire and of to ignite, deflagrate or explode is, so it is not included in the sc plosive atmospheres. or the prevention of toxicolog ke while handling.After handling. or the prevention of environn nger to the environment. In the AFE STORAGE, INCLUDING	er tightly closed. explosion risks: e, and does not sustain the combustion reaction by ope of Directive 2014/34/EU concerning equipmer <u>gical risks:</u> g, wash hands with soap and water. For exposure <u>nental contamination:</u> case of accidental spillage, follow the instructions <u>G ANY INCOMPATIBILITIES:</u>	nt and protective systems intended controls and personal protection indicated in section 6.
7.1	PRECAUTIONS FOR Comply with the existing - General recommend Avoid any type of leakag - Recommendations for The product is not liable environment in which it i for use in potentially exp - Recommendations for Do not eat, drink or smo measures, see section 8 - Recommendations for It is not considered a da CONDITIONS FOR SA Forbid the entry to unau with sunlight. In order to information, see section	SAFE HANDLING: glegislation on health and safet ations: ge or escape.Keep the containe or the prevention of fire and of to ignite, deflagrate or explode is, so it is not included in the sc olosive atmospheres. or the prevention of toxicolog ke while handling.After handling or the prevention of environning nger to the environment. In the AFE STORAGE, INCLUDING thorized persons. Keep out of r avoid leakages, the containers	er tightly closed. explosion risks: e, and does not sustain the combustion reaction by ope of Directive 2014/34/EU concerning equipmer <u>gical risks:</u> g, wash hands with soap and water. For exposure <u>nental contamination:</u> case of accidental spillage, follow the instructions	nt and protective systems intended controls and personal protection indicated in section 6.
7.1	PRECAUTIONS FOR Comply with the existing - General recommend Avoid any type of leakag - Recommendations for The product is not liable environment in which it i for use in potentially exp - Recommendations for Do not eat, drink or smo measures, see section 8 - Recommendations for It is not considered a da CONDITIONS FOR S/ Forbid the entry to unau with sunlight. In order to information, see section - Class of store:	SAFE HANDLING: glegislation on health and safet ations: ge or escape.Keep the containe or the prevention of fire and of to ignite, deflagrate or explode is, so it is not included in the sc plosive atmospheres. or the prevention of toxicolog ke while handling.After handling. or the prevention of environninger to the environment. In the AFE STORAGE, INCLUDING thorized persons. Keep out of r avoid leakages, the containers 10.	er tightly closed. explosion risks: e, and does not sustain the combustion reaction by ope of Directive 2014/34/EU concerning equipmer <u>gical risks:</u> g, wash hands with soap and water. For exposure <u>nental contamination:</u> case of accidental spillage, follow the instructions <u>G ANY INCOMPATIBILITIES:</u> reach of children. Keep away from sources of heat	nt and protective systems intended controls and personal protection indicated in section 6.
7.1	PRECAUTIONS FOR Comply with the existing - General recommend Avoid any type of leakag - Recommendations for The product is not liable environment in which it i for use in potentially exp - Recommendations for Do not eat, drink or smo measures, see section 8 - Recommendations for It is not considered a da CONDITIONS FOR 50 Forbid the entry to unau with sunlight. In order to information, see section - Class of store: According to current legi	SAFE HANDLING: g legislation on health and safel ations: ge or escape.Keep the contained or the prevention of fire and of to ignite, deflagrate or exploded is, so it is not included in the sc plosive atmospheres. Or the prevention of toxicolog ke while handling.After handling cr the prevention of environminger to the environment. In the AFE STORAGE, INCLUDING thorized persons. Keep out of r avoid leakages, the containers 10.	er tightly closed. explosion risks: e, and does not sustain the combustion reaction by ope of Directive 2014/34/EU concerning equipmer <u>gical risks:</u> g, wash hands with soap and water. For exposure <u>nental contamination:</u> case of accidental spillage, follow the instructions <u>G ANY INCOMPATIBILITIES:</u> reach of children. Keep away from sources of heat	nt and protective systems intended controls and personal protection indicated in section 6.
7.1	PRECAUTIONS FOR Comply with the existing - General recommend Avoid any type of leakag - Recommendations for The product is not liable environment in which it i for use in potentially exp - Recommendations for Do not eat, drink or smo measures, see section 8 - Recommendations for It is not considered a da CONDITIONS FOR S/ Forbid the entry to unau with sunlight. In order to information, see section - Class of store:	SAFE HANDLING: g legislation on health and safel ations: ge or escape.Keep the contained or the prevention of fire and of to ignite, deflagrate or exploded is, so it is not included in the sc plosive atmospheres. Or the prevention of toxicolog ke while handling.After handling cr the prevention of environminger to the environment. In the AFE STORAGE, INCLUDING thorized persons. Keep out of r avoid leakages, the containers 10.	er tightly closed. explosion risks: e, and does not sustain the combustion reaction by ope of Directive 2014/34/EU concerning equipmer <u>gical risks:</u> g, wash hands with soap and water. For exposure <u>nental contamination:</u> case of accidental spillage, follow the instructions <u>G ANY INCOMPATIBILITIES:</u> reach of children. Keep away from sources of heat	nt and protective systems intended controls and personal protection indicated in section 6.
7.1	PRECAUTIONS FOR Comply with the existing - General recommend Avoid any type of leakag - Recommendations for The product is not liable environment in which it i for use in potentially exp - Recommendations for Do not eat, drink or smo measures, see section 8 - Recommendations for It is not considered a da CONDITIONS FOR S/ Forbid the entry to unau with sunlight. In order to information, see section - Class of store: According to current legi - Maximum storage per 24 Months. - Temperature interval	SAFE HANDLING: g legislation on health and safel ations: ge or escape.Keep the contained or the prevention of fire and of to ignite, deflagrate or exploded is, so it is not included in the sc plosive atmospheres. For the prevention of toxicolog ke while handling.After handling the prevention of environming or the prevention of environming approximation of the environment. In the AFE STORAGE, INCLUDING thorized persons. Keep out of r avoid leakages, the containers 10. islation. eriod:	er tightly closed. explosion risks: e, and does not sustain the combustion reaction by ope of Directive 2014/34/EU concerning equipmer <u>gical risks:</u> g, wash hands with soap and water. For exposure <u>nental contamination:</u> case of accidental spillage, follow the instructions <u>G ANY INCOMPATIBILITIES:</u> reach of children. Keep away from sources of heat	nt and protective systems intended controls and personal protection indicated in section 6.
7.1	PRECAUTIONS FOR Comply with the existing - General recommend Avoid any type of leakag - Recommendations for The product is not liable environment in which it if for use in potentially exp - Recommendations for Do not eat, drink or smo measures, see section 8 - Recommendations for It is not considered a da <u>CONDITIONS FOR So</u> Forbid the entry to unau with sunlight. In order to information, see section - Class of store: According to current legi - Maximum storage per 24 Months. - Temperature interval min:5 °C, max:40 °C (ref	SAFE HANDLING: g legislation on health and safel ations: ge or escape.Keep the containe or the prevention of fire and of to ignite, deflagrate or explode is, so it is not included in the sc plosive atmospheres. For the prevention of toxicolog ke while handling.After handling. The prevention of environm nger to the environment. In the AFE STORAGE, INCLUDING thorized persons. Keep out of r avoid leakages, the containers 10. islation. eriod:	er tightly closed. explosion risks: e, and does not sustain the combustion reaction by ope of Directive 2014/34/EU concerning equipmer <u>gical risks:</u> g, wash hands with soap and water. For exposure <u>nental contamination:</u> case of accidental spillage, follow the instructions <u>G ANY INCOMPATIBILITIES:</u> reach of children. Keep away from sources of heat	nt and protective systems intended controls and personal protection indicated in section 6.
7.1	PRECAUTIONS FOR Comply with the existing - General recommend Avoid any type of leakag - Recommendations for The product is not liable environment in which it if for use in potentially exp - Recommendations for Do not eat, drink or smo measures, see section 8 - Recommendations for It is not considered a da CONDITIONS FOR So Forbid the entry to unau with sunlight. In order to information, see section - Class of store: According to current legi - Maximum storage per 24 Months. - Temperature interval min:5 °C, max:40 °C (re- - Incompatible materia	SAFE HANDLING: g legislation on health and safet ations: ge or escape.Keep the containe or the prevention of fire and of to ignite, deflagrate or explode is, so it is not included in the sc plosive atmospheres. For the prevention of toxicolog ke while handling.After handling. The prevention of environminger to the environment. In the AFE STORAGE, INCLUDING thorized persons. Keep out of r avoid leakages, the containers 10. islation. eriod:	er tightly closed. explosion risks: e, and does not sustain the combustion reaction by ope of Directive 2014/34/EU concerning equipmer <u>gical risks:</u> g, wash hands with soap and water. For exposure <u>nental contamination:</u> case of accidental spillage, follow the instructions <u>G ANY INCOMPATIBILITIES:</u> reach of children. Keep away from sources of heat	nt and protective systems intended controls and personal protection indicated in section 6.
7.1	PRECAUTIONS FOR Comply with the existing - General recommend Avoid any type of leakag - Recommendations for The product is not liable environment in which it if for use in potentially exp - Recommendations for Do not eat, drink or smo measures, see section 8 - Recommendations for It is not considered a da CONDITIONS FOR S/ Forbid the entry to unau with sunlight. In order to information, see section - Class of store: According to current legi - Maximum storage per 24 Months. - Temperature interval min:5 °C, max:40 °C (re - Incompatible materia Keep away from oxidizin	SAFE HANDLING: g legislation on health and safet ations: ge or escape.Keep the containe or the prevention of fire and of to ignite, deflagrate or explode is, so it is not included in the sc plosive atmospheres. For the prevention of toxicolog ke while handling.After handling. The prevention of environminger to the environment. In the AFE STORAGE, INCLUDING thorized persons. Keep out of r avoid leakages, the containers 10. islation. eriod:	er tightly closed. explosion risks: e, and does not sustain the combustion reaction by ope of Directive 2014/34/EU concerning equipmer <u>gical risks:</u> g, wash hands with soap and water. For exposure <u>nental contamination:</u> case of accidental spillage, follow the instructions <u>G ANY INCOMPATIBILITIES:</u> reach of children. Keep away from sources of heat	nt and protective systems intended controls and personal protection indicated in section 6.
7.1	PRECAUTIONS FOR Comply with the existing - General recommend Avoid any type of leakag - Recommendations for The product is not liable environment in which it if for use in potentially exp - Recommendations for Do not eat, drink or smo measures, see section 8 - Recommendations for It is not considered a da CONDITIONS FOR So Forbid the entry to unau with sunlight. In order to information, see section - Class of store: According to current legi - Maximum storage per 24 Months. - Temperature interval min:5 °C, max:40 °C (re- - Incompatible materia	SAFE HANDLING: glegislation on health and safet ations: ge or escape.Keep the containe or the prevention of fire and of to ignite, deflagrate or explode is, so it is not included in the sc plosive atmospheres. Or the prevention of toxicolog ke while handling.After handling or the prevention of environn nger to the environment. In the AFE STORAGE, INCLUDING thorized persons. Keep out of r avoid leakages, the containers 10. islation. eriod:	er tightly closed. explosion risks: e, and does not sustain the combustion reaction by ope of Directive 2014/34/EU concerning equipmer <u>gical risks:</u> g, wash hands with soap and water. For exposure <u>nental contamination:</u> case of accidental spillage, follow the instructions <u>G ANY INCOMPATIBILITIES:</u> reach of children. Keep away from sources of heat	nt and protective systems intended controls and personal protection indicated in section 6.
7.1	PRECAUTIONS FOR Comply with the existing - General recommend Avoid any type of leakag - Recommendations for The product is not liable environment in which it if for use in potentially exp - Recommendations for Do not eat, drink or smo measures, see section 8 - Recommendations for It is not considered a da CONDITIONS FOR S/ Forbid the entry to unau with sunlight. In order to information, see section - Class of store: According to current legi - Maximum storage per 24 Months. - Temperature interval min:5 °C, max:40 °C (re - Incompatible materia Keep away from oxidizir - Type of packaging: According to current legi	SAFE HANDLING: glegislation on health and safet ations: ge or escape.Keep the containe or the prevention of fire and of to ignite, deflagrate or explode is, so it is not included in the sc plosive atmospheres. Or the prevention of toxicolog ke while handling.After handling or the prevention of environn nger to the environment. In the AFE STORAGE, INCLUDING thorized persons. Keep out of r avoid leakages, the containers 10. islation. eriod:	er tightly closed. explosion risks: e, and does not sustain the combustion reaction by ope of Directive 2014/34/EU concerning equipmer <u>gical risks:</u> g, wash hands with soap and water. For exposure <u>nental contamination:</u> case of accidental spillage, follow the instructions <u>G ANY INCOMPATIBILITIES:</u> reach of children. Keep away from sources of heat s, after use, should be closed carefully and placed	nt and protective systems intended controls and personal protection indicated in section 6.
7.1	PRECAUTIONS FOR Comply with the existing - General recommend Avoid any type of leakag - Recommendations for The product is not liable environment in which it i for use in potentially exp - Recommendations for Do not eat, drink or smo measures, see section 8 - Recommendations for It is not considered a da CONDITIONS FOR SA Forbid the entry to unau with sunlight. In order to information, see section - Class of store: According to current legi - Maximum storage per 24 Months. - Temperature interval min:5 °C, max:40 °C (re - Incompatible materia Keep away from oxidizir - Type of packaging: According to current legi - Limit quantity (Seves Not applicable (product state)	SAFE HANDLING: g legislation on health and safet ations: ge or escape.Keep the contained or the prevention of fire and of to ignite, deflagrate or exploded is, so it is not included in the sco- olosive atmospheres. or the prevention of toxicolog ke while handling.After handling. or the prevention of environned nger to the environment. In the AFE STORAGE, INCLUDING thorized persons. Keep out of r avoid leakages, the containers 10. islation. eriod: islation. so agents, acids, alkalis. islation. so III): Directive 2012/18/EU: for non industrial use).	er tightly closed. explosion risks: e, and does not sustain the combustion reaction by ope of Directive 2014/34/EU concerning equipmer <u>gical risks:</u> g, wash hands with soap and water. For exposure <u>nental contamination:</u> case of accidental spillage, follow the instructions <u>G ANY INCOMPATIBILITIES:</u> reach of children. Keep away from sources of heat s, after use, should be closed carefully and placed	nt and protective systems intended controls and personal protection indicated in section 6.
7.1	PRECAUTIONS FOR Comply with the existing - General recommend Avoid any type of leakag - Recommendations for The product is not liable environment in which it i for use in potentially exp - Recommendations for Do not eat, drink or smo measures, see section 8 - Recommendations for It is not considered a da CONDITIONS FOR S/ Forbid the entry to unau with sunlight. In order to information, see section - Class of store: According to current legi - Maximum storage per 24 Months. - Temperature interval min:5 °C, max:40 °C (re - Incompatible materia Keep away from oxidizir - Type of packaging: According to current legi - Limit quantity (Seves Not applicable (product 1)	SAFE HANDLING: glegislation on health and safet ations: ge or escape.Keep the contained or the prevention of fire and of to ignite, deflagrate or exploded is, so it is not included in the sco- olosive atmospheres. or the prevention of toxicolog ke while handling.After handling. or the prevention of environning nger to the environment. In the AFE STORAGE, INCLUDING thorized persons. Keep out of ri- avoid leakages, the containers 10. islation. eriod: islation. ag agents, acids, alkalis. islation. islatio	er tightly closed. explosion risks: e, and does not sustain the combustion reaction by ope of Directive 2014/34/EU concerning equipmer <u>gical risks:</u> g, wash hands with soap and water. For exposure <u>nental contamination:</u> case of accidental spillage, follow the instructions <u>G ANY INCOMPATIBILITIES:</u> reach of children. Keep away from sources of heat s, after use, should be closed carefully and placed	nt and protective systems intended controls and personal protection indicated in section 6. . If possible, avoid direct contact in a vertical position. For more
7.1	PRECAUTIONS FOR Comply with the existing - General recommend Avoid any type of leakag - Recommendations for The product is not liable environment in which it i for use in potentially exp - Recommendations for Do not eat, drink or smo measures, see section 8 - Recommendations for It is not considered a da CONDITIONS FOR S/ Forbid the entry to unau with sunlight. In order to information, see section - Class of store: According to current legi - Maximum storage per 24 Months. - Temperature interval min:5 °C, max:40 °C (re - Incompatible materia Keep away from oxidizir - Type of packaging: According to current legi - Limit quantity (Seves Not applicable (product 1)	SAFE HANDLING: glegislation on health and safet ations: ge or escape.Keep the contained or the prevention of fire and of to ignite, deflagrate or exploded is, so it is not included in the sco- olosive atmospheres. or the prevention of toxicolog ke while handling.After handling. or the prevention of environning nger to the environment. In the AFE STORAGE, INCLUDING thorized persons. Keep out of ri- avoid leakages, the containers 10. islation. eriod: islation. ag agents, acids, alkalis. islation. islatio	er tightly closed. explosion risks: e, and does not sustain the combustion reaction by ope of Directive 2014/34/EU concerning equipmer fical risks: g, wash hands with soap and water. For exposure mental contamination: rease of accidental spillage, follow the instructions G ANY INCOMPATIBILITIES: reach of children. Keep away from sources of heat s, after use, should be closed carefully and placed	nt and protective systems intended controls and personal protection indicated in section 6. . If possible, avoid direct contact in a vertical position. For more

	GESSO BLANCO Code : 00049						
ion: 4 R	Revision: 25/04/2023	Pr	evious revision	on: 20/09/2022		Date of pr	inting: 25/04/20
ION 8: EXPOSURE CON	NTROLS/PERSONAL PROTECT	ION					
CONTROL PARA	METERS:						
effectiveness of the made to EN689, EN exposure to chemic	s ingredients with exposure limits ventilation or other control measure l14042 and EN482 standard cond al and biological agents. Referen ngerous substances.	ures and/or the ne cerning methods f	ecessity to u or assesing	ise respiratory p the exposure b	rotective equip y inhalation to	oment. Refer chemical age	ence should ents, and
	L EXPOSURE LIMIT VALUES	(WEL)					
EH40/2005 WELs (I	United Yea	r WEL-TWA		WEL-STEL		Remarks	
Kingdom) 2018		ppm	mg/m3	ppm	mg/m3		
Titanium dioxide (as containing 1% or mo an aerodynamic dia	ore of particles with meter ≤ 10 μm)) -	3	-	-		Breathable d
1,2-benzisothiazol-3 Reaction mass of 5-			0,1 0,08	-	- 0,23		Recommend
-isothiazolin-3-one [EC 247-500-7] and		0,00	_	0,20		
2-methyl-2H-isothia	zol-3-one [EC 220-						
239-6] (3:1)							
VVEL - VVORKPIACE E	xposure Limit, TWA - Time Weigl	nted Average (8 h	ours), STEL		xposure Limit	(15 min).	
- BIOLOGICAL LIN	<u>MIT VALUES:</u>						
Not established	FECT LEVEL (DNEL):						
	vel (DNEL) is a level of exposure	that is considered	l safe, deriv	ed from toxicity	data accordin	g to specific (quidances
included in REACH.	DNEL values may differ from a c	occupational expo	sure limit (C	DEL) for the sam	ne chemical. O		ay come
recommended by a	particular company, a governmen	nt regulatory agen	sure limit (C cy or an orę	DEL) for the sam ganization of exp	ne chemical. O perts. Although	n considered	protective of
recommended by a health, the OEL valu	particular company, a governmen ues are derived by a process diffe	nt regulatory agen	sure limit (C cy or an org	DEL) for the sam ganization of exp	perts. Although	DNEL Oral	protective of
recommended by a health, the OEL valu	particular company, a governmen les are derived by a process diffe CT LEVEL, WORKERS:-	nt regulatory agen erent of REACH.	sure limit (C cy or an orç	ganization of exp	perts. Although	n considered	protective of
recommended by a health, the OEL valu - DERIVED NO-EFFE Systemic effects, acut Reaction mass of 5-ch one [EC 247-500-7] ar	particular company, a governmen les are derived by a process diffe CT LEVEL, WORKERS:-	nt regulatory agen erent of REACH.	sure limit (C cy or an org 	DNEL Cutaneous	perts. Although	DNEL Oral	protective of
recommended by a health, the OEL valu - DERIVED NO-EFFE Systemic effects, acut Reaction mass of 5-ch	particular company, a governmen ues are derived by a process diffe CT LEVEL, WORKERS:- e and chronic: Iloro-2-methyl-2H-isothiazolin-3- nd 2-methyl-2H-isothiazol-3-one	nt regulatory agen prent of REACH. DNEL Inhalation mg/m3	cy or an org	DNEL Cutaneous	perts. Although	DNEL Oral mg/kg bw/d	- (c)
recommended by a health, the OEL value - DERIVED NO-EFFE Systemic effects, acute Reaction mass of 5-ch one [EC 247-500-7] ar [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2 Titanium dioxide (as a	particular company, a governmen ues are derived by a process diffe CT LEVEL, WORKERS:- e and chronic: nloro-2-methyl-2H-isothiazolin-3- nd 2-methyl-2H-isothiazol-3-one H)-one powder containing 1% or more of	nt regulatory agen prent of REACH. DNEL Inhalation mg/m3 - (a)	cy or an org	DNEL Cutaneous mg/kg bw/d - (a)	- (c)	DNEL Oral mg/kg bw/d - (a)	- (c) - (c)
recommended by a health, the OEL value - DERIVED NO-EFFE Systemic effects, acute Reaction mass of 5-ch one [EC 247-500-7] ar [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2 Titanium dioxide (as a particles with an aeroo	particular company, a governmen ues are derived by a process diffe CT LEVEL, WORKERS:- e and chronic: lloro-2-methyl-2H-isothiazolin-3- nd 2-methyl-2H-isothiazol-3-one H)-one powder containing 1% or more of lynamic diameter ≤ 10 µm)	nt regulatory agen prent of REACH. DNEL Inhalation mg/m3 - (a) - (a) s/r (a)	cy or an org - (c) - (c)	DNEL Cutaneous mg/kg bw/d - (a) - (a) s/r (a)	- (c) - (c) s/r (c)	DNEL Oral mg/kg bw/d - (a) - (a) - (a)	- (c) - (c)
recommended by a health, the OEL value - DERIVED NO-EFFE Systemic effects, acute Reaction mass of 5-ch one [EC 247-500-7] ar [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2 Titanium dioxide (as a particles with an aeroco - DERIVED NO-EFFE	particular company, a government les are derived by a process diffe CT LEVEL, WORKERS:- e and chronic: loro-2-methyl-2H-isothiazolin-3- nd 2-methyl-2H-isothiazol-3-one H)-one powder containing 1% or more of dynamic diameter ≤ 10 µm) CT LEVEL, WORKERS:- Local	nt regulatory agen erent of REACH. DNEL Inhalation mg/m3 - (a) - (a)	cy or an org - (c) - (c)	DNEL Cutaneous mg/kg bw/d - (a) - (a)	- (c) - (c) s/r (c)	DNEL Oral mg/kg bw/d - (a) - (a)	- (c) - (c)
recommended by a health, the OEL value - DERIVED NO-EFFE Systemic effects, acute Reaction mass of 5-ch one [EC 247-500-7] ar [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2 Titanium dioxide (as a particles with an aeroco - DERIVED NO-EFFE effects, acute and chro	particular company, a government les are derived by a process diffe CT LEVEL, WORKERS:- e and chronic: Noro-2-methyl-2H-isothiazolin-3- and 2-methyl-2H-isothiazol-3-one H)-one powder containing 1% or more of dynamic diameter ≤ 10 µm) CT LEVEL, WORKERS:- Local ponic:	nt regulatory agen prent of REACH. DNEL Inhalation mg/m3 - (a) - (a) s/r (a) DNEL Inhalation mg/m3	cy or an org - (c) - (c) s/r (c)	DNEL Cutaneous mg/kg bw/d - (a) - (a) s/r (a) DNEL Cutaneous mg/cm2	- (c) - (c) s/r (c)	DNEL Oral mg/kg bw/d - (a) - (a) - (a) <u>DNEL Eyes</u> mg/cm2	- (c) - (c) - (c)
recommended by a health, the OEL value - DERIVED NO-EFFE Systemic effects, acute Reaction mass of 5-ch one [EC 247-500-7] ar [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2 Titanium dioxide (as a particles with an aeroco - DERIVED NO-EFFE effects, acute and chro Reaction mass of 5-ch one [EC 247-500-7] ar [EC 220-239-6] (3:1)	particular company, a government les are derived by a process diffe CT LEVEL, WORKERS:- e and chronic: loro-2-methyl-2H-isothiazolin-3- and 2-methyl-2H-isothiazol-3-one H)-one powder containing 1% or more of dynamic diameter ≤ 10 µm) CT LEVEL, WORKERS:- Local conic: loro-2-methyl-2H-isothiazolin-3- and 2-methyl-2H-isothiazol-3-one	nt regulatory agen prent of REACH. <u>DNEL Inhalation</u> - (a) - (a) s/r (a) <u>DNEL Inhalation</u> mg/m3 - (a)	cy or an org - (c) - (c) s/r (c) - (c)	DNEL Cutaneous mg/kg bw/d - (a) - (a) s/r (a) DNEL Cutaneous mg/cm2 - (a)	- (c) - (c) s/r (c)	DNEL Oral mg/kg bw/d - (a) - (a) - (a) DNEL Eyes mg/cm2 - (a)	- (c) - (c) - (c) - (c)
recommended by a health, the OEL value - DERIVED NO-EFFE Systemic effects, acute Reaction mass of 5-ch one [EC 247-500-7] ar [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2 Titanium dioxide (as a particles with an aerood - DERIVED NO-EFFE effects, acute and chro Reaction mass of 5-ch one [EC 247-500-7] ar [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2	particular company, a government les are derived by a process diffe CT LEVEL, WORKERS:- e and chronic: Noro-2-methyl-2H-isothiazolin-3- nd 2-methyl-2H-isothiazol-3-one H)-one powder containing 1% or more of dynamic diameter ≤ 10 µm) CT LEVEL, WORKERS:- Local ponic: Noro-2-methyl-2H-isothiazolin-3- nd 2-methyl-2H-isothiazol-3-one H)-one	nt regulatory agen prent of REACH. <u>DNEL Inhalation</u> - (a) - (a) <u>S/r (a)</u> <u>DNEL Inhalation</u> mg/m3 - (a) - (a) - (a)	cy or an org - (c) - (c) s/r (c) - (c) - (c)	DNEL Cutaneous mg/kg bw/d - (a) - (a) s/r (a) DNEL Cutaneous mg/cm2 - (a) - (a)	- (c) - (c) s/r (c) - (c) - (c)	DNEL Oral mg/kg bw/d - (a)	- (c) - (c) - (c) - (c) - (c) - (c)
recommended by a health, the OEL value - DERIVED NO-EFFE Systemic effects, acute Reaction mass of 5-ch one [EC 247-500-7] ar [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2) Titanium dioxide (as a particles with an aerood - DERIVED NO-EFFE effects, acute and chro Reaction mass of 5-ch one [EC 247-500-7] ar [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2) Titanium dioxide (as a	particular company, a government les are derived by a process diffe CT LEVEL, WORKERS:- e and chronic: Noro-2-methyl-2H-isothiazolin-3- nd 2-methyl-2H-isothiazol-3-one H)-one powder containing 1% or more of dynamic diameter ≤ 10 µm) CT LEVEL, WORKERS:- Local conic: Noro-2-methyl-2H-isothiazolin-3- nd 2-methyl-2H-isothiazol-3-one H)-one powder containing 1% or more of	nt regulatory agen prent of REACH. <u>DNEL Inhalation</u> - (a) - (a) s/r (a) <u>DNEL Inhalation</u> mg/m3 - (a)	cy or an org - (c) - (c) s/r (c) - (c)	DNEL Cutaneous mg/kg bw/d - (a) - (a) s/r (a) DNEL Cutaneous mg/cm2 - (a)	- (c) - (c) s/r (c)	DNEL Oral mg/kg bw/d - (a) - (a) - (a) DNEL Eyes mg/cm2 - (a)	- (c) - (c) - (c) - (c) - (c) - (c)
recommended by a health, the OEL value - DERIVED NO-EFFE Systemic effects, acute Reaction mass of 5-ch one [EC 247-500-7] ar [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2) Titanium dioxide (as a particles with an aerood - DERIVED NO-EFFE effects, acute and chroc Reaction mass of 5-ch one [EC 247-500-7] ar [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2) Titanium dioxide (as a particles with an aerood	particular company, a government les are derived by a process diffe CT LEVEL, WORKERS:- e and chronic: aloro-2-methyl-2H-isothiazolin-3- nd 2-methyl-2H-isothiazol-3-one H)-one powder containing 1% or more of dynamic diameter ≤ 10 µm) CT LEVEL, WORKERS:- Local conic: aloro-2-methyl-2H-isothiazolin-3- nd 2-methyl-2H-isothiazolin-3- nd 2-methyl-2H-isothiazol-3-one H)-one powder containing 1% or more of dynamic diameter ≤ 10 µm)	nt regulatory agen prent of REACH. <u>DNEL Inhalation</u> mg/m3 - (a) - (a) <u>DNEL Inhalation</u> mg/m3 - (a) - (a) S/r (a) <u>DNEL Inhalation</u> S/r (a)	cy or an org - (c) - (c) s/r (c) - (c) - (c)	DNEL Cutaneous mg/kg bw/d - (a) - (a) s/r (a) DNEL Cutaneous mg/cm2 - (a) s/r (a) s/r (a) DNEL Cutaneous	- (c) - (c) s/r (c) - (c) - (c) - (c) s/r (c)	DNEL Oral mg/kg bw/d - (a) - (a) - (a) DNEL Eyes mg/cm2 - (a) s / r (a) DNEL Eyes	- (c) - (c) - (c) - (c) - (c) - (c)
recommended by a health, the OEL value - DERIVED NO-EFFE Systemic effects, acute Reaction mass of 5-ch one [EC 247-500-7] ar [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2) Titanium dioxide (as a particles with an aerood - DERIVED NO-EFFE effects, acute and chroc Reaction mass of 5-ch one [EC 247-500-7] ar [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2) Titanium dioxide (as a particles with an aerood - DERIVED NO-EFFE	particular company, a government les are derived by a process diffe CT LEVEL, WORKERS:- e and chronic: aloro-2-methyl-2H-isothiazolin-3- nd 2-methyl-2H-isothiazol-3-one H)-one powder containing 1% or more of dynamic diameter ≤ 10 µm) CT LEVEL, WORKERS:- Local conic: aloro-2-methyl-2H-isothiazolin-3- nd 2-methyl-2H-isothiazolin-3- nd 2-methyl-2H-isothiazol-3-one H)-one powder containing 1% or more of dynamic diameter ≤ 10 µm)	nt regulatory agen prent of REACH. DNEL Inhalation mg/m3 - (a) - (a) S/r (a) DNEL Inhalation mg/m3 - (a) - (a) S/r (a)	cy or an org - (c) - (c) s/r (c) - (c) - (c)	DNEL Cutaneous mg/kg bw/d - (a) - (a) s/r (a) DNEL Cutaneous mg/cm2 - (a) - (a) s/r (a)	- (c) - (c) s/r (c) - (c) - (c) - (c) s/r (c)	DNEL Oral mg/kg bw/d - (a) s/r (a)	- (c) - (c) - (c) - (c) - (c) - (c)
recommended by a health, the OEL value - DERIVED NO-EFFE Systemic effects, acute Reaction mass of 5-ch one [EC 247-500-7] ar [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2 Titanium dioxide (as a particles with an aerood - DERIVED NO-EFFE effects, acute and chroc Reaction mass of 5-ch one [EC 247-500-7] ar [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2 Titanium dioxide (as a particles with an aerood - DERIVED NO-EFFE POPULATION:- Syste Reaction mass of 5-ch one [EC 247-500-7] ar	particular company, a government les are derived by a process diffe CT LEVEL, WORKERS:- e and chronic: aloro-2-methyl-2H-isothiazolin-3- nd 2-methyl-2H-isothiazol-3-one H)-one powder containing 1% or more of dynamic diameter ≤ 10 µm) CT LEVEL, WORKERS:- Local conic: aloro-2-methyl-2H-isothiazolin-3- nd 2-methyl-2H-isothiazol-3-one H)-one powder containing 1% or more of dynamic diameter ≤ 10 µm) CT LEVEL, GENERAL	ht regulatory agen prent of REACH. DNEL Inhalation mg/m3 - (a) - (a) S/r (a) DNEL Inhalation mg/m3 - (a) - (a) S/r (a) DNEL Inhalation	cy or an org - (c) - (c) s/r (c) - (c) - (c)	DNEL Cutaneous mg/kg bw/d - (a) - (a) s/r (a) DNEL Cutaneous mg/cm2 - (a) s/r (a) s/r (a) DNEL Cutaneous	- (c) - (c) s/r (c) - (c) - (c) - (c) s/r (c)	DNEL Oral mg/kg bw/d - (a) - (a) - (a) DNEL Eyes mg/cm2 - (a) s / r (a) DNEL Eyes	- (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c)
recommended by a health, the OEL value - DERIVED NO-EFFE Systemic effects, acute Reaction mass of 5-ch one [EC 247-500-7] ar [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2 Titanium dioxide (as a particles with an aerood - DERIVED NO-EFFE effects, acute and chroc Reaction mass of 5-ch one [EC 247-500-7] ar [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2 Titanium dioxide (as a particles with an aerood - DERIVED NO-EFFE POPULATION:- Syste Reaction mass of 5-ch	particular company, a government les are derived by a process diffe CT LEVEL, WORKERS:- e and chronic: loro-2-methyl-2H-isothiazolin-3- and 2-methyl-2H-isothiazol-3-one H)-one powder containing 1% or more of dynamic diameter ≤ 10 μm) CT LEVEL, WORKERS:- Local conic: loro-2-methyl-2H-isothiazolin-3- and 2-methyl-2H-isothiazol-3-one H)-one powder containing 1% or more of dynamic diameter ≤ 10 μm) CT LEVEL, GENERAL mic effects, acute and chronic: loro-2-methyl-2H-isothiazolin-3- and 2-methyl-2H-isothiazolin-3- nd 2-methyl-2H-isothiazolin-3- nd 2-methyl-2H-isothiazolin-3- nd 2-methyl-2H-isothiazolin-3- nd 2-methyl-2H-isothiazolin-3- nd 2-methyl-2H-isothiazolin-3-	ht regulatory agen prent of REACH. DNEL Inhalation - (a) - (a) S/r (a) DNEL Inhalation mg/m3 - (a) - (a) - (a) S/r (a) DNEL Inhalation mg/m3	cy or an org - (c) - (c) s/r (c) - (c) - (c) s/r (c)	DNEL Cutaneous mg/kg bw/d - (a) - (a) s/r (a) DNEL Cutaneous mg/cm2 - (a) s/r (a) DNEL Cutaneous mg/kg bw/d	- (c) - (c) s/r (c) - (c) - (c) s/r (c)	DNEL Cyes mg/kg bw/d - (a) - (a) DNEL Eyes mg/cm2 - (a) S / r (a) DNEL Eyes mg/kg bw/d	- (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c)
recommended by a health, the OEL value - DERIVED NO-EFFE Systemic effects, acute Reaction mass of 5-ch one [EC 247-500-7] ar [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2 Titanium dioxide (as a particles with an aeroco - DERIVED NO-EFFE effects, acute and chro Reaction mass of 5-ch one [EC 247-500-7] ar [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2 Titanium dioxide (as a particles with an aeroco - DERIVED NO-EFFE POPULATION:- Syste Reaction mass of 5-ch one [EC 247-500-7] ar [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2 Titanium dioxide (as a	particular company, a government les are derived by a process diffe CT LEVEL, WORKERS:- e and chronic: loro-2-methyl-2H-isothiazolin-3- and 2-methyl-2H-isothiazol-3-one H)-one powder containing 1% or more of dynamic diameter ≤ 10 µm) CT LEVEL, WORKERS:- Local conic: loro-2-methyl-2H-isothiazolin-3- and 2-methyl-2H-isothiazol-3-one H)-one powder containing 1% or more of dynamic diameter ≤ 10 µm) CT LEVEL, GENERAL mic effects, acute and chronic: loro-2-methyl-2H-isothiazolin-3- and 2-methyl-2H-isothiazolin-3- and 2-methyl-2H-isothiazolin-3- and 2-methyl-2H-isothiazolin-3- and 2-methyl-2H-isothiazolin-3- and 2-methyl-2H-isothiazolin-3- and 2-methyl-2H-isothiazolin-3-one H)-one powder containing 1% or more of	ht regulatory agen prent of REACH. DNEL Inhalation - (a) - (a) S/r (a) DNEL Inhalation mg/m3 - (a) - (a) S/r (a) DNEL Inhalation mg/m3 - (a) - (a) S/r (a)	cy or an org - (c) - (c) s/r (c) - (c) s/r (c) - (c) - (c)	DNEL Cutaneous mg/kg bw/d - (a) - (a) s/r (a) DNEL Cutaneous mg/cm2 - (a) s/r (a) DNEL Cutaneous mg/kg bw/d - (a)	- (c) - (c) s/r (c) - (c) - (c) s/r (c) - (c)	DNEL Oral mg/kg bw/d - (a) DNEL Eyes mg/cm2 - (a) - (a) S / r (a) DNEL Eyes mg/kg bw/d - (a)	- (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c)
recommended by a health, the OEL value - DERIVED NO-EFFE Systemic effects, acute Reaction mass of 5-ch one [EC 247-500-7] ar [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2) Titanium dioxide (as a particles with an aerood - DERIVED NO-EFFE effects, acute and chroc Reaction mass of 5-ch one [EC 247-500-7] ar [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2) Titanium dioxide (as a particles with an aerood - DERIVED NO-EFFE POPULATION:- Syste Reaction mass of 5-ch one [EC 247-500-7] ar [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2) Titanium dioxide (as a particles with an aerood	particular company, a government les are derived by a process diffe CT LEVEL, WORKERS:- e and chronic: Noro-2-methyl-2H-isothiazolin-3- nd 2-methyl-2H-isothiazol-3-one H)-one powder containing 1% or more of dynamic diameter ≤ 10 µm) CT LEVEL, WORKERS:- Local onic: Noro-2-methyl-2H-isothiazolin-3- nd 2-methyl-2H-isothiazolin-3- nd 2-methyl-2H-isothiazolin-3- nd 2-methyl-2H-isothiazol-3-one H)-one powder containing 1% or more of dynamic diameter ≤ 10 µm) CT LEVEL, GENERAL mic effects, acute and chronic: Noro-2-methyl-2H-isothiazolin-3- nd 2-methyl-2H-isothiazolin-3- nd 2-methyl-2H-isothiazol-3-one H)-one	nt regulatory agen prent of REACH. DNEL Inhalation mg/m3 - (a) - (a) s/r (a) DNEL Inhalation mg/m3 - (a) s/r (a) DNEL Inhalation mg/m3 - (a) s/r (a) - (a) s/r (a)	cy or an org - (c) - (c) s/r (c) - (c) s/r (c) - (c) - (c) - (c) - (c) - (c)	DNEL Cutaneous mg/kg bw/d - (a) - (a) s/r (a) DNEL Cutaneous mg/cm2 - (a) s/r (a) DNEL Cutaneous mg/kg bw/d - (a) s/r (a) s/r (a)	- (c) - (c) s/r (c) - (c) - (c) s/r (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c)	DNEL Oral mg/kg bw/d - (a) S/r (a) DNEL Eyes mg/kg bw/d - (a) s/r (a) DNEL Eyes mg/kg bw/d - (a) s/r (a) S/r (a)	- (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c)
recommended by a health, the OEL value - DERIVED NO-EFFE Systemic effects, acute Reaction mass of 5-ch one [EC 247-500-7] ar [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2 Titanium dioxide (as a particles with an aerood - DERIVED NO-EFFE effects, acute and chroc Reaction mass of 5-ch one [EC 247-500-7] ar [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2 Titanium dioxide (as a particles with an aerood - DERIVED NO-EFFE POPULATION:- Syste Reaction mass of 5-ch one [EC 247-500-7] ar [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2 Titanium dioxide (as a particles with an aerood - LOCAL EFFECTS, A	particular company, a government les are derived by a process diffe CT LEVEL, WORKERS:- e and chronic: Noro-2-methyl-2H-isothiazolin-3- nd 2-methyl-2H-isothiazol-3-one H)-one powder containing 1% or more of dynamic diameter ≤ 10 µm) CT LEVEL, WORKERS:- Local onic: Noro-2-methyl-2H-isothiazolin-3- nd 2-methyl-2H-isothiazolin-3- nd 2-methyl-2H-isothiazol-3-one H)-one powder containing 1% or more of dynamic diameter ≤ 10 µm) CT LEVEL, GENERAL mic effects, acute and chronic: Noro-2-methyl-2H-isothiazolin-3- nd 2-methyl-2H-isothiazolin-3- nd 2-methyl-2H-isothiazoli-3-one	nt regulatory agen prent of REACH. DNEL Inhalation mg/m3 - (a) - (a) S/r (a) DNEL Inhalation mg/m3 - (a) - (a) S/r (a) DNEL Inhalation mg/m3 - (a) - (a)	cy or an org - (c) - (c) s/r (c) - (c) s/r (c) - (c) - (c) - (c) - (c) - (c)	DNEL Cutaneous mg/kg bw/d - (a) - (a) s/r (a) DNEL Cutaneous mg/cm2 - (a) s/r (a) DNEL Cutaneous mg/kg bw/d - (a) - (a)	- (c) - (c) s/r (c) - (c) - (c) s/r (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c)	DNEL Oral mg/kg bw/d - (a) DNEL Eyes mg/cm2 - (a) - (a) S / r (a) DNEL Eyes mg/kg bw/d - (a)	- (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c)
recommended by a health, the OEL value - DERIVED NO-EFFE Systemic effects, acute Reaction mass of 5-ch one [EC 247-500-7] ar [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2 Titanium dioxide (as a particles with an aerood - DERIVED NO-EFFE effects, acute and chroc Reaction mass of 5-ch one [EC 247-500-7] ar [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2 Titanium dioxide (as a particles with an aerood - DERIVED NO-EFFE POPULATION:- Syste Reaction mass of 5-ch one [EC 247-500-7] ar [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2 Titanium dioxide (as a particles with an aerood - DERIVED NO-EFFE POPULATION:- Syste Reaction mass of 5-ch one [EC 247-500-7] ar [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2 Titanium dioxide (as a particles with an aerood - LOCAL EFFECTS, A effects, acute and chro	particular company, a government les are derived by a process diffe CT LEVEL, WORKERS:- e and chronic: loro-2-methyl-2H-isothiazolin-3- nd 2-methyl-2H-isothiazol-3-one H)-one powder containing 1% or more of dynamic diameter ≤ 10 µm) CT LEVEL, WORKERS:- Local conic: loro-2-methyl-2H-isothiazolin-3- nd 2-methyl-2H-isothiazol-3-one H)-one powder containing 1% or more of dynamic diameter ≤ 10 µm) CT LEVEL, GENERAL mic effects, acute and chronic: loro-2-methyl-2H-isothiazolin-3- nd 2-methyl-2H-isothiazolin-3- nd 2-methyl-3-methyl-3- nd 3-methyl-3-methyl-3-methyl-3- nd 3-methyl-3-meth	DNEL Inhalation mg/m3 - (a) - (a) s/r (a) DNEL Inhalation mg/m3 - (a) - (a) - (a) s/r (a) DNEL Inhalation mg/m3 - (a) - (a) - (a) s/r (a) DNEL Inhalation mg/m3	cy or an org - (c) - (c) s/r (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c)	DNEL Cutaneous mg/kg bw/d - (a) - (a) s/r (a) DNEL Cutaneous mg/cm2 - (a) s/r (a) DNEL Cutaneous mg/kg bw/d - (a) s/r (a) DNEL Cutaneous mg/kg bw/d - (a) s/r (a)	- (c) - (c) s/r (c) - (c) - (c) - (c) s/r (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c)	DNEL Oral mg/kg bw/d - (a) - (a) - (a) - (a) - (a) DNEL Eyes mg/cm2 - (a) S/r (a) DNEL Eyes mg/kg bw/d - (a) s/r (a) DNEL Eyes mg/kg bw/d - (a) s/r (a) DNEL Eyes mg/cm2	- (c) - (c)
recommended by a health, the OEL value - DERIVED NO-EFFE Systemic effects, acute Reaction mass of 5-ch one [EC 247-500-7] ar [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2 Titanium dioxide (as a particles with an aerood - DERIVED NO-EFFE effects, acute and chroc Reaction mass of 5-ch one [EC 247-500-7] ar [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2 Titanium dioxide (as a particles with an aerood - DERIVED NO-EFFE POPULATION:- Syste Reaction mass of 5-ch one [EC 247-500-7] ar [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2 Titanium dioxide (as a particles with an aerood - LOCAL EFFECTS, A effects, acute and chroc Reaction mass of 5-ch one [EC 247-500-7] ar [EC 220-239-6] (3:1)	particular company, a government les are derived by a process diffe CT LEVEL, WORKERS:- e and chronic: loro-2-methyl-2H-isothiazolin-3- nd 2-methyl-2H-isothiazol-3-one H)-one powder containing 1% or more of dynamic diameter ≤ 10 µm) CT LEVEL, WORKERS:- Local conic: loro-2-methyl-2H-isothiazolin-3- nd 2-methyl-2H-isothiazol-3-one H)-one powder containing 1% or more of dynamic diameter ≤ 10 µm) CT LEVEL, GENERAL mic effects, acute and chronic: loro-2-methyl-2H-isothiazolin-3- nd 2-methyl-2H-isothiazolin-3- nd 3-methyl-3-	DNEL Inhalation mg/m3 - (a) - (a) - (a) s/r (a) DNEL Inhalation mg/m3 - (a) - (a) - (a) s/r (a) DNEL Inhalation mg/m3 - (a) - (a) s/r (a) DNEL Inhalation mg/m3 - (a) - (a) - (a)	cy or an org - (c) - (c) s/r (c) - (c)	DNEL Cutaneous mg/kg bw/d - (a) - (a) s/r (a) DNEL Cutaneous mg/cm2 - (a) s/r (a) DNEL Cutaneous mg/kg bw/d - (a) s/r (a) DNEL Cutaneous mg/kg bw/d - (a) s/r (a) DNEL Cutaneous mg/cm2 - (a)	- (c) - (c) - (c) s/r (c) - (c)	DNEL Oral mg/kg bw/d - (a) - (a) - (a) - (a) DNEL Eyes mg/rg bw/d - (a) S/r (a) DNEL Eyes mg/kg bw/d - (a) s/r (a) DNEL Eyes mg/kg bw/d - (a) s/r (a) DNEL Eyes mg/cm2 - (a) s/r (a) DNEL Eyes mg/cm2 - (a)	- (c) - (c)
recommended by a health, the OEL value - DERIVED NO-EFFE Systemic effects, acute Reaction mass of 5-ch one [EC 247-500-7] ar [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2 Titanium dioxide (as a particles with an aerood - DERIVED NO-EFFE effects, acute and chroc Reaction mass of 5-ch one [EC 247-500-7] ar [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2 Titanium dioxide (as a particles with an aerood - DERIVED NO-EFFE POPULATION:- Syste Reaction mass of 5-ch one [EC 247-500-7] ar [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2 Titanium dioxide (as a particles with an aerood - LOCAL EFFECTS, A effects, acute and chroc Reaction mass of 5-ch one [EC 247-500-7] ar [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2	particular company, a government les are derived by a process diffe CT LEVEL, WORKERS:- e and chronic: loro-2-methyl-2H-isothiazolin-3- nd 2-methyl-2H-isothiazol-3-one H)-one powder containing 1% or more of dynamic diameter ≤ 10 µm) CT LEVEL, WORKERS:- Local conic: loro-2-methyl-2H-isothiazolin-3- nd 2-methyl-2H-isothiazol-3-one H)-one powder containing 1% or more of dynamic diameter ≤ 10 µm) CT LEVEL, GENERAL mic effects, acute and chronic: loro-2-methyl-2H-isothiazolin-3- nd 2-methyl-2H-isothiazolin-3- nd 3-methyl-3-methyl-3- nd 3-methyl-3-methyl-3-	DNEL Inhalation mg/m3 - (a) - (a) - (a) s/r (a) DNEL Inhalation mg/m3 - (a) - (a) - (a) s/r (a) DNEL Inhalation mg/m3 - (a) - (a) s/r (a) DNEL Inhalation mg/m3 - (a) - (a)	cy or an org - (c) - (c) s/r (c) - (c)	DNEL Cutaneous mg/kg bw/d - (a) - (a) s/r (a) DNEL Cutaneous mg/cm2 - (a) s/r (a) DNEL Cutaneous mg/kg bw/d - (a) s/r (a) DNEL Cutaneous mg/rg - (a) s/r (a) DNEL Cutaneous mg/rg - (a) s/r (a)	- (c) - (c) - (c) s/r (c) - (c)	DNEL Oral mg/kg bw/d - (a) - (a) - (a) - (a) DNEL Eyes mg/cm2 - (a) S / r (a) DNEL Eyes mg/kg bw/d - (a) s / r (a) DNEL Eyes mg/kg bw/d - (a) s / r (a) DNEL Eyes mg/cm2 - (a) s / r (a) DNEL Eyes mg/cm2 - (a) s / r (a)	- (c) - (c)
recommended by a health, the OEL value - DERIVED NO-EFFE Systemic effects, acute Reaction mass of 5-ch one [EC 247-500-7] ar [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2 Titanium dioxide (as a particles with an aerood - DERIVED NO-EFFE effects, acute and chroc Reaction mass of 5-ch one [EC 247-500-7] ar [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2 Titanium dioxide (as a particles with an aerood - DERIVED NO-EFFE POPULATION:- Syste Reaction mass of 5-ch one [EC 247-500-7] ar [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2 Titanium dioxide (as a particles with an aerood - LOCAL EFFECTS, A effects, acute and chroc Reaction mass of 5-ch one [EC 247-500-7] ar [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2 Titanium dioxide (as a	particular company, a government les are derived by a process diffe CT LEVEL, WORKERS:- e and chronic: loro-2-methyl-2H-isothiazolin-3- nd 2-methyl-2H-isothiazol-3-one H)-one powder containing 1% or more of dynamic diameter ≤ 10 µm) CT LEVEL, WORKERS:- Local conic: loro-2-methyl-2H-isothiazolin-3- nd 2-methyl-2H-isothiazol-3-one H)-one powder containing 1% or more of dynamic diameter ≤ 10 µm) CT LEVEL, GENERAL mic effects, acute and chronic: loro-2-methyl-2H-isothiazolin-3- nd 2-methyl-2H-isothiazol-3-one H)-one powder containing 1% or more of dynamic diameter ≤ 10 µm) CUTE AND CHRONIC:- Local conic: loro-2-methyl-2H-isothiazolin-3- nd 2-methyl-2H-isothiazolin-3- nd 3-methyl-3-methyl-3- nd 3-methyl-3-me	DNEL Inhalation mg/m3 - (a) - (a) - (a) s/r (a) DNEL Inhalation mg/m3 - (a) - (a) - (a) s/r (a) DNEL Inhalation mg/m3 - (a) - (a) s/r (a) DNEL Inhalation mg/m3 - (a) - (a) - (a)	cy or an org - (c) - (c) s/r (c) - (c)	DNEL Cutaneous mg/kg bw/d - (a) - (a) s/r (a) DNEL Cutaneous mg/cm2 - (a) s/r (a) DNEL Cutaneous mg/kg bw/d - (a) s/r (a) DNEL Cutaneous mg/kg bw/d - (a) s/r (a) DNEL Cutaneous mg/cm2 - (a)	- (c) - (c) - (c) s/r (c) - (c)	DNEL Oral mg/kg bw/d - (a) - (a) - (a) - (a) DNEL Eyes mg/rg bw/d - (a) S/r (a) DNEL Eyes mg/kg bw/d - (a) s/r (a) DNEL Eyes mg/kg bw/d - (a) s/r (a) DNEL Eyes mg/cm2 - (a) s/r (a) DNEL Eyes mg/cm2 - (a)	- (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c) - (c)
recommended by a health, the OEL value - DERIVED NO-EFFE Systemic effects, acute Reaction mass of 5-ch one [EC 247-500-7] ar [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2 Titanium dioxide (as a particles with an aerood - DERIVED NO-EFFE effects, acute and chroc Reaction mass of 5-ch one [EC 247-500-7] ar [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2 Titanium dioxide (as a particles with an aerood - DERIVED NO-EFFE POPULATION:- Syste Reaction mass of 5-ch one [EC 247-500-7] ar [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2 Titanium dioxide (as a particles with an aerood - LOCAL EFFECTS, A effects, acute and chroc Reaction mass of 5-ch one [EC 247-500-7] ar [EC 220-239-6] (3:1) 1,2-benzisothiazol-3(2 Titanium dioxide (as a particles with an aerood - LOCAL EFFECTS, A	particular company, a government les are derived by a process diffe CT LEVEL, WORKERS:- e and chronic: loro-2-methyl-2H-isothiazolin-3- nd 2-methyl-2H-isothiazol-3-one H)-one powder containing 1% or more of dynamic diameter ≤ 10 µm) CT LEVEL, WORKERS:- Local conic: loro-2-methyl-2H-isothiazolin-3- nd 2-methyl-2H-isothiazol-3-one H)-one powder containing 1% or more of dynamic diameter ≤ 10 µm) CT LEVEL, GENERAL mic effects, acute and chronic: loro-2-methyl-2H-isothiazolin-3- nd 2-methyl-2H-isothiazolin-3- nd 3-methyl-3- nd 3-methyl-3-methyl-3- nd 3-methyl-3-methyl-3-methyl-3-methyl-	DNEL Inhalation mg/m3 - (a) - (a) - (a) s/r (a) DNEL Inhalation mg/m3 - (a) - (a) s/r (a) DNEL Inhalation mg/m3 - (a) - (a) s/r (a) DNEL Inhalation mg/m3 - (a) - (a) s/r (a)	cy or an org - (c) - (c) s/r (c) - (c)	DNEL Cutaneous mg/kg bw/d - (a) - (a) s/r (a) DNEL Cutaneous mg/cm2 - (a) s/r (a) DNEL Cutaneous mg/kg bw/d - (a) s/r (a) DNEL Cutaneous mg/rm2 - (a) s/r (a) DNEL Cutaneous mg/cm2 - (a) s/r (a)	- (c) - (c) - (c) s/r (c) - (c)	DNEL Oral mg/kg bw/d - (a) - (a) - (a) - (a) DNEL Eyes mg/cm2 - (a) S / r (a) DNEL Eyes mg/kg bw/d - (a) s / r (a) DNEL Eyes mg/kg bw/d - (a) s / r (a) DNEL Eyes mg/cm2 - (a) s / r (a) DNEL Eyes mg/cm2 - (a) s / r (a)	- (c) - (c)

	GESSO BLANCO Code : 00049					
on: 4	Revision: 25/04/2023	Previous re	evision: 20/09/2022		Date of print	ting: 25/04/20
	D-EFFECT CONCENTRATION,	PNEC Fresh water	PNEC Marine mg/l		PNEC Intermitte	<u>nt</u>
water and intermi	NISMS:- Fresh water, marine ttent release:	mg/l	mgn		mg/i	
	of 5-chloro-2-methyl-2H-	_		-		-
	ie [EC 247-500-7] and 2-					
	iazol-3-one [EC 220-239-6]					
(3:1)						
1,2-benzisothiaz	e (as a powder containing 1%	- s/r		- s/r		- s/r
	cles with an aerodynamic	3/1		3/1		3/1
diameter ≤ 10 µ						
- WASTEWATER	TREATMENT PLANTS (STP)	PNEC STP	PNEC Sediments		PNEC Sediment	s
	S IN FRESH- AND MARINE	mg/l	mg/kg dw/d		mg/kg dw/d	
WATER:	of 5-chloro-2-methyl-2H-					
	ie [EC 247-500-7] and 2-			-		-
methyl-2H-isoth	iazol-3-one [EC 220-239-6]					
(3:1)						
1,2-benzisothiaz		-		-		-
	e (as a powder containing 1% cles with an aerodynamic	s/r		s/r		s/r
diameter ≤ 10 µ						
	D-EFFECT CONCENTRATION.	PNEC Air	PNEC Soil		PNEC Oral	
TERRESTRIAL C	RGANISMS:- Air, soil and	mg/m3	mg/kg dw/d		mg/kg dw/d	
effects for predate						
	of 5-chloro-2-methyl-2H- ne [EC 247-500-7] and 2-	-		-		-
	iazol-3-one [EC 220-239-6]					
(3:1)						
1,2-benzisothiaz		-		-		-
	(as a powder containing 1%	s/r		s/r		n/b
diameter ≤ 10 µ	cles with an aerodynamic					
	vailable (without data of regist	ration REACH)				
n/b - PNEC not	derived (not bioaccumulative p	otential).				
	lerived (not identified hazard).					
EXPOSURE CO						
ENGINEERING	MEASURES:					
		vide adequate ventilation.				
		ne use of local exhaust ve				
		not sufficient to maintain o upational Exposure Limits				
- Protection of re	espiratory system:		, suitable respirat	ory protect		
Avoid the inhalati						
- Protection of e						
	d to install water taps or sources	with clean water close to the	e working area.			
- Protection of h						
	d to install water taps or sources the skin.Barrier creams should n			ier creams r	may help to prote	ct the
	L EXPOSURE CONTROLS: F					
exposed areas of		the work place, we recomm				
exposed areas of OCCUPATIONA As a general mea			equipment (storage			
exposed areas of OCCUPATIONA As a general mea with the correspon	nding marking. For more informa) you should cons	sun me mior		
exposed areas of OCCUPATIONA As a general mea with the correspon	nding marking. For more informa the PPE, protection class, markir), you should cons			- p. e
exposed areas of OCCUPATIONA As a general mea with the correspon characteristics of	nding marking. For more informa the PPE, protection class, markir), you should con			
exposed areas of OCCUPATIONA As a general mea with the correspon characteristics of the manufacturers Mask:	nding marking. For more informa the PPE, protection class, markir s of PPE. No.	ng, category, CEN norm, etc				
exposed areas of OCCUPATIONA As a general mea with the correspon characteristics of the manufacturers	nding marking. For more informa the PPE, protection class, markin s of PPE. No. Safety goggles desig		uid splashes, with	suitable la	ateral protection	
exposed areas of OCCUPATIONA As a general mea with the correspon characteristics of the manufacturers Mask:	nding marking. For more informa the PPE, protection class, markir s of PPE. No. Safety goggles desig	ng, category, CEN norm, etc gned to protect against liq	uid splashes, with	suitable la	ateral protection	

SAFETY DATA SHEET (REACH)

ETY DATA SH	EET (REACH) ation (EC) No. 1907/2006 and Regulation (E	EU) No. 2020/878	Page 6/1. (Language:E			
IRIS COLOR	GESSO BLANCO Code : 00049		(Eurguigo.E			
sion: 4	Revision: 25/04/2023	Previous revision: 20/09/2022	Date of printing: 25/04/202			
Gloves:	expected, gloves of pro- min.When short contact should be used, with a to material should be in acc example, temperature), chemicals is clearly low circumstances and pose taken into account.Use	t chemicals (EN374).When repeated or pro- tection level 5 or higher should be used, wit with the product is expected, use gloves w preakthrough time >30 min.The breakthroug cordance with the pretended period of use. they do in practice the period of use of a pr er than the established standard EN374.Du sibilities, the instructions/specifications prov the proper technique of removing gloves (w of the product with the skin.The gloves sh is noted.	h a breakthrough time of >240 ith a protection level 2 or higher gh time of the selected glove There are several factors (for rotective gloves resistant against le to the wide variety of ided by the glove supplier should ithout touching glove's outer			
Boots:	No.					
Apron:	No.					
Clothing:	No.					
ENVIRONM Avoid any spi - Spills on th Prevent conta - Spills in wa Do not allow	amination of soil.	se into the atmosphere.				
This product 2000/60/EC~	does not contain any substance included 2013/39/EU.	in the list of priority substances in the field of w	ater policy under Directive			
Because of v		emissions to the atmosphere while handling and use may result. Avoid any release into the atmosphere.				
It is applicable AND VARNIS ready for use	e the Directive 2004/42/EC, on the limitat HES (defined in the Directive 2004/42/EC *): (GESSO Cod. 00049 = 100 in volume)	eady for use*): The Directive 2004/42/EC, on the limitation of emissions of volatile compounds due to the use of organic solvents: PAINTS (defined in the Directive 2004/42/EC, Annex I.1): Emission subcategory g) Sealing primer, water-borne. VOC (product (GESSO Cod. 00049 = 100 in volume): 12,6 g/l (VOC max.30 g/l* starting from 01.01.2010)				
If this product limitation of e	missions of volatile compounds due to the (supply): 0,93 % Weight, VOC: 0,78 % C	st be verified if it is applicable the Directive 201 e use of organic solvents in certain activities an (expressed as carbon), Molecular weight (aver	d installations: Solvents: 2,49 %			

SAFETY DATA SHEET (REACH)

		GESSO BLANCO Code : 00049		
ersion	:4 Revi	ision: 25/04/2023	Previous revision: 20/09/2022	Date of printing: 25/04/20
CTION	9: PHYSICAL AND CH	EMICAL PROPERTIES		
.1	INFORMATION ON E	BASIC PHYSICAL AND CHEM	MICAL PROPERTIES:	
	Appearance			
	Physical state:		Liquid	
	Colour:		White	
	Odour:		Characteristic	
	Odour threshold:		Not available (mixture).	
	Change of state			
	Melting point:		Not available (mixture).	
	Boiling interval:		100* - 255* °C at 760 mmHg	
,	 Flammability: 			
	Flashpoint:		Not flammable	
	Lower/upper flammabili		Not available	
	Autoignition temperature	e:	Not applicable (do not sustain combu	stion).
	<u>Stability</u>			
	Decomposition tempera	iture:	Not available (technical impossibility t	o obtain the
			data).	
	<u>pH-value</u>			
	pH:		8,5 ± 1 at 20°C	
,	- Viscosity:			
	Dynamic viscosity:		9999 cps at 20°C	
	Kinematic viscosity:		2519,81* mm2/s at 40°C	
	- Solubility(ies):			
	Solubility in water		Inmiscible	
	Liposolubility:		Not applicable (inorganic product).	
	Partition coefficient: n-o	clanoi/water:	Not applicable (mixture).	
	- Volatility:			
	Vapour pressure:		17,4658* mmHg at 20ºC 12,0653* kPa at 50ºC	
	Vapour pressure: Evaporation rate:		Not available (lack of data).	
	Density		Not available (lack of data).	
	Relative density:		1,360 ± 0,05 at 20/4°C	Relative water
	Relative vapour density		Not available.	
	Particle characteristic			
	Particle size:	2	Not applicable.	
	- Explosive properties	e.	Not applicable.	
	Not available.	<u>5.</u>		
	 Oxidizing properties 			
	Not classified as oxidizi			
		ng product.		
	*Estimated values base	ed on the substances composing	the mixture.	
.2	OTHER INFORMATION	<u>ON:</u>		
	Information regarding	physical hazard classes		
	No additional information			
	Other security feature	es:		
	VOC (supply):		0,9 % Weight	
	VOC (supply):		12,6 g/l	
	Nonvolatile:		65,00 ± 2 % Weight	1h. 60°C
			ct specifications. The data for the product specifica mation concerning physical and chemical propertie	

		GESSO BLANCO			
	COLOR	Code : 00049			
ersio	n: 4 Re	vision: 25/04/2023	Previous revisior	n: 20/09/2022	Date of printing: 25/04/20
CTIO	N 10: STABILITY AND				
).1	REACTIVITY:	REACTIVITY			
	- Corrosivity to met	als:			
	It is not corrosive to n	netals.			
	- Pyrophorical prop	erties:			
	It is not pyrophoric.				
).2	CHEMICAL STABIL				
).3		ended storage and handling			
1.5		eaction with oxidizing agent			
).4	CONDITIONS TO A		-,,		
	- Heat:				
	Keep away from sour	ces of heat.			
	- Light:				
		ct contact with sunlight.			
	<u>- Air:</u> The product is not aff	ected by exposure to air bu	It should not be left the containers	open	
	- Pressure:	Solod by Shposule to all, Du		opon.	
	Not relevant.				
	- Shock:				
			ecommendation of a general nature		
	INCOMPATIBLE M		en the product is handled in large	quantities, and during loading a	and download operation
).5		izing agents, acids, alkalis.			
).6		OMPOSITION PRODUC	TS:		
			rdous products may be produced:	nitrogen oxides, sulfur oxides,	hydrochloric acid,
	halaganatad asmnou	ndo .		•	•
	halogenated compou	nus.			
CTIOI	N 11: TOXICOLOGICA	L INFORMATION	paration is available. The toxico	Nonical classification for the	se mixture has been
	N 11: TOXICOLOGICA No experimental tox carried out by using	L INFORMATION kicological data on the pre the conventional calculat	eparation is available. The toxico tion method of the Regulation (E	EU) No. 1272/2008~2021/84	
	N 11: TOXICOLOGICA No experimental tox carried out by using	L INFORMATION kicological data on the pre the conventional calculat		EU) No. 1272/2008~2021/84	
	N 11: TOXICOLOGICA No experimental tox carried out by using INFORMATION Of	L INFORMATION kicological data on the pre the conventional calculat N HAZARD CLASSES AS	ion method of the Regulation (E DEFINED IN REGULATION (E DL50 (OECD401)	EU) No. 1272/2008~2021/84	9 (CLP).
	N 11: TOXICOLOGICA No experimental tox carried out by using <u>INFORMATION OF</u> <u>ACUTE TOXICITY:</u> Dose and lethal con for individual ingred	L INFORMATION icological data on the pre- the conventional calculat N HAZARD CLASSES AS centrations ients:	DL50 (OECD401) mg/kg bw Oral	EU) No. 1272/2008~2021/84 EC) NO 1272/2008 : DL50 (OECD402) mg/kg bw Cutaneous	9 (CLP). CL50 (OECD40 mg/m3·4h Inhalat
	N 11: TOXICOLOGICA No experimental tox carried out by using <u>INFORMATION OF</u> <u>ACUTE TOXICITY:</u> Dose and lethal con for individual ingred Reaction mass of 5-	L INFORMATION A cicological data on the pre- the conventional calculate N HAZARD CLASSES AS Centrations centrations ients: -chloro-2-methyl-2H-	ion method of the Regulation (E DEFINED IN REGULATION (E DL50 (OECD401)	EU) No. 1272/2008~2021/84 EC) NO 1272/2008 : DL50 (OECD402)	9 (CLP). CL50 (OECD40 mg/m3·4h Inhalat
	N 11: TOXICOLOGICA No experimental tox carried out by using <u>INFORMATION OF</u> <u>ACUTE TOXICITY:</u> Dose and lethal con for individual ingred Reaction mass of 5- isothiazolin-3-one [E	L INFORMATION A cicological data on the pre- the conventional calculate N HAZARD CLASSES AS centrations tients: -chloro-2-methyl-2H- EC 247-500-7] and 2-	DL50 (OECD401) mg/kg bw Oral	EU) No. 1272/2008~2021/84 EC) NO 1272/2008 : DL50 (OECD402) mg/kg bw Cutaneous	9 (CLP). CL50 (OECD40 mg/m3·4h Inhalat
	N 11: TOXICOLOGICA No experimental tox carried out by using <u>INFORMATION OF</u> <u>ACUTE TOXICITY:</u> Dose and lethal com for individual ingred Reaction mass of 5- isothiazolin-3-one [E methyl-2H-isothiazo	L INFORMATION A cicological data on the pre- the conventional calculate N HAZARD CLASSES AS Centrations centrations ients: -chloro-2-methyl-2H-	DL50 (OECD401) mg/kg bw Oral	EU) No. 1272/2008~2021/84 EC) NO 1272/2008 : DL50 (OECD402) mg/kg bw Cutaneous	9 (CLP). CL50 (OECD4 mg/m3·4h Inhalat
	N 11: TOXICOLOGICA No experimental tox carried out by using <u>INFORMATION OF</u> <u>ACUTE TOXICITY:</u> Dose and lethal com for individual ingred Reaction mass of 5- isothiazolin-3-one [E methyl-2H-isothiazo (3:1)	L INFORMATION kicological data on the pre- the conventional calculat N HAZARD CLASSES AS centrations ients: chloro-2-methyl-2H- EC 247-500-7] and 2- I-3-one [EC 220-239-6]	DL50 (OECD401) mg/kg bw Oral	EU) No. 1272/2008~2021/84 EC) NO 1272/2008 : DL50 (OECD402) mg/kg bw Cutaneous	9 (CLP). CL50 (OECD4 mg/m3·4h Inhalat > 1230 F
	N 11: TOXICOLOGICA No experimental toy carried out by using <u>INFORMATION ON</u> <u>ACUTE TOXICITY:</u> Dose and lethal com for individual ingred Reaction mass of 5- isothiazolin-3-one [E methyl-2H-isothiazo (3:1) 1,2-benzisothiazol-3 Titanium dioxide (as	L INFORMATION dicological data on the pre- the conventional calcular N HAZARD CLASSES AS centrations ients: chloro-2-methyl-2H- EC 247-500-7] and 2- I-3-one [EC 220-239-6] B(2H)-one a powder containing 1%	DEFINED IN REGULATION (EDEFINED IN REGULATION (EDEFINED IN REGULATION (EDEFINED IN REGULATION) DL50 (OECD401) mg/kg bw Oral 74,9 Rat 1020 Rat	EU) No. 1272/2008~2021/84 EC) NO 1272/2008 : DL50 (OECD402) mg/kg bw Cutaneous 140 Rat	9 (CLP). CL50 (OECD4 mg/m3·4h Inhalat > 1230 F > 2050 F
	N 11: TOXICOLOGICA No experimental toy carried out by using <u>INFORMATION ON</u> <u>ACUTE TOXICITY:</u> Dose and lethal con for individual ingred Reaction mass of 5- isothiazolin-3-one [E methyl-2H-isothiazo (3:1) 1,2-benzisothiazol-3 Titanium dioxide (as or more of particles	L INFORMATION dicological data on the pre- the conventional calcular N HAZARD CLASSES AS centrations ients: chloro-2-methyl-2H- EC 247-500-7] and 2- I-3-one [EC 220-239-6] B(2H)-one	DEFINED IN REGULATION (EDEFINED IN REGULATION (EDEFINED IN REGULATION (EDEFINED IN REGULATION) DL50 (OECD401) mg/kg bw Oral 74,9 Rat 1020 Rat	EU) No. 1272/2008~2021/84 EC) NO 1272/2008 : DL50 (OECD402) mg/kg bw Cutaneous 140 Rat > 2000 Rat	9 (CLP). CL50 (OECD4 mg/m3·4h Inhalat > 1230 F > 2050 F
	N 11: TOXICOLOGICA No experimental to carried out by using <u>INFORMATION OF</u> <u>ACUTE TOXICITY:</u> Dose and lethal con for individual ingred Reaction mass of 5- isothiazolin-3-one [E methyl-2H-isothiazol (3:1) 1,2-benzisothiazol-3 Titanium dioxide (as or more of particles diameter ≤ 10 µm)	L INFORMATION kicological data on the pre- the conventional calcular N HAZARD CLASSES AS centrations ients: -chloro-2-methyl-2H- EC 247-500-7] and 2- I-3-one [EC 220-239-6] B(2H)-one a powder containing 1% with an aerodynamic	tion method of the Regulation (E DEFINED IN REGULATION (E DL50 (OECD401) mg/kg bw Oral 74,9 Rat 1020 Rat 7500 Rat	EU) No. 1272/2008~2021/84 <u>C) NO 1272/2008 :</u> DL50 (OECD402) mg/kg bw Cutaneous 140 Rat > 2000 Rat > 2000 Rabbit	9 (CLP). CL50 (OECD4 mg/m3·4h Inhalat > 1230 F > 2050 F > 6820 F
	N 11: TOXICOLOGICA No experimental tox carried out by using <u>INFORMATION OF</u> <u>ACUTE TOXICITY:</u> Dose and lethal con for individual ingred Reaction mass of 5- isothiazolin-3-one [E methyl-2H-isothiazol (3:1) 1,2-benzisothiazol-3 Titanium dioxide (as or more of particles diameter ≤ 10 µm) Estimates of acute to	L INFORMATION A cicological data on the pre- the conventional calcular A HAZARD CLASSES AS Centrations tents: -chloro-2-methyl-2H- EC 247-500-7] and 2- I-3-one [EC 220-239-6] B (2H)-one a powder containing 1% with an aerodynamic oxicity (ATE)	tion method of the Regulation (E DEFINED IN REGULATION (E DL50 (OECD401) mg/kg bw Oral 74,9 Rat 1020 Rat 7500 Rat ATE	EU) No. 1272/2008~2021/84 <u>C) NO 1272/2008 :</u> DL50 (OECD402) mg/kg bw Cutaneous 140 Rat > 2000 Rat > 2000 Rabbit ATE	I9 (CLP). CL50 (OECD4 mg/m3·4h Inhalat > 1230 F > 2050 F > 6820 F
	N 11: TOXICOLOGICA No experimental tox carried out by using <u>INFORMATION OF</u> <u>ACUTE TOXICITY:</u> Dose and lethal com for individual ingred Reaction mass of 5- isothiazolin-3-one [E methyl-2H-isothiazol (3:1) 1,2-benzisothiazol-3 Titanium dioxide (as or more of particles diameter ≤ 10 μm) Estimates of acute to for individual ingred	L INFORMATION kicological data on the pre- the conventional calcular N HAZARD CLASSES AS centrations ients: chloro-2-methyl-2H- EC 247-500-7] and 2- I-3-one [EC 220-239-6] 8(2H)-one is a powder containing 1% with an aerodynamic oxicity (ATE) ients:	DL50 (OECD401) DL50 (OECD401) mg/kg bw Oral 74,9 Rat 1020 Rat 7500 Rat ATE mg/kg bw Oral	EU) No. 1272/2008~2021/84 <u>C) NO 1272/2008 :</u> DL50 (OECD402) mg/kg bw Cutaneous 140 Rat > 2000 Rat > 2000 Rabbit	I9 (CLP). CL50 (OECD4 mg/m3·4h Inhalat > 1230 F > 2050 F > 6820 F A mg/m3·4h Inhalat
	N 11: TOXICOLOGICA No experimental tox carried out by using <u>INFORMATION OF</u> <u>ACUTE TOXICITY:</u> Dose and lethal com for individual ingred Reaction mass of 5- isothiazolin-3-one [E methyl-2H-isothiazol (3:1) 1,2-benzisothiazol-3 Titanium dioxide (as or more of particles diameter ≤ 10 μm) Estimates of acute to for individual ingred Reaction mass of 5- isothiazolin-3-one [E	L INFORMATION kicological data on the pre- the conventional calcular NHAZARD CLASSES AS centrations ients: chloro-2-methyl-2H- EC 247-500-7] and 2- I-3-one [EC 220-239-6] 8(2H)-one a powder containing 1% with an aerodynamic oxicity (ATE) ients: chloro-2-methyl-2H- EC 247-500-7] and 2-	tion method of the Regulation (E DEFINED IN REGULATION (E DL50 (OECD401) mg/kg bw Oral 74,9 Rat 1020 Rat 7500 Rat ATE	EU) No. 1272/2008~2021/84 <u>C) NO 1272/2008 :</u> DL50 (OECD402) mg/kg bw Cutaneous 140 Rat > 2000 Rat > 2000 Rabbit ATE mg/kg bw Cutaneous	I9 (CLP). CL50 (OECD4 mg/m3·4h Inhalat > 1230 F > 2050 F > 6820 F A mg/m3·4h Inhalat
	N 11: TOXICOLOGICA No experimental tox carried out by using <u>INFORMATION OF</u> <u>ACUTE TOXICITY:</u> Dose and lethal com for individual ingred Reaction mass of 5- isothiazolin-3-one [E methyl-2H-isothiazol-3 Titanium dioxide (as or more of particles diameter ≤ 10 μm) Estimates of acute to for individual ingred Reaction mass of 5- isothiazolin-3-one [E methyl-2H-isothiazon]	L INFORMATION kicological data on the pre- the conventional calcular NHAZARD CLASSES AS centrations ients: chloro-2-methyl-2H- EC 247-500-7] and 2- I-3-one [EC 220-239-6] 8(2H)-one is a powder containing 1% with an aerodynamic oxicity (ATE) ients: chloro-2-methyl-2H-	DL50 (OECD401) DL50 (OECD401) mg/kg bw Oral 74,9 Rat 1020 Rat 7500 Rat ATE mg/kg bw Oral	EU) No. 1272/2008~2021/84 <u>C) NO 1272/2008 :</u> DL50 (OECD402) mg/kg bw Cutaneous 140 Rat > 2000 Rat > 2000 Rabbit ATE mg/kg bw Cutaneous	I9 (CLP). CL50 (OECD4) mg/m3·4h Inhalat > 1230 F > 2050 F > 6820 F A mg/m3·4h Inhalat
	N 11: TOXICOLOGICA No experimental toy carried out by using <u>INFORMATION OF</u> <u>ACUTE TOXICITY:</u> Dose and lethal com for individual ingred Reaction mass of 5- isothiazolin-3-one [E methyl-2H-isothiazol (3:1) 1,2-benzisothiazol-3 Titanium dioxide (as or more of particles diameter ≤ 10 µm) Estimates of acute t for individual ingred Reaction mass of 5- isothiazolin-3-one [E methyl-2H-isothiazo (3:1)	L INFORMATION kicological data on the pre- the conventional calcular NHAZARD CLASSES AS centrations ients: chloro-2-methyl-2H- EC 247-500-7] and 2- I-3-one [EC 220-239-6] 8(2H)-one is a powder containing 1% with an aerodynamic oxicity (ATE) ients: -chloro-2-methyl-2H- EC 247-500-7] and 2- I-3-one [EC 220-239-6]	DL50 (OECD401) mg/kg bw Oral 74,9 Rat 1020 Rat 7500 Rat ATE mg/kg bw Oral 74,9	EU) No. 1272/2008~2021/84 <u>C) NO 1272/2008 :</u> DL50 (OECD402) mg/kg bw Cutaneous 140 Rat > 2000 Rat > 2000 Rabbit ATE mg/kg bw Cutaneous	I9 (CLP). CL50 (OECD4 mg/m3·4h Inhalat > 1230 F > 2050 F > 6820 F A mg/m3·4h Inhalat
	N 11: TOXICOLOGICA No experimental tox carried out by using <u>INFORMATION ON</u> <u>ACUTE TOXICITY:</u> Dose and lethal com for individual ingred Reaction mass of 5- isothiazolin-3-one [E methyl-2H-isothiazol (3:1) 1,2-benzisothiazol-3 Titanium dioxide (as or more of particles diameter ≤ 10 μm) Estimates of acute t for individual ingred Reaction mass of 5- isothiazolin-3-one [E methyl-2H-isothiazol (3:1) 1,2-benzisothiazol-3	L INFORMATION A cicological data on the pre- the conventional calcular N HAZARD CLASSES AS centrations ients: -chloro-2-methyl-2H- EC 247-500-7] and 2- I-3-one [EC 220-239-6] B (2H)-one a powder containing 1% with an aerodynamic oxicity (ATE) ients: -chloro-2-methyl-2H- EC 247-500-7] and 2- I-3-one [EC 220-239-6] B (2H)-one B (2H)-one	Eion method of the Regulation (E DEFINED IN REGULATION (E DL50 (OECD401) mg/kg bw Oral 74,9 Rat 1020 Rat 7500 Rat ATE mg/kg bw Oral 74,9 *567	EU) No. 1272/2008~2021/84 EC) NO 1272/2008 : DL50 (OECD402) mg/kg bw Cutaneous 140 Rat > 2000 Rat > 2000 Rat ATE mg/kg bw Cutaneous 140 -	P9 (CLP). CL50 (OECD4 mg/m3·4h Inhalat > 1230 F > 2050 F > 6820 F A mg/m3·4h Inhalat *>
	 N 11: TOXICOLOGICA No experimental tox carried out by using INFORMATION OF ACUTE TOXICITY: Dose and lethal com for individual ingred Reaction mass of 5- isothiazolin-3-one [E methyl-2H-isothiazol-3 (3:1) 1,2-benzisothiazol-3 Titanium dioxide (as or more of particles diameter ≤ 10 µm) Estimates of acute t for individual ingred Reaction mass of 5- isothiazolin-3-one [E methyl-2H-isothiazol-3 (3:1) Estimates of acute t for individual ingred Reaction mass of 5- isothiazolin-3-one [E methyl-2H-isothiazol-3 (3:1) 1,2-benzisothiazol-3 (*) - Point estimates of be used in the calcula 	L INFORMATION A cicological data on the pre- the conventional calcular A HAZARD CLASSES AS Centrations tents: Chloro-2-methyl-2H- EC 247-500-7] and 2- I-3-one [EC 220-239-6] B (2H)-one a powder containing 1% with an aerodynamic Oxicity (ATE) tents: Chloro-2-methyl-2H- EC 247-500-7] and 2- I-3-one [EC 220-239-6] B (2H)-one I-3-one [EC 220-239-6] B (2H)-one of acute toxicity corresponding tents of the ATE for classification of the ATE for classification	DL50 (OECD401) mg/kg bw Oral 74,9 Rat 1020 Rat 7500 Rat 7500 Rat 74,9 8 567 ng to the classification category (se	EU) No. 1272/2008~2021/84 EC) NO 1272/2008 : DL50 (OECD402) mg/kg bw Cutaneous 140 Rat > 2000 Rat > 2000 Ratbit ATE mg/kg bw Cutaneous 140 ate GHS/CLP Table 3.1.2). Theorem ponents and do not represent	IS (CLP). CL50 (OECD40 mg/m3·4h Inhalat > 1230 F > 2050 F > 6820 F A mg/m3·4h Inhalat *> se values are designed test results.
1.1	 N 11: TOXICOLOGICA No experimental tox carried out by using INFORMATION OF ACUTE TOXICITY: Dose and lethal com for individual ingred Reaction mass of 5- isothiazolin-3-one [E methyl-2H-isothiazol-3 (3:1) 1,2-benzisothiazol-3 Titanium dioxide (as or more of particles diameter ≤ 10 µm) Estimates of acute t for individual ingred Reaction mass of 5- isothiazolin-3-one [E methyl-2H-isothiazol-3 (3:1) Estimates of acute t for individual ingred Reaction mass of 5- isothiazolin-3-one [E methyl-2H-isothiazol-3 (3:1) 1,2-benzisothiazol-3 (*) - Point estimates of be used in the calcula (-) - The components 	L INFORMATION A cicological data on the pre- the conventional calcular A HAZARD CLASSES AS Centrations tents: Chloro-2-methyl-2H- EC 247-500-7] and 2- I-3-one [EC 220-239-6] B (2H)-one a powder containing 1% with an aerodynamic Oxicity (ATE) tents: Chloro-2-methyl-2H- EC 247-500-7] and 2- I-3-one [EC 220-239-6] B (2H)-one I-3-one [EC 220-239-6] B (2H)-one of acute toxicity corresponding tents of the ATE for classification of the ATE for classification	DL50 (OECD401) DL50 (OECD401) mg/kg bw Oral 74,9 Rat 1020 Rat 7500 Rat 7500 Rat 74,9 ATE mg/kg bw Oral 74,9 ATE mg/kg bw Oral 74,9	EU) No. 1272/2008~2021/84 EC) NO 1272/2008 : DL50 (OECD402) mg/kg bw Cutaneous 140 Rat > 2000 Rat > 2000 Ratbit ATE mg/kg bw Cutaneous 140 ate GHS/CLP Table 3.1.2). Theorem ponents and do not represent	I9 (CLP). CL50 (OECD40 mg/m3·4h Inhalati > 1230 F > 2050 F > 6820 F A mg/m3·4h Inhalati *> se values are designed f test results.
	 N 11: TOXICOLOGICA No experimental tox carried out by using INFORMATION OF ACUTE TOXICITY: Dose and lethal com for individual ingred Reaction mass of 5- isothiazolin-3-one [E methyl-2H-isothiazol-3 (3:1) 1,2-benzisothiazol-3 Titanium dioxide (as or more of particles diameter ≤ 10 µm) Estimates of acute t for individual ingred Reaction mass of 5- isothiazolin-3-one [E methyl-2H-isothiazol-3 (3:1) Estimates of acute t for individual ingred Reaction mass of 5- isothiazolin-3-one [E methyl-2H-isothiazol-3 (3:1) 1,2-benzisothiazol-3 (*) - Point estimates of be used in the calcula 	L INFORMATION A cicological data on the pre- the conventional calcular A HAZARD CLASSES AS Centrations tents: Chloro-2-methyl-2H- EC 247-500-7] and 2- I-3-one [EC 220-239-6] B (2H)-one a powder containing 1% with an aerodynamic Oxicity (ATE) tents: Chloro-2-methyl-2H- EC 247-500-7] and 2- I-3-one [EC 220-239-6] B (2H)-one I-3-one [EC 220-239-6] B (2H)-one of acute toxicity corresponding tents of the ATE for classification of the ATE for classification	DL50 (OECD401) mg/kg bw Oral 74,9 Rat 1020 Rat 7500 Rat 7500 Rat 74,9 8 567 ng to the classification category (se	EU) No. 1272/2008~2021/84 EC) NO 1272/2008 : DL50 (OECD402) mg/kg bw Cutaneous 140 Rat > 2000 Rat > 2000 Ratbit ATE mg/kg bw Cutaneous 140 ate GHS/CLP Table 3.1.2). Theorem ponents and do not represent	IS (CLP). CL50 (OECD40 mg/m3·4h Inhalat > 1230 F > 2050 F > 6820 F A mg/m3·4h Inhalat *> se values are designed test results.
	 N 11: TOXICOLOGICA No experimental tox carried out by using INFORMATION OF ACUTE TOXICITY: Dose and lethal com for individual ingred Reaction mass of 5- isothiazolin-3-one [E methyl-2H-isothiazol-3 (3:1) 1,2-benzisothiazol-3 Titanium dioxide (as or more of particles diameter ≤ 10 µm) Estimates of acute t for individual ingred Reaction mass of 5- isothiazolin-3-one [E methyl-2H-isothiazol-3 (3:1) Estimates of acute t for individual ingred Reaction mass of 5- isothiazolin-3-one [E methyl-2H-isothiazol-3 (3:1) 1,2-benzisothiazol-3 (*) - Point estimates of be used in the calcula (-) - The components 	L INFORMATION A cicological data on the pre- the conventional calcular A HAZARD CLASSES AS Centrations tents: Chloro-2-methyl-2H- EC 247-500-7] and 2- I-3-one [EC 220-239-6] B (2H)-one a powder containing 1% with an aerodynamic Oxicity (ATE) tents: Chloro-2-methyl-2H- EC 247-500-7] and 2- I-3-one [EC 220-239-6] B (2H)-one C 247-500-7] and 2- I-3-one [EC 220-239-6] B (2H)-one of acute toxicity corresponding that are assumed to have not appendix that are assumed to have not appendix to the terms of terms of terms of the terms of term	DL50 (OECD401) mg/kg bw Oral 74,9 Rat 1020 Rat 7500 Rat 7500 Rat 74,9 8 567 ng to the classification category (se	EU) No. 1272/2008~2021/84 EC) NO 1272/2008 : DL50 (OECD402) mg/kg bw Cutaneous 140 Rat > 2000 Rat > 2000 Ratbit ATE mg/kg bw Cutaneous 140 ate GHS/CLP Table 3.1.2). Theorem ponents and do not represent	IS (CLP). CL50 (OECD40 mg/m3·4h Inhalat > 1230 F > 2050 F > 6820 F A mg/m3·4h Inhalat *> se values are designed test results.
	N 11: TOXICOLOGICA No experimental toy carried out by using <u>INFORMATION OF</u> <u>ACUTE TOXICITY:</u> Dose and lethal com for individual ingred Reaction mass of 5- isothiazolin-3-one [E methyl-2H-isothiazol-3 Titanium dioxide (as or more of particles diameter ≤ 10 µm) Estimates of acute t for individual ingred Reaction mass of 5- isothiazolin-3-one [E methyl-2H-isothiazol (3:1) 1,2-benzisothiazol-3 (*) - Point estimates of be used in the calcula (-) - The components are ignored.	L INFORMATION A cicological data on the pre- the conventional calcular A HAZARD CLASSES AS Centrations tents: Chloro-2-methyl-2H- EC 247-500-7] and 2- I-3-one [EC 220-239-6] B (2H)-one a powder containing 1% with an aerodynamic Oxicity (ATE) tents: Chloro-2-methyl-2H- EC 247-500-7] and 2- I-3-one [EC 220-239-6] B (2H)-one C 247-500-7] and 2- I-3-one [EC 220-239-6] B (2H)-one of acute toxicity corresponding that are assumed to have not appendix that are assumed to have not appendix to the terms of terms of terms of the terms of term	DL50 (OECD401) mg/kg bw Oral 74,9 Rat 1020 Rat 7500 Rat 7500 Rat 74,9 8 567 ng to the classification category (se	EU) No. 1272/2008~2021/84 EC) NO 1272/2008 : DL50 (OECD402) mg/kg bw Cutaneous 140 Rat > 2000 Rat > 2000 Ratbit ATE mg/kg bw Cutaneous 140 ate GHS/CLP Table 3.1.2). Theorem ponents and do not represent	IS (CLP). CL50 (OECD40 mg/m3·4h Inhalat > 1230 F > 2050 F > 6820 F A mg/m3·4h Inhalat *> se values are designed test results.
	N 11: TOXICOLOGICA No experimental to carried out by using <u>INFORMATION OF</u> <u>ACUTE TOXICITY:</u> Dose and lethal con for individual ingred Reaction mass of 5- isothiazolin-3-one [E methyl-2H-isothiazol (3:1) 1,2-benzisothiazol-3 Titanium dioxide (as or more of particles diameter ≤ 10 µm) Estimates of acute t for individual ingred Reaction mass of 5- isothiazolin-3-one [E methyl-2H-isothiazol (3:1) 1,2-benzisothiazol-3 (*) - Point estimates of be used in the calcula (-) - The components are ignored. <u>- No observed advec</u> Not available	L INFORMATION A Conventional calculat A HAZARD CLASSES AS Centrations Sents: -chloro-2-methyl-2H- EC 247-500-7] and 2- I-3-one [EC 220-239-6] B (2H)-one S a powder containing 1% with an aerodynamic Oxicity (ATE) Sents: -chloro-2-methyl-2H- EC 247-500-7] and 2- I-3-one [EC 220-239-6] B (2H)-one S (2H)-one I - C 220-239-6] B (2H)-one of acute toxicity corresponding that are assumed to have re- I - S - C - S - C - C - C - C - C - C - C	DL50 (OECD401) mg/kg bw Oral 74,9 Rat 1020 Rat 7500 Rat 7500 Rat 74,9 8 567 ng to the classification category (se	EU) No. 1272/2008~2021/84 EC) NO 1272/2008 : DL50 (OECD402) mg/kg bw Cutaneous 140 Rat > 2000 Rat > 2000 Ratbit ATE mg/kg bw Cutaneous 140 ate GHS/CLP Table 3.1.2). Theorem ponents and do not represent	I9 (CLP). CL50 (OECD4) mg/m3·4h Inhalat > 1230 F > 2050 F > 6820 F A mg/m3·4h Inhalat *> se values are designed test results.
	N 11: TOXICOLOGICA No experimental to carried out by using <u>INFORMATION OF</u> <u>ACUTE TOXICITY</u> : Dose and lethal conforindividual ingred Reaction mass of 5- isothiazolin-3-one [E methyl-2H-isothiazol-3 Titanium dioxide (as or more of particles diameter ≤ 10 µm) Estimates of acute tf for individual ingred Reaction mass of 5- isothiazolin-3-one [E methyl-2H-isothiazol-3 (3:1) 1,2-benzisothiazol-3 (3:1) 1,2-benzisothiazol-3 (3:1) 1,2-benzisothiazol-3 (*) - Point estimates of be used in the calcula (-) - The components are ignored. <u>- No observed advec</u> Not available <u>- Lowest observed as</u>	L INFORMATION A Conventional calculat A HAZARD CLASSES AS Centrations Sents: -chloro-2-methyl-2H- EC 247-500-7] and 2- I-3-one [EC 220-239-6] B (2H)-one S a powder containing 1% with an aerodynamic Oxicity (ATE) Sents: -chloro-2-methyl-2H- EC 247-500-7] and 2- I-3-one [EC 220-239-6] B (2H)-one S (2H)-one I - C 220-239-6] B (2H)-one of acute toxicity corresponding that are assumed to have re- I - S - C - S - C - C - C - C - C - C - C	DL50 (OECD401) mg/kg bw Oral 74,9 Rat 1020 Rat 7500 Rat 7500 Rat 74,9 8 567 ng to the classification category (se	EU) No. 1272/2008~2021/84 EC) NO 1272/2008 : DL50 (OECD402) mg/kg bw Cutaneous 140 Rat > 2000 Rat > 2000 Ratbit ATE mg/kg bw Cutaneous 140 ate GHS/CLP Table 3.1.2). Theorem ponents and do not represent	I9 (CLP). CL50 (OECD4) mg/m3·4h Inhalat > 1230 F > 2050 F > 6820 F A mg/m3·4h Inhalat *> se values are designed test results.
	N 11: TOXICOLOGICAI No experimental tox carried out by using INFORMATION OF ACUTE TOXICITY: Dose and lethal com for individual ingred Reaction mass of 5- isothiazolin-3-one [E methyl-2H-isothiazol (3:1) 1,2-benzisothiazol-3 Titanium dioxide (as or more of particles diameter ≤ 10 µm) Estimates of acute to for individual ingred Reaction mass of 5- isothiazolin-3-one [E methyl-2H-isothiazol (3:1) 1,2-benzisothiazol-3 (3:1) 1,2-benzisothiazol-3 (3:1) 1,2-benzisothiazol-3 (*) - Point estimates or be used in the calcula (-) - The components are ignored. - No observed adveree Not available	L INFORMATION A Conventional calculat A HAZARD CLASSES AS Centrations Sents: -chloro-2-methyl-2H- EC 247-500-7] and 2- I-3-one [EC 220-239-6] B (2H)-one S a powder containing 1% with an aerodynamic oxicity (ATE) Sents: -chloro-2-methyl-2H- EC 247-500-7] and 2- I-3-one [EC 220-239-6] B (2H)-one S (2H)-one I-3-one [EC 220-239-6] B (2H)-one of acute toxicity corresponding ation of the ATE for classification that are assumed to have re- adverse effect level	DL50 (OECD401) mg/kg bw Oral 74,9 Rat 1020 Rat 7500 Rat 7500 Rat 7500 Rat 74,9 74,9 8 74,9 74,9 74,9 74,9 74,9 74,9 74,9 74,9	EU) No. 1272/2008~2021/84 EC) NO 1272/2008 : DL50 (OECD402) mg/kg bw Cutaneous 140 Rat > 2000 Rat > 2000 Ratbit ATE mg/kg bw Cutaneous 140 ate GHS/CLP Table 3.1.2). Theorem ponents and do not represent	I9 (CLP). CL50 (OECD4) mg/m3·4h Inhalat > 1230 F > 2050 F > 6820 F A mg/m3·4h Inhalat *> se values are designed test results.
	N 11: TOXICOLOGICA No experimental tox carried out by using <u>INFORMATION OF</u> <u>ACUTE TOXICITY:</u> Dose and lethal com for individual ingred Reaction mass of 5- isothiazolin-3-one [E methyl-2H-isothiazol-3 Titanium dioxide (as or more of particles diameter ≤ 10 µm) Estimates of acute tf for individual ingred Reaction mass of 5- isothiazolin-3-one [E methyl-2H-isothiazol (3:1) 1,2-benzisothiazol-3 (*) - Point estimates of be used in the calcula (-) - The components are ignored No observed adver Not available - Lowest observed a Not available	L INFORMATION A Cological data on the pre- the conventional calculat A HAZARD CLASSES AS Centrations ients: -chloro-2-methyl-2H- EC 247-500-7] and 2- I-3-one [EC 220-239-6] B (2H)-one a powder containing 1% with an aerodynamic oxicity (ATE) ients: -chloro-2-methyl-2H- EC 247-500-7] and 2- I-3-one [EC 220-239-6] B (2H)-one of acute toxicity corresponding that are assumed to have mean adverse effect level ELIKELY ROUTES OF EX	The second state of the Regulation (E DL50 (OECD401) mg/kg bw Oral 74,9 Rat 1020 Rat 7500 Rat 7500 Rat 7500 Rat 7500 Rat 7500 rat 7507 r	EU) No. 1272/2008~2021/84 C) NO 1272/2008 : DL50 (OECD402) mg/kg bw Cutaneous 140 Rat > 2000 Rat > 2000 Rat > 2000 Rat > 2000 Rat 140 ATE mg/kg bw Cutaneous 140 ee GHS/CLP Table 3.1.2). There ponents and do not represent hold of category 4 for the correst	I9 (CLP). CL50 (OECD4) mg/m3·4h Inhalat > 1230 F > 2050 F > 6820 F A mg/m3·4h Inhalat *> se values are designed test results. sponding exposure rout
	N 11: TOXICOLOGICA No experimental tox carried out by using <u>INFORMATION OF</u> <u>ACUTE TOXICITY:</u> Dose and lethal com for individual ingred Reaction mass of 5- isothiazolin-3-one [E methyl-2H-isothiazol (3:1) 1,2-benzisothiazol-3 Titanium dioxide (as or more of particles diameter ≤ 10 µm) Estimates of acute t for individual ingred Reaction mass of 5- isothiazolin-3-one [E methyl-2H-isothiazol (3:1) 1,2-benzisothiazol-3 (*) - Point estimates of be used in the calcula (-) - The components are ignored. <u>- No observed adver</u> Not available <u>INFORMATION ON</u> Routes of exposure	L INFORMATION A Cological data on the pre- the conventional calcular A HAZARD CLASSES AS Centrations ients: chloro-2-methyl-2H- EC 247-500-7] and 2- I-3-one [EC 220-239-6] A (2H)-one a powder containing 1% with an aerodynamic oxicity (ATE) ients: chloro-2-methyl-2H- EC 247-500-7] and 2- I-3-one [EC 220-239-6] A (2H)-one of acute toxicity corresponding tion of the ATE for classification that are assumed to have re- adverse effect level Acute toxicity Acute toxicity	Ition method of the Regulation (E DL50 (OECD401) mg/kg bw Oral 74,9 Rat 1020 Rat 7500 Rat 74,9 ATE mg/kg bw Oral 74,9 Rat 1020 Rat 7500 Rat 74,9 *567 ng to the classification category (section of a mixture based on its com to acute toxicity at the upper thresh the upper the upper the upper the upper the upper thre	EU) No. 1272/2008~2021/84 C) NO 1272/2008 : DL50 (OECD402) mg/kg bw Cutaneous 140 Rat > 2000 Rat > 2000 Ratbit ATE mg/kg bw Cutaneous 140 40 	IS (CLP). CL50 (OECD4(mg/m3·4h Inhalat > 1230 F > 2050 F > 6820 F A mg/m3·4h Inhalat *> se values are designed test results. sponding exposure routor ayed Criteria
	N 11: TOXICOLOGICA No experimental tox carried out by using <u>INFORMATION OF</u> <u>ACUTE TOXICITY:</u> Dose and lethal com for individual ingred Reaction mass of 5- isothiazolin-3-one [E methyl-2H-isothiazol-3 Titanium dioxide (as or more of particles diameter ≤ 10 µm) Estimates of acute tf for individual ingred Reaction mass of 5- isothiazolin-3-one [E methyl-2H-isothiazol (3:1) 1,2-benzisothiazol-3 (*) - Point estimates of be used in the calcula (-) - The components are ignored No observed adver Not available - Lowest observed a Not available	L INFORMATION A Cological data on the pre- the conventional calculat A HAZARD CLASSES AS Centrations ients: -chloro-2-methyl-2H- EC 247-500-7] and 2- I-3-one [EC 220-239-6] B (2H)-one a powder containing 1% with an aerodynamic oxicity (ATE) ients: -chloro-2-methyl-2H- EC 247-500-7] and 2- I-3-one [EC 220-239-6] B (2H)-one of acute toxicity corresponding that are assumed to have mean adverse effect level ELIKELY ROUTES OF EX	Ition method of the Regulation (E DL50 (OECD401) mg/kg bw Oral 74,9 Rat 1020 Rat 7500 Rat 74,9 ATE mg/kg bw Oral 74,9 Rat 1020 Rat 7500 Rat 74,9 *567 ng to the classification category (section of a mixture based on its com to acute toxicity at the upper thresh the upper the upper the upper the upper the upper thre	EU) No. 1272/2008~2021/84 C) NO 1272/2008 : DL50 (OECD402) mg/kg bw Cutaneous 140 Rat > 2000 Rat > 2000 Rat > 2000 Rat > 2000 Rat ATE mg/kg bw Cutaneous 140 ee GHS/CLP Table 3.1.2). There ponents and do not represent hold of category 4 for the correst	IS (CLP). CL50 (OECD40 mg/m3·4h Inhalat > 1230 F > 2050 F > 6820 F A mg/m3·4h Inhalat *> se values are designed test results. sponding exposure route ayed Criteria th acute toxicity GHS/CI

SAFETY DATA SHEET (REACH)	
In accordance with Regulation (EC) No. 1907/2006 and Regulation (EU) No. 2020/8	78

V

	07/2006 and Regulation (EU) No. 202	20/878		(La	nguage:
COLOR	SSO BLANCO e : 00049				
n: 4 Revision:	25/04/2023	Previous revi	ision: 20/09/2022	Date of printing	: 25/04/2
Skin: Not classified	ATE > 5000 mg/kg bw	-	in contact with	as a product with acute toxicity n skin (based on available data, ion criteria are not met).	
Eyes: Not classified	Not available.	-		as a product with acute toxicity t (lack of data).	GHS/C 1.2.5.
Ingestion: Not classified	ATE > 5000 mg/kg bw	-	if swallowed (as a product with acute toxicity based on available data, the criteria are not met).	GHS/C 3.1.3.6.
CORROSION / IRRITATION			ha i rr		
CORROSION / IRRITATION Danger class - Respiratory corrosion/irritation Not classified	Target organs	Cat. -	Not classified irritant by inha	acute and/or delayed as a product corrosive or alation (based on available data, ion criteria are not met)	GHS/C 1.2.6.
Danger class - Respiratory corrosion/irritation	Target organs	Cat. - -	Not classified irritant by inha the classificat Not classified irritant in cont	as a product corrosive or	GHS/C 1.2.6. 3.8.3.4 GHS/C
Danger class - Respiratory corrosion/irritation Not classified - Skin corrosion/irritation:	Target organs on: - -	Cat. - - -	Not classified irritant by inha the classificat Not classified irritant in cont available data not met). Not classified irritant in cont	as a product corrosive or alation (based on available data, ion criteria are not met). as a product corrosive or act with skin (based on	Criteria GHS/C 1.2.6. 3.8.3.4. GHS/C 3.2.3.3. GHS/C 3.3.3.3.
Danger class - Respiratory corrosion/irritation Not classified - Skin corrosion/irritation: Not classified - Serious eye damage/irritation	Target organs on: - -	Cat. - - -	Not classified irritant by inha the classificat Not classified irritant in cont available data not met). Not classified irritant in cont available data not met). Not classified inhalation (ba	as a product corrosive or alation (based on available data, ion criteria are not met). as a product corrosive or act with skin (based on a, the classification criteria are as a product corrosive or act with eyes (based on a, the classification criteria are as a product sensitising by	GHS/C 1.2.6. 3.8.3.4 GHS/C 3.2.3.3 GHS/C

GHS/CLP 3.2.3.3: Classification of the mixture when data are available for all components or only for some components. GHS/CLP 3.3.3.3: Classification of the mixture when data are available for all components or only for some components. GHS/CLP 3.4.3.3: Classification of the mixture when data are available for all components or only for some components. GHS/CLP 3.8.3.4: Classification of the mixture when data are available for all components or only for some components.

- ASPIRATION HAZARD:

Danger class	Target organs	Cat.	Main effects, acute and/or delayed	Criteria
- Aspiration hazard: Not classified	-		1 3	GHS/CLP 3.10.3.3.

classification criteria are not met).

GHS/CLP 3.10.3.3: Classification of the mixture when data are available for all components or only for some components.

SPECIFIC TARGET ORGANS TOXICITY (STOT): Single exposure (SE) and/or Repeated exposure (RE):

Not classified as a dangerous product for target organs.

GHS/CLP 3.8.3.4: Classification of the mixture when data are available for all components or only for some components.

CMR EFFECTS:

- Carcinogenic effects:

It is not considered as a carcinogenic product.

- Genotoxicity:

It is not considered as a mutagenic product.

- Toxicity for reproduction:

Does not harm fertility.Does not harm the unborn child.

Effects via lactation:

Not classified as a hazardous product for children breast-fed.

DELAYED AND IMMEDIATE EFFECTS AS WELL AS CHRONIC EFFECTS FROM SHORT AND LONG-TERM EXPOSURE:

Routes of exposure

May be absorbed by inhalation of vapour, through the skin and by ingestion.

- Short-term exposure:

May irritate the eyes and skin. Causes skin irritation.

- Long-term or repeated exposure:

Repeated or prolonged contact may cause removal of natural fat from the skin, resulting in non-allergic contact dermatitis and absorption through the skin.

	IRIS COLOR	GESSO E Code : 00				
ersion	1:4	Revision: 25/0	4/2023	Previous revision:	20/09/2022	Date of printing: 25/04/202
	INTERACTIVE Not available.	EFFECTS:				
			OCINETICS	, METABOLISM AND DISTRIBUT	ION:	
	 <u>Dermal absor</u> Not available. 	<u>ption:</u>				
	- Basic toxicoki Not available.	<u>netics:</u>				
	ADDITIONAL IN Not available.					
1.2	Endocrine disru	ON OTHER HA pting properties:				
	Other information	<u>on:</u>	lances with e	endocrine disrupting properties identif	led of under evaluation.	
		ormation available.				
CTION	12: ECOLOGICA		l data on th	e preparation as such is available.	The ecotoxicological classif	ication for these
	mixture has bee (CLP).			onventional calculation method of		
2.1	TOXICITY:	n aquatic enviror	mont	CL50 (OECD 203)		CE50 (OECD 20
	for individual ing		iment	mg/l·96hours	CE50 (OECD 202) mg/l·48hours	mg/l·72hou
	isothiazolin-3-or	of 5-chloro-2-mei ne [EC 247-500-7 iazol-3-one [EC 2	/] and 2-	0.19 - Fishes	0.16 - Daphniae	0.037 - Alg
	1,2-benzisothiaz	col-3(2H)-one		1.2 - Fishes	0.85 - Daphniae	0.37 - Alg
		e (as a powder co cles with an aero m)		5 100 - Fishes	100 - Daphniae	100 - Alg
	- No observed e	ffect concentration	on	NOEC (OECD 210)	NOEC (OECD 211) mg/l · 21 days	NOEC (OECD 20 mg/l · 72 hou
	isothiazolin-3-or	of 5-chloro-2-mei ne [EC 247-500-7 iazol-3-one [EC 2	/] and 2-	0.02 - Fishes	0.011 - Daphniae	0.004 - Alg
	Not available	ed effect concer				
	Aquatic toxicity			Main hazards to the aquatic environm	nent	Criteria
	 Acute aquatic Not classified 	-		Not classified as a hazardous produc (based on available data, the classific	ation criteria are not met).	4.1.3.5.5.3.
	- Chronic aquati	c toxicity:		Not classified as a dangerous produc with long lasting effects (based on av are not met).		
	CLP 4.1.3.5.5.4:	Classification of a	mixture for c	cute hazards, based on summation o hronic (long term) hazards, based on		onents.
2.2	PERSISTENCE - Biodegradabili Not available.	AND DEGRADA	<u>ABILITY:</u>			
	Aerobic biodegr for individual inc			COD mgO2/g	%DBO/DQO 5 days 14 days 28 days	Biodegradabilid
	Reaction mass of isothiazolin-3-or methyl-2H-isoth	of 5-chloro-2-me ne [EC 247-500-7 iazol-3-one [EC 2	/] and 2-		55	Not ea
	(3:1) 1,2-benzisothiaz	ol-3(2H)-one				Not ea
				1		101 00

lot available. Photodegradability: lot available. IOACCUMULATIVE POTENTIAL: lot available. ioaccumulation or individual ingredients eaction mass of 5-chloro-2-methyl-2H- othiazolin-3-one [EC 247-500-7] and 2- nethyl-2H-isothiazol-3-one [EC 220-239-6] 3:1) ,2-benzisothiazol-3(2H)-one itanium dioxide (as a powder containing 1% r more of particles with an aerodynamic iameter ≤ 10 μm)	logPow 0.75 0.64	BCF L/kg 3.2 (calculated)	Potentia Unlikely, low		
Photodegradability: lot available. NOACCUMULATIVE POTENTIAL: lot available. ioaccumulation or individual ingredients eaction mass of 5-chloro-2-methyl-2H- othiazolin-3-one [EC 247-500-7] and 2- nethyl-2H-isothiazol-3-one [EC 220-239-6] 3:1) ,2-benzisothiazol-3(2H)-one itanium dioxide (as a powder containing 1% r more of particles with an aerodynamic	0.75	L/kg			
IOACCUMULATIVE POTENTIAL: lot available. ioaccumulation or individual ingredients eaction mass of 5-chloro-2-methyl-2H- othiazolin-3-one [EC 247-500-7] and 2- nethyl-2H-isothiazol-3-one [EC 220-239-6] 3:1) ,2-benzisothiazol-3(2H)-one itanium dioxide (as a powder containing 1% r more of particles with an aerodynamic	0.75	L/kg			
ioaccumulation or individual ingredients eaction mass of 5-chloro-2-methyl-2H- othiazolin-3-one [EC 247-500-7] and 2- nethyl-2H-isothiazol-3-one [EC 220-239-6] 3:1) ,2-benzisothiazol-3(2H)-one itanium dioxide (as a powder containing 1% r more of particles with an aerodynamic	0.75	L/kg			
or individual ingredients eaction mass of 5-chloro-2-methyl-2H- othiazolin-3-one [EC 247-500-7] and 2- nethyl-2H-isothiazol-3-one [EC 220-239-6] 3:1) ,2-benzisothiazol-3(2H)-one itanium dioxide (as a powder containing 1% r more of particles with an aerodynamic	0.75	L/kg			
eaction mass of 5-chloro-2-methyl-2H- othiazolin-3-one [EC 247-500-7] and 2- nethyl-2H-isothiazol-3-one [EC 220-239-6] 3:1) ,2-benzisothiazol-3(2H)-one itanium dioxide (as a powder containing 1% r more of particles with an aerodynamic		3.2 (calculated)	Unlikely, lo		
,2-benzisothiazol-3(2H)-one itanium dioxide (as a powder containing 1% r more of particles with an aerodynamic	<u> </u>				
itanium dioxide (as a powder containing 1% r more of particles with an aerodynamic		3.2 (calculated)	Unlikely, lov		
. ,			Not availabl		
MOBILITY IN SOIL:					
lot available lobility	log Poc	Constant of Henry	Potentia		
or individual ingredients		Pa·m3/mol 20°C			
othiazolin-3-one [EC 247-500-7] and 2- nethyl-2H-isothiazol-3-one [EC 220-239-6]	0,45		Unlikely, lov		
	1.05		Unlikely, lov		
		0. 1907/2006:)			
		_			
NDOCRINE DISRUPTING PROPERTIES:					
•	ocrine disrupting properties identified	d or under evaluation.			
- Ozone depletion potential: Not available.					
- Photochemical ozone creation potential:					
Not available.					
- Earth global warming potential:					
	08/98/EC~Regulation (ELI) no. 1	357/2014			
to not discharge into drains or the environment, discoordance with current local and national regulation Disposal of empty containers:Directive 94/62/E (mptied containers and packaging should be disposal ackaging as hazardous waste will depend on the or lassification, in accordance with Chapter 15 01 of ontaminated containers and packaging, adopt the Procedures for neutralising or destroying the part of th	spose at an authorised waste collect ons. For exposure controls and perso <u>C~2015/720/EU, Decision 2000/5</u> used in accordance with currently loc degree of empting of the same, being Decision 2000/532/EC, and forwardi same measures as for the product in roduct:	tion point. Waste should be har onal protection measures, see <u>532/EC~2014/955/EU:</u> al and national regulations.The g the holder of the residue resp ing to the appropriate final dest	ndled and disposed in section 8. e classification of ponsible for their		
ie cie i cie cie	action mass of 5-chloro-2-methyl-2H- thiazolin-3-one [EC 247-500-7] and 2- ethyl-2H-isothiazol-3-one [EC 220-239-6] 1) 2-benzisothiazol-3(2H)-one <u>SULTS OF PBT AND VPVB ASSESMENT:</u> bes not contain substances that fulfil the PBT/vPv <u>NDOCRINE DISRUPTING PROPERTIES:</u> is product does not contain substances with ender <u>THER ADVERSE EFFECTS:</u> <u>Dzone depletion potential:</u> t available. 2-hotochemical ozone creation potential: t available. 2-hotochemical ozone creation potential: t available. 2-hotochemical ozone creation potential: t available. 2-botochemical ozone creation potential: b available. 2-botochemical ozone creation potential: 2-botochemical ozone creation potential: 2-botochemical ozone creation potential: 3-botochemical	action mass of 5-chloro-2-methyl-2H- othiazolin-3-one [EC 247-500-7] and 2- ethyl-2H-isothiazol-3-one [EC 220-239-6] 1) 2-benzisothiazol-3(2H)-one SULTS OF PBT AND VPVB ASSESMENT: (Annex XIII of Regulation (EC) nor person to contain substances that fulfil the PBT/vPvB criteria. NDOCRINE DISRUPTING PROPERTIES: is product does not contain substances with endocrine disrupting properties identified THER ADVERSE EFFECTS: Dzone depletion potential: to available. Photochemical ozone creation potential: to available. Sisposal consideration (EU) no. 1 ke all necessary measures to prevent the production of waste whenever possible. An o not discharge into drains or the environment, dispose at an authorised waste collect cordance with current local and national regulations. For exposure controls and person sposal of empty containers:Directive 94/62/EC~2015/720/EU, Decision 2000/ sposal of in accordance with Chapter 15 01 of Decision 2000/532/EC, and forward	action mass of 5-chloro-2-methyl-2H- thiazolin-3-one [EC 247-500-7] and 2- ethyl-2H-isothiazol-3-one [EC 220-239-6] 1) 2-benzisothiazol-3(2H)-one 1,05 SULTS OF PBT AND VPVB ASSESMENT: (Annex XIII of Regulation (EC) no. 1907/2006:) bes not contain substances that fulfil the PBT/vPvB criteria. NDOCRINE DISRUPTING PROPERTIES: is product does not contain substances with endocrine disrupting properties identified or under evaluation. THER ADVERSE EFFECTS: Dzcane depletion potential: t available. 2- Photochemical ozone creation potential: t available. 3- SUST CONSIDERATIONS ASTE TREATMENT METHODS:Directive 2008/98/EC~Regulation (EU) no. 1357/2014: ke all necessary measures to prevent the production of waste whenever possible. Analyse possible methods for revo on ot discharge into drains or the environment, dispose at an authorised waste collection point. Waste should be har cordance with current local and national regulations. For exposure controls and personal protection measures, see as sposal of empty containers:Directive 94/62/EC~2015/720/EU. Decision 2000/532/EC~2014/955/EU: nptied containers and packaging should be disposed in accordance with currently local and national regulations. The ckaging as hazardous waste will depend on the degree of empting of the same, being the holder of the residue resp ssification, in accordance with Chapter 15 01 of Decision 2000/532/EC, and forwarding to the appropriate final dest ntaminated containers and packaging, adopt the same measures as for the product in itself. accedures for neutralising or destroying the product:		

		GESSO BLANCO Code : 00049		
ersio	n: 4 R	evision: 25/04/2023	Previous revision: 20/09/2022	Date of printing: 25/04/20
	N 14: TRANSPORT IN	FORMATION		
4.1	UN NUMBER OR	ID NUMBER:		
	Not applicable			
4.2	UN PROPER SHIP	PPING NAME:		
4.3	Not applicable	ZARD CLASS(ES):		
14.5	Transport by road			
	Transport by rail (<u>RID 2021):</u>		
	No reglamented			
	Transport by sea (No reglamented	<u>IMDG 39-18):</u>		
	Transport by air (IC			
	No reglamented			
		<u>d waterways (ADN):</u>		
	No reglamented			
4.4	PACKING GROUP	<u>.</u>		
4.5	No reglamented			
4.5		classified as hazardous for the envir	ronment).	
4.6		UTIONS FOR USER:	,	
			t to do in case of accident or spill. Always transpo	rt in closed containers that are
4 7		Ensure adequate ventilation. SPORT IN BULK ACCORDING 1		
4.7	Not applicable.	SPORT IN BULK ACCORDING	TO IMO INSTRUMENTS.	
	N 15: REGULATORY	INFORMATION		
5.1			JLATIONS/LEGISLATION SPECIFIC FOR TH	HE SUBSTANCE OR MIXTUR
0.1			listed throughout this Safety Data Sheet.	
		nufacture, placing on market and		
	See section 1.2			
	Tactile warning of			
	Child safety protect	classification criteria are not met).		
		classification criteria are not met).		
	VOC information o			
	Contains VOC max.	12,6 g/l for the product ready for us	e - The limit value 2004/42/EC-IIA cat. g) Sealing	primer, water-borne. is VOC ma
	30 g/l (2010)	TIONS		
	Not available.	<u>nons.</u>		
		<u>s inherent in major accidents (Se</u>	veso III):	
	See section 7.2			
	Other local legislat			
5.2		TY ASSESSMENT:	al regulations applicable to the chemical.	
0.2		ssessment has not been carried out	for this mixture.	
	·····, ···			

SAFETY DATA SHEET (REACH) Page 13/13 In accordance with Regulation (EC) No. 1907/2006 and Regulation (EU) No. 2020/878 (Language:EN) Image: Color GESSO BLANCO Code : 00049 Code : 00049

Revision: 25/04/2023

Version: 4

Previous revision: 20/09/2022

Date of printing: 25/04/2023

SECTION	16: OTHER INFORMATION
16.1	TEXT OF THE PHRASES AND NOTES REFERENCED IN SECTIONS 2 AND/OR 3:
	Hazard statements according the Regulation (EU) No. 1272/2008~2021/849 (CLP), Annex III:
	H301 Toxic if swallowed. H302 Harmful if swallowed. H310 Fatal in contact with skin. H314 Causes severe skin burns and eye damage.
	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H330 Fatal if inhaled. H400 Very
	toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. EUH071 Corrosive to the respiratory tract. H351i Suspected of
	causing cancer if inhaled.
	Notes related to the identification, classification and labelling of the substances or mixtures:
	Note B : Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore,
	these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid %'. In this case the supplier must state the percentage concentration of the
	solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.
	EVALUATION OF THE INFORMATION ON THE DANGER OF MIXTURES:
	See sections 9.1, 11.1 and 12.1.
	ADVICES ON ANY TRAINING APPROPRIATE FOR WORKERS:
	It is recommended for all staff that will handle this product to carry out a basic training in occupational risk and prevention, in order to
	provide understanding and interpretation of Safety Data Sheets and labelling of products as well.
	MAIN LITERATURE REFERENCES AND SOURCES FOR DATA:
	· European Chemicals Agency: ECHA, http://echa.europa.eu/
	· Access to European Union Law, http://eur-lex.europa.eu/
	· Industrial Solvents Handbook, Ibert Mellan (Noyes Data Co., 1970).
	 Threshold Limit Values, (AGCIH, 2021). European agreement on the international carriage of dangerous goods by road, (ADR 2021).
	 International Maritime Dangerous Goods Code IMDG including Amendment 39-18 (IMO, 2018).
	ABBREVIATIONS AND ACRONYMS:
	List of abbreviations and acronyms that can be used (but not necessarily used) in this Safety Data Sheet:
	· REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals.
	· GHS: Globally Harmonized System of Classification and Labelling of Chemicals of the United Nations.
	 CLP: European regularion on Classificatin, Labelling amd Packaging of substances and chemical mixtures. EINECS: European Inventory of Existing Commercial Chemical Substances.
	· ELINCS: European List of Notified Chemical Substances.
	CAS: Chemical Abstracts Service (Division of the American Chemical Society).
	· UVCB: Substances of Unknown or Variable composition, complex reaction products or biological materials.
	· SVHC: Substances of Very High Concern.
	 PBT: Persistent, bioaccumulable and toxic substances. vPvB: Very persistent and very bioaccumulable substances.
	· VOC: Volatile Organic Compounds.
	· DNEL: Derived No-Effect Level (REACH).
	PNEC: Predicted No-Effect Concentration (REACH).
	· LC50: Lethal concentration, 50 percent.
	· LD50: Lethal dose, 50 percent. · UN: United Nations Organisation.
	· ADR: European agreement concerning the international carriage of dangeous goods by road.
	· RID: Regulations concerning the international transport of dangeous goods by rail.
	· IMDG: International Maritime code for Dangerous Goods.
	· IATA: International Air Transport Association.
	· ICAO: International Civil Aviation Organization.
	SAFETY DATA SHEET REGULATIONS:
	Safety Data Sheet in accordance with Article 31 of Regulation (EC) No. 1907/2006 (REACH) and Annex of Regulation (EU) No. 2020/878.
	HISTORIC: REVISION: Version: 3 20/09/2022
	Version: 3 20/09/2022 Version: 4 25/04/2023
	Changes since previous Safety Data Sheet:
	Changes that have been introduced with respect to the previous version due to the structural and content adaptation of the Safety Data
	Sheet to Regulation (EU) No. 2020/878: All sections.
The inform	mation of this Safety Data Sheet, is based on the present state of knowledge and on current UE and national laws, as the users" working
	sare beyond our knowledge and control. The product is not to be used for other purposes than those specified, without first obtaining written instruction. It is always the responsibility of the user to take all necessary steps in order to fulfil the demand laid down in the local rules and
	n. The information in this Safety Data Sheet is meant as a description of the safety requirements of the product and it is not to be considered
	antee of the product"s properties